2009 Research Bibliography on Suicide Prevention in Teen Males

Idaho Suicide Prevention Research Project

Funded by the Idaho Department of Health & Welfare

April, 2011

Aderet, A. (2009). Alert: the dark side of chats--internet without boundaries. *Isr J Psychiatry Relat Sci, 46*(3), 162-166. (http://www.ncbi.nlm.nih.gov/pubmed/20039515)

Ajdacic-Gross, V., C. Lauber, M. Baumgartner, et al. (2009). In-patient suicide--a 13-year assessment. *Acta Psychiatr Scand, 120*(1), 71-75. (http://www.ncbi.nlm.nih.gov/pubmed/19291075)

Alaräisänen, A., J. Miettunen, P. Räsänen, et al. (2009). Suicide rate in schizophrenia in the Northern Finland 1966 Birth Cohort. *Soc Psychiatry Psychiatr Epidemiol, 44*(12), 1107-1110. (http://www.ncbi.nlm.nih.gov/pubmed/19319456)

Alexander, M. J., G. Haugland, P. Ashenden, et al. (2009). Coping with thoughts of suicide: techniques used by consumers of mental health services. *Psychiatr Serv, 60*(9), 1214-1221. (http://www.ncbi.nlm.nih.gov/pubmed/19723736)

Allen, J., G. Mohatt, C. C. Fok, et al. (2009). Suicide prevention as a community development process: understanding circumpolar youth suicide prevention through community level outcomes. *Int J Circumpolar Health, 68*(3), 274-291. (http://www.ncbi.nlm.nih.gov/pubmed/19705659)

Almeida, Joanna, Renee M. Johnson, Heather L. Corliss, et al. (2009). Emotional Distress among LGBT Youth: The Influence of Perceived Discrimination Based on Sexual Orientation. *Journal of Youth and Adolescence, 38*(7), 1001-1014. (http://www.ncbi.nlm.nih.gov/pubmed/19636742)

Antretter, E., D. Dunkel, & C. Haring. (2009). Cause-specific excess mortality in suicidal patients: gender differences in mortality patterns. *Gen Hosp Psychiatry, 31*(1), 67-74. (http://www.ncbi.nlm.nih.gov/pubmed/19134512)

Arria, A. M., K. E. O'Grady, K. M. Caldeira, et al. (2009). Suicide ideation among college students: a multivariate analysis. *Arch Suicide Res, 13*(3), 230-246. (http://www.ncbi.nlm.nih.gov/pubmed/19590997)

Aspinall, P. J. (2009). Suicide rates in people of South Asian origin in England and Wales. *Br J Psychiatry, 194*(6), 566-567; author reply 567-568.

Azenha, D., M. Alves, R. Matos, et al. (2009). Male specific association between the 5-HTR6 gene 267C/T SNP and suicide in the Portuguese population. *Neurosci Lett, 466*(3), 128-130. (http://www.ncbi.nlm.nih.gov/pubmed/19782122)

Babiss, L. A., & J. E. Gangwisch. (2009). Sports participation as a protective factor against depression and suicidal ideation in adolescents as mediated by self-esteem and social support. *J Dev Behav Pediatr, 30*(5), 376-384. (http://www.ncbi.nlm.nih.gov/pubmed/19692930)

Baillargeon, J., J. V. Penn, C. R. Thomas, et al. (2009). Psychiatric disorders and suicide in the nation's largest state prison system. *J Am Acad Psychiatry Law, 37*(2), 188-193. (http://www.ncbi.nlm.nih.gov/pubmed/19535556)

Baller, R. D., & K. K. Richardson. (2009). The "dark side" of the strength of weak ties: the diffusion of suicidal thoughts. *J Health Soc Behav, 50*(3), 261-276. (http://www.ncbi.nlm.nih.gov/pubmed/19711805)

Battistini, A., G. Gentile, E. Palazzo, et al. (2009). Train-related suicides in Milan, Italy: analysis of cases 1993-2008. *Med Sci Law, 49*(3), 185-190. (http://www.ncbi.nlm.nih.gov/pubmed/19787990)

Bebbington, P. E., C. Cooper, S. Minot, et al. (2009). Suicide attempts, gender, and sexual abuse: data from the 2000 British Psychiatric Morbidity Survey. *Am J Psychiatry, 166*(10), 1135-1140. (http://www.ncbi.nlm.nih.gov/pubmed/19723788)

Becker, M., L. Brown, E. Ochshorn, et al. (2009). Risk for suicide among medicaid beneficiaries. *Suicide Life Threat Behav, 39*(2), 172-181. (http://www.ncbi.nlm.nih.gov/pubmed/19527157)

Bernburg, J. G., T. Thorlindsson, & I. D. Sigfusdottir. (2009). The spreading of suicidal behavior: The contextual effect of community household poverty on adolescent suicidal behavior and the mediating role of suicide suggestion. *Soc Sci Med, 68*(2), 380-389. (http://www.ncbi.nlm.nih.gov/pubmed/19019522)

Birbal, R., H. D. Maharajh, M. Clapperton, et al. (2009). Cybersuicide and the adolescent population: challenges of the future? *Int J Adolesc Med Health, 21*(2), 151-159. (http://www.ncbi.nlm.nih.gov/pubmed/19702194)

Birkett, Michelle, & Dorothy L. Espelage. (2009). LGB and questioning students in schools: The moderating effects of homophobic bullying and school climate on negative outcomes. *Journal of Youth and Adolescence, 38*(7), 989-1000. (http://www.ncbi.nlm.nih.gov/pubmed/19636741)

Björkstén, K. S., D. F. Kripke, & P. Bjerregaard. (2009). Accentuation of suicides but not homicides with rising latitudes of Greenland in the sunny months. *BMC Psychiatry, 9*, 20. (http://www.ncbi.nlm.nih.gov/pubmed/19422728)

Bjornaas, M. A., D. Jacobsen, T. Haldorsen, et al. (2009). Mortality and causes of death after hospital-treated self-poisoning in Oslo: a 20-year follow-up. *Clin Toxicol (Phila), 47*(2), 116-123. (http://www.ncbi.nlm.nih.gov/pubmed/18608284)

Blaustein, M., & A. Fleming. (2009). Suicide from the Golden Gate Bridge. *Am J Psychiatry, 166*(10), 1111-1116. (http://www.ncbi.nlm.nih.gov/pubmed/19797444)

Boeninger, Daria Kirsten. (2009). Adolescent suicidal ideation, plans, and attempts: Developmental trends and family context. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 70*(5-B), 3200.

Bose, A., C. Sandal Sejbaek, P. Suganthy, et al. (2009). Self-harm and self-poisoning in southern India: choice of poisoning agents and treatment. *Trop Med Int Health, 14*(7), 761-765. (http://www.ncbi.nlm.nih.gov/pubmed/19497080)

Brådvik, L., & M. Berglund. (2009). Repetition and severity of suicide attempts across the life cycle: a comparison by age group between suicide victims and controls with severe depression. *BMC Psychiatry, 9*, 62. (http://www.ncbi.nlm.nih.gov/pubmed/19788725)

Brausch, Amy M., & Peter M. Gutierrez. (2009). The Role of Body Image and Disordered Eating as Risk Factors for Depression and Suicidal Ideation in Adolescents. *Suicide and Life-Threatening Behavior, 39*(1), 58-71. (http://www.ncbi.nlm.nih.gov/pubmed/19298151)

Brent, D. (2009). Choosing life. *Pediatr Diabetes, 10*(7), 422-423.

---. (2009). In search of endophenotypes for suicidal behavior. *Am J Psychiatry, 166*(10), 1087-1089.

---. (2009). The treatment of SSRI-resistant depression in adolescents (TORDIA): in search of the best next step. *Depress Anxiety, 26*(10), 871-874.

Brent, D. A., G. J. Emslie, G. N. Clarke, et al. (2009). Predictors of spontaneous and systematically assessed suicidal adverse events in the treatment of SSRI-resistant depression in adolescents (TORDIA) study. *Am J Psychiatry, 166*(4), 418-426. (http://www.ncbi.nlm.nih.gov/pubmed/19223438)

Bridges, F. S., & W. B. Tankersley. (2009). Use of age-adjusted rates of suicide in time series studies in Israel. *Isr J Psychiatry Relat Sci, 46*(3), 182-188. (http://www.ncbi.nlm.nih.gov/pubmed/20039518)

Brock, G., V. Gurekas, A. F. Gelinas, et al. (2009). Use of a "secure room" and a security guard in the management of the violent, aggressive or suicidal patient in a rural hospital: a 3-year audit. *Can J Rural Med, 14*(1), 16-20. (http://www.ncbi.nlm.nih.gov/pubmed/19146787)

Brown, R. M., S. L. Brown, A. Johnson, et al. (2009). Empirical support for an evolutionary model of self-destructive motivation. *Suicide Life Threat Behav, 39*(1), 1-12. (http://www.ncbi.nlm.nih.gov/pubmed/19298145)

Bryan, C. J., N. Steiner-Pappalardo, & M. D. Rudd. (2009). Exposure to a mnemonic interferes with recall of suicide warning signs in a community-based suicide prevention program. *Suicide Life Threat Behav, 39*(2), 194-203. (http://www.ncbi.nlm.nih.gov/pubmed/19527160)

Burger, I., A. M. van Hemert, W. J. Schudel, et al. (2009). Suicidal behavior in four ethnic groups in the Hague, 2002-2004. *Crisis, 30*(2), 63-67. (http://www.ncbi.nlm.nih.gov/pubmed/19525163)

Buyuk, Y., S. Cagdir, A. Avsar, et al. (2009). Fatal cranial shot by blank cartridge gun: two suicide cases. *J Forensic Leg Med, 16*(6), 354-356. (http://www.ncbi.nlm.nih.gov/pubmed/19573850)

Büyük, Y., & U. Koçak. (2009). Fire-related fatalities in Istanbul, Turkey: analysis of 320 forensic autopsy cases. *J Forensic Leg Med, 16*(8), 449-454. (http://www.ncbi.nlm.nih.gov/pubmed/19782314)

Byard, R. W., E. Haas, D. T. Marshall, et al. (2009). Characteristic features of pediatric firearm fatalities--comparisons between Australia and the United States. *J Forensic Sci, 54*(5), 1093-1096. (http://www.ncbi.nlm.nih.gov/pubmed/19674237)

Caley, M., & T. Fowler. (2009). Suicide prevention: is more demographic information the answer? *J Public Health (Oxf), 31*(1), 95-97. (http://www.ncbi.nlm.nih.gov/pubmed/19052097)

Campi, R., A. Barbato, B. D'Avanzo, et al. (2009). Suicide in Italian children and adolescents. *J Affect Disord, 113*(3), 291-295. (http://www.ncbi.nlm.nih.gov/pubmed/18619677)

Canturk, G., N. Canturk, A. B. Odabasi, et al. (2009). Autopsy findings of suicidal deaths committed by firearms in Ankara, Turkey. *Med Sci Law, 49*(3), 207-212. (http://www.ncbi.nlm.nih.gov/pubmed/19787993)

Chabrol, H., & C. Saint-Martin. (2009). Psychopathic traits and suicidal ideation in high-school students. *Arch Suicide Res, 13*(1), 64-73. (http://www.ncbi.nlm.nih.gov/pubmed/19123110)

Chamberlain, P., R. Goldney, P. Delfabbro, et al. (2009). Suicidal ideation. The clinical utility of the K10. *Crisis, 30*(1), 39-42. (http://www.ncbi.nlm.nih.gov/pubmed/19261567)

Chan, S. S., H. F. Chiu, E. Y. Chen, et al. (2009). Population-attributable risk of suicide conferred by axis I psychiatric diagnoses in a Hong Kong Chinese population. *Psychiatr Serv, 60*(8), 1135-1138. (http://www.ncbi.nlm.nih.gov/pubmed/19648205)

Chan, W. S., C. K. Law, K. Y. Liu, et al. (2009). Suicidality in Chinese adolescents in Hong Kong: the role of family and cultural influences. *Soc Psychiatry Psychiatr Epidemiol, 44*(4), 278-284. (http://www.ncbi.nlm.nih.gov/pubmed/18836885)

Chang, H. J., C. C. Lin, K. R. Chou, et al. (2009). Chinese version of the positive and negative suicide ideation: instrument development. *J Adv Nurs, 65*(7), 1485-1496. (http://www.ncbi.nlm.nih.gov/pubmed/19457004)

Chang, H. J., H. C. Lin, H. C. Lee, et al. (2009). Risk of mortality among depressed younger patients: a five-year follow-up study. *J Affect Disord, 113*(3), 255-262. (http://www.ncbi.nlm.nih.gov/pubmed/18640727)

Chang, S. S., D. Gunnell, J. A. Sterne, et al. (2009). Was the economic crisis 1997-1998 responsible for rising suicide rates in East/Southeast Asia? A time-trend analysis for Japan, Hong Kong, South Korea, Taiwan, Singapore and Thailand. *Soc Sci Med, 68*(7), 1322-1331. (http://www.ncbi.nlm.nih.gov/pubmed/19200631)

Chávez-Hernández, A. M., A. A. Leenaars, M. I. Chávez-de Sánchez, et al. (2009). Suicide notes from Mexico and the United States: a thematic analysis. *Salud Publica Mex, 51*(4), 314-320. (http://www.ncbi.nlm.nih.gov/pubmed/19668926)

Chen, V. C., A. T. Cheng, H. K. Tan, et al. (2009). A community-based study of case fatality proportion among those who carry out suicide acts. *Soc Psychiatry Psychiatr Epidemiol, 44*(12), 1005-1011. (http://www.ncbi.nlm.nih.gov/pubmed/19294324)

Chen, Y. Y., D. Gunnell, & T. H. Lu. (2009). Descriptive epidemiological study of sites of suicide jumps in Taipei, Taiwan. *Inj Prev, 15*(1), 41-44. (http://www.ncbi.nlm.nih.gov/pubmed/19190275)

Chen, Y. Y., M. B. Lee, C. M. Chang, et al. (2009). Methods of suicide in different psychiatric diagnostic groups. *J Affect Disord, 118*(1-3), 196-200. (http://www.ncbi.nlm.nih.gov/pubmed/19515427)

Cheng, Y., M. Tao, L. Riley, et al. (2009). Protective factors relating to decreased risks of adolescent suicidal behaviour. *Child Care Health Dev, 35*(3), 313-322. (http://www.ncbi.nlm.nih.gov/pubmed/19397597)

Chessick, C. A., D. A. Perlick, D. J. Miklowitz, et al. (2009). Suicidal ideation and depressive symptoms among bipolar patients as predictors of the health and well-being of caregivers. *Bipolar Disord, 11*(8), 876-884. (http://www.ncbi.nlm.nih.gov/pubmed/19922556)

Cheung, A., C. Dewa, J. Cairney, et al. (2009). Factors associated with use of mental health services for depressed and/or suicidal youth aged 15-24. *Community Ment Health J, 45*(4), 300-306. (http://www.ncbi.nlm.nih.gov/pubmed/19562486)

Cina, S. J., & J. A. Perper. (2009). Is lymphocytic (hashimoto) thyroiditis associated with suicide? *Am J Forensic Med Pathol, 30*(3), 235-237. (http://www.ncbi.nlm.nih.gov/pubmed/19696577)

Clayton, A. H., S. G. Kornstein, G. Rosas, et al. (2009). An integrated analysis of the safety and tolerability of desvenlafaxine compared with placebo in the treatment of major depressive disorder. *CNS Spectr, 14*(4), 183-195. (http://www.ncbi.nlm.nih.gov/pubmed/19407730)

Connor, J., & M. Rueter. (2009). Predicting adolescent suicidality: comparing multiple informants and assessment techniques. *J Adolesc, 32*(3), 619-631. (http://www.ncbi.nlm.nih.gov/pubmed/18708245)

Conrad, A. K., A. M. Jacoby, D. A. Jobes, et al. (2009). A psychometric investigation of the Suicide Status Form II with a psychiatric inpatient sample. *Suicide Life Threat Behav, 39*(3), 307-320. (http://www.ncbi.nlm.nih.gov/pubmed/19606922)

Conwell, Y. (2009). Suicide prevention in later life: a glass half full, or half empty? *Am J Psychiatry, 166*(8), 845-848.

Cougnard, A., H. Verdoux, A. Grolleau, et al. (2009). Impact of antidepressants on the risk of suicide in patients with depression in real-life conditions: a decision analysis model. *Psychol Med, 39*(8), 1307-1315. (http://www.ncbi.nlm.nih.gov/pubmed/19063772)

Csorba, Janos, & Elek Dinya. (2009). Clinical diagnoses, characteristics of risk behaviour, differences between suicidal and non-suicidal subgroups of Hungarian adolescent outpatients practising self-injury. *European Child & Adolescent Psychiatry, 18*(5), 309-320. (http://www.ncbi.nlm.nih.gov/pubmed/19165533)

Cupina, D. (2009). Life events, gender and suicidal behaviours in the acute community setting. *Australas Psychiatry, 17*(3), 233-236. (http://www.ncbi.nlm.nih.gov/pubmed/19177253)

Daniel, S. S., & D. B. Goldston. (2009). Interventions for suicidal youth: a review of the literature and developmental considerations. *Suicide Life Threat Behav, 39*(3), 252-268. (http://www.ncbi.nlm.nih.gov/pubmed/19606918)

Darke, S., J. Duflou, & M. Torok. (2009). Drugs and violent death: comparative toxicology of homicide and non-substance toxicity suicide victims. *Addiction, 104*(6), 1000-1005. (http://www.ncbi.nlm.nih.gov/pubmed/19466923)

---. (2009). Toxicology and circumstances of completed suicide by means other than overdose. *J Forensic Sci, 54*(2), 490-494. (http://www.ncbi.nlm.nih.gov/pubmed/19220656)

Dave, D., & I. Rashad. (2009). Overweight status, self-perception, and suicidal behaviors among adolescents. *Soc Sci Med, 68*(9), 1685-1691. (http://www.ncbi.nlm.nih.gov/pubmed/19297063)

Davidson, C. L., L. R. Wingate, K. A. Rasmussen, et al. (2009). Hope as a predictor of interpersonal suicide risk. *Suicide Life Threat Behav, 39*(5), 499-507. (http://www.ncbi.nlm.nih.gov/pubmed/19929150)

De Leo, D. (2009). Cross-cultural research widens suicide prevention horizons. *Crisis, 30*(2), 59-62.

De Munck, S., G. Portzky, & K. Van Heeringen. (2009). Epidemiological trends in attempted suicide in adolescents and young adults between 1996 and 2004. *Crisis, 30*(3), 115-119. (http://www.ncbi.nlm.nih.gov/pubmed/19767266)

Demirci, S., K. H. Dogan, Z. Erkol, et al. (2009). Precautions taken to avoid abandoning the act of hanging and reducing pain in suicidal hanging cases. *Am J Forensic Med Pathol, 30*(1), 32-35. (http://www.ncbi.nlm.nih.gov/pubmed/19237850)

---. (2009). Ligature strangulation deaths in the province of Konya (Turkey). *J Forensic Leg Med, 16*(5), 248-252. (http://www.ncbi.nlm.nih.gov/pubmed/19481705)

Dennis, M., S. Baillon, T. Brugha, et al. (2009). The influence of limitation in activity of daily living and physical health on suicidal ideation: results from a population survey of Great Britain. *Soc Psychiatry Psychiatr Epidemiol, 44*(8), 608-613. (http://www.ncbi.nlm.nih.gov/pubmed/19139796)

Diamond, I. R., P. C. Parkin, P. W. Wales, et al. (2009). Pediatric blunt and penetrating trauma deaths in Ontario: a population-based study. *J Pediatr Surg, 44*(5), 981-986. (http://www.ncbi.nlm.nih.gov/pubmed/19433183)

Dinya, E., J. Csorba, Z. Sorfozo, et al. (2009). Profiles of suicidality and clusters of Hungarian adolescent outpatients suffering from suicidal behaviour. *Psychopathology, 42*(5), 299-310. (http://www.ncbi.nlm.nih.gov/pubmed/19609100)

Doessel, D. P., R. F. Williams, & H. Whiteford. (2009). Policy-appropriate measurement of suicide: headcount vs. potential years of life lost, Australia, 1907-2005. *Arch Suicide Res, 13*(1), 87-99. (http://www.ncbi.nlm.nih.gov/pubmed/19123112)

Dokov, W. (2009). Forensic characteristics of suicide by electrocution in Bulgaria. *J Forensic Sci, 54*(3), 669-671. (http://www.ncbi.nlm.nih.gov/pubmed/19298463)

Duñó, R., E. Pousa, M. Miguélez, et al. (2009). Suicidality connected with mentalizing anomalies in schizophrenia: a study with stabilized outpatients. *Ann N Y Acad Sci, 1167*, 207-211. (http://www.ncbi.nlm.nih.gov/pubmed/19580567)

Dupéré, V., T. Leventhal, & E. Lacourse. (2009). Neighborhood poverty and suicidal thoughts and attempts in late adolescence. *Psychol Med, 39*(8), 1295-1306. (http://www.ncbi.nlm.nih.gov/pubmed/18845013)

Dusablon, Tracy L. (2009). First grade predictors of adolescent suicide-related ideation in a urban sample: A latent class approach. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 69*(12-B), 7409.

Dyregrov, K. (2009). How do the young suicide survivors wish to be met by psychologists? A user study. *Omega, 59*(3), 221-238. (http://www.ncbi.nlm.nih.gov/pubmed/19791518)

---. (2009). The important role of the school following suicide in Norway. What support do young people wish that school could provide? *Omega, 59*(2), 147-161. (http://www.ncbi.nlm.nih.gov/pubmed/19697717)

Edwards, C. L., M. Green, C. C. Wellington, et al. (2009). Depression, suicidal ideation, and attempts in black patients with sickle cell disease. *J Natl Med Assoc, 101*(11), 1090-1095. (http://www.ncbi.nlm.nih.gov/pubmed/19998636)

Else, 'Iwalani R. N., & Deborah A. Goebert. (2009). The relationship between violence and youth suicide indicators among Asian American and Pacific Islander youth. *Aggression and Violent Behavior, 14*(6), 470-477.

Epstein, Jennifer A., & Anthony Spirito. (2009). Risk Factors for Suicidality among a Nationally Representative Sample of High School Students. *Suicide and Life-Threatening Behavior, 39*(3), 241-251. (http://www.ncbi.nlm.nih.gov/pubmed/19606917)

Evans, D. J., & A. L. Pillay. (2009). Mental health problems of men attending district-level clinical psychology services in South Africa. *Psychol Rep, 104*(3), 773-783. (http://www.ncbi.nlm.nih.gov/pubmed/19708404)

Fear, N. T., V. R. Ward, K. Harrison, et al. (2009). Suicide among male regular UK Armed Forces personnel, 1984-2007. *Occup Environ Med, 66*(7), 438-441. (http://www.ncbi.nlm.nih.gov/pubmed/19541805)

Feigelman, W., J. R. Jordan, & B. S. Gorman. (2009). Personal growth after a suicide loss: cross-sectional findings suggest growth after loss may be associated with better mental health among survivors. *Omega, 59*(3), 181-202. (http://www.ncbi.nlm.nih.gov/pubmed/19791516)

Fishbain, D. A., D. Bruns, J. M. Disorbio, et al. (2009). Risk for five forms of suicidality in acute pain patients and chronic pain patients vs pain-free community controls. *Pain Med, 10*(6), 1095-1105. (http://www.ncbi.nlm.nih.gov/pubmed/19671084)

Fite, Paula J., Laura Stoppelbein, & Leilani Greening. (2009). Proactive and Reactive Aggression in a Child Psychiatric Inpatient Population. *Journal of Clinical Child and Adolescent Psychology, 38*(2), 199-205. (http://www.ncbi.nlm.nih.gov/pubmed/19283598)

Fleming, L. C., & K. H. Jacobsen. (2009). Bullying and symptoms of depression in chilean middle school students. *J Sch Health, 79*(3), 130-137. (http://www.ncbi.nlm.nih.gov/pubmed/19207519)

Fusar-Poli, P., O. D. Howes, & P. McGuire. (2009). Pseudohallucinations versus true hallucinations in prodromal psychosis: does it really matter? *J Clin Psychiatry, 70*(7), 1056-1057.

Gabbay, V., R. G. Klein, L. E. Guttman, et al. (2009). A preliminary study of cytokines in suicidal and nonsuicidal adolescents with major depression. *J Child Adolesc Psychopharmacol, 19*(4), 423-430. (http://www.ncbi.nlm.nih.gov/pubmed/19702494)

Gad ElHak, S. A., A. M. El-Ghazali, M. M. Salama, et al. (2009). Fatal suicide cases in Port Said city, Egypt. *J Forensic Leg Med, 16*(5), 266-268. (http://www.ncbi.nlm.nih.gov/pubmed/19481708)

Gau, S. S., C. H. Chen, C. T. Lee, et al. (2009). Development of a Chinese version of the Suicide Intent Scale. *Suicide Life Threat Behav, 39*(3), 332-342. (http://www.ncbi.nlm.nih.gov/pubmed/19606924)

Gawarammana, I. B., P. L. Ariyananda, C. Palangasinghe, et al. (2009). Emerging epidemic of fatal human self-poisoning with a washing powder in Southern Sri Lanka: a prospective observational study. *Clin Toxicol (Phila), 47*(5), 407-411. (http://www.ncbi.nlm.nih.gov/pubmed/19492931)

Ghanizadeh, A., Y. Mansoori, H. Ashkani, et al. (2009). Major depressive disorder in children and adolescents after renal transplantation. *Transplant Proc, 41*(5), 1627-1629. (http://www.ncbi.nlm.nih.gov/pubmed/19545694)

Gos, T., K. Günther, H. Bielau, et al. (2009). Suicide and depression in the quantitative analysis of glutamic acid decarboxylase-Immunoreactive neuropil. *J Affect Disord, 113*(1-2), 45-55. (http://www.ncbi.nlm.nih.gov/pubmed/18538859)

Gos, T., D. Krell, H. Bielau, et al. (2009). Demonstration of disturbed activity of orbitofrontal pyramidal neurons in depressed patients by the AgNOR staining method. *J Affect Disord, 118*(1-3), 131-138. (http://www.ncbi.nlm.nih.gov/pubmed/19278730)

Greydanus, D. E., F. Bacopoulou, & E. Tsalamanios. (2009). Suicide in adolescents: a worldwide preventable tragedy. *Keio J Med, 58*(2), 95-102. (http://www.ncbi.nlm.nih.gov/pubmed/19597305)

Greydanus, D. E., & D. Shek. (2009). Deliberate self-harm and suicide in adolescents. *Keio J Med, 58*(3), 144-151. (http://www.ncbi.nlm.nih.gov/pubmed/19826208)

Grimland, M., & A. Apter. (2009). Commentary: Street lights on the dark side of the net. *Isr J Psychiatry Relat Sci, 46*(3), 167-171; discussion 171.

Groholt, B., & O. Ekeberg. (2009). Prognosis after adolescent suicide attempt: mental health, psychiatric treatment, and suicide attempts in a nine-year follow-up study. *Suicide Life Threat Behav, 39*(2), 125-136. (http://www.ncbi.nlm.nih.gov/pubmed/19527153)

Grupp-Phelan, J., P. Mahajan, G. L. Foltin, et al. (2009). Referral and resource use patterns for psychiatric-related visits to pediatric emergency departments. *Pediatr Emerg Care, 25*(4), 217-220. (http://www.ncbi.nlm.nih.gov/pubmed/19382317)

Guipponi, M., S. Deutsch, K. Kohler, et al. (2009). Genetic and epigenetic analysis of SSAT gene dysregulation in suicidal behavior. *Am J Med Genet B Neuropsychiatr Genet, 150B*(6), 799-807. (http://www.ncbi.nlm.nih.gov/pubmed/19051286)

Gunnell, D., R. Harbord, N. Singleton, et al. (2009). Is low IQ associated with an increased risk of developing suicidal thoughts? A cohort study based on an 18-month follow-up of the national psychiatric morbidity survey. *Soc Psychiatry Psychiatr Epidemiol, 44*(1), 34-38. (http://www.ncbi.nlm.nih.gov/pubmed/18626557)

Gunnell, D., D. Irvine, L. Wise, et al. Varenicline and suicidal behaviour: a cohort study based on data from the General Practice Research Database. *Clinical research ed, 339*, b3805. (http://www.ncbi.nlm.nih.gov/pubmed/19797344)

Halligan, F. R. (2009). Youth and trauma: terror, war, murder, incest, rape, and suicide. *J Relig Health, 48*(3), 342-352. (http://www.ncbi.nlm.nih.gov/pubmed/19639422)

Hanna, V. N., & A. Ahmad. (2009). Suicide in the Kurdistan Region of Iraq, state of the art. *Nord J Psychiatry, 63*(4), 280-284. (http://www.ncbi.nlm.nih.gov/pubmed/19085207)

Hargus, Emily, Keith Hawton, & Karen Rodham. (2009). Distinguishing between Subgroups of Adolescents Who Self-Harm. *Suicide and Life-Threatening Behavior, 39*(5), 518-537. (http://www.ncbi.nlm.nih.gov/pubmed/19929152)

Harris, K. M., J. P. McLean, & J. Sheffield. (2009). Examining suicide-risk individuals who go online for suicide-related purposes. *Arch Suicide Res, 13*(3), 264-276. (http://www.ncbi.nlm.nih.gov/pubmed/19591000)

Haukka, J., M. Arffman, T. Partonen, et al. (2009). Antidepressant use and mortality in Finland: a register-linkage study from a nationwide cohort. *Eur J Clin Pharmacol, 65*(7), 715-720. (http://www.ncbi.nlm.nih.gov/pubmed/19259654)

Hayes, L. M. (2009). Juvenile suicide in confinement--findings from the first national survey. *Suicide Life Threat Behav, 39*(4), 353-363. (http://www.ncbi.nlm.nih.gov/pubmed/19792977)

Healy, D. (2009). Are selective serotonin reuptake inhibitors a risk factor for adolescent suicide? *Can J Psychiatry, 54*(2), 69-71; discussion 76-67.

Henry, M., & B. J. Greenfield. (2009). Therapeutic effects of psychological autopsies. *Crisis, 30*(1), 20-24. (http://www.ncbi.nlm.nih.gov/pubmed/)

Hepburn, S. R., C. Crane, T. Barnhofer, et al. (2009). Mindfulness-based cognitive therapy may reduce thought suppression in previously suicidal participants: findings from a preliminary study. *Br J Clin Psychol, 48(Pt) 2*, 209-215. (http://www.ncbi.nlm.nih.gov/pubmed/19254446)

Hercher, C., M. Parent, C. Flores, et al. (2009). Alcohol dependence-related increase of glial cell density in the anterior cingulate cortex of suicide completers. *J Psychiatry Neurosci, 34*(4), 281-288. (http://www.ncbi.nlm.nih.gov/pubmed/19568479)

Hill, D. L. (2009). Relationship between sense of belonging as connectedness and suicide in American Indians. *Arch Psychiatr Nurs, 23*(1), 65-74. (http://www.ncbi.nlm.nih.gov/pubmed/19216990)

Hirsch, J. K., K. Wolford, S. M. Lalonde, et al. (2009). Optimistic explanatory style as a moderator of the association between negative life events and suicide ideation. *Crisis, 30*(1), 48-53. (http://www.ncbi.nlm.nih.gov/pubmed/19261569)

Hopwood, C. J., S. A. Burt, J. C. Markowitz, et al. (2009). The construct validity of rule-breaking and aggression in an adult clinical sample. *J Psychiatr Res, 43*(8), 803-808. (http://www.ncbi.nlm.nih.gov/pubmed/18789456)

Horn, Stacey S. , Joseph G. Kosciw, & Stephen T. Russell. (2009). Special issue introduction: New research on lesbian, gay, bisexual, and transgender youth: Studying lives in context. *Journal of Youth and Adolescence, 38*(7), 863-866.

Huisman, A., P. B. Robben, & A. J. Kerkhof. (2009). An examination of the Dutch Health Care Inspectorate's supervision system for suicides of mental health care users. *Psychiatr Serv, 60*(1), 80-85. (http://www.ncbi.nlm.nih.gov/pubmed/19114575)

Humphreys, C. (2009). Data briefing. Watch on suicide and self harm. *Health Serv J, 119*(6141), 17.

Hunt, I. M., N. Kapur, R. Webb, et al. (2009). Suicide in recently discharged psychiatric patients: a case-control study. *Psychol Med, 39*(3), 443-449. (http://www.ncbi.nlm.nih.gov/pubmed/18507877)

Husky, M. M., L. McGuire, L. Flynn, et al. (2009). Correlates of help-seeking behavior among at-risk adolescents. *Child Psychiatry Hum Dev, 40*(1), 15-24. (http://www.ncbi.nlm.nih.gov/pubmed/18581231)

Ilgen, M. A., S. T. Chermack, R. Murray, et al. (2009). The association between partner and non-partner aggression and suicidal ideation in patients seeking substance use disorder treatment. *Addict Behav, 34*(2), 180-186. (http://www.ncbi.nlm.nih.gov/pubmed/18977093)

Inoue, K., H. Tanii, M. Nata, et al. (2009). Analysis of the high-risk age group of suicide in South Korea-Comparison of Japan and South Korea. *J Forensic Leg Med, 16*(2), 104-105.

Isaac, M., B. Elias, L. Y. Katz, et al. (2009). Gatekeeper training as a preventative intervention for suicide: a systematic review. *Can J Psychiatry, 54*(4), 260-268. (http://www.ncbi.nlm.nih.gov/pubmed/19321032)

Janelle, A., A. Laliberté, & U. Ottawa. (2009). Promoting traditions: an evaluation of a wilderness activity among First Nations of Canada. *Australas Psychiatry, 17 Suppl 1*, S108-111. (http://www.ncbi.nlm.nih.gov/pubmed/19579121)

Jena, S., L. Mountany, & A. Muller. (2009). A demographic study of homicide-suicide in the Pretoria region over a 5 year period. *J Forensic Leg Med, 16*(5), 261-265. (http://www.ncbi.nlm.nih.gov/pubmed/19481707)

Jensen, L. L., J. D. Gilbert, & R. W. Byard. (2009). Coincident deaths: double suicide or murder-suicide? *Med Sci Law, 49*(1), 27-32. (http://www.ncbi.nlm.nih.gov/pubmed/19306617)

Joa, I., J. O. Johannessen, J. Langeveld, et al. (2009). Baseline profiles of adolescent vs. adult-onset first-episode psychosis in an early detection program. *Acta Psychiatr Scand, 119*(6), 494-500. (http://www.ncbi.nlm.nih.gov/pubmed/19207132)

Johannessen, H. A., G. Dieserud, F. Jakhelln, et al. (2009). Changes in institutional psychiatric care and suicidal behaviour: a follow-up study of inpatient suicide attempters in Baerum, Norway. *Soc Psychiatry Psychiatr Epidemiol, 44*(10), 845-851. (http://www.ncbi.nlm.nih.gov/pubmed/19247559)

Jurisic, B., & A. Marusic. (2009). Suicidal ideation and behavior and some psychological correlates in physically disabled motor-vehicle accident survivors. *Crisis, 30*(1), 34-38. (http://www.ncbi.nlm.nih.gov/pubmed/19261566)

Kaga, M., T. Takeshima, & T. Matsumoto. (2009). Suicide and its prevention in Japan. *Tokyo, Japan), 11 Suppl 1*, S18-21. (http://www.ncbi.nlm.nih.gov/pubmed/19269232)

Kaminski, J. W., & X. Fang. (2009). Victimization by peers and adolescent suicide in three US samples. *J Pediatr, 155*(5), 683-688. (http://www.ncbi.nlm.nih.gov/pubmed/19616788)

Kanchan, T., A. Menon, & R. G. Menezes. (2009). Methods of choice in completed suicides: gender differences and review of literature. *J Forensic Sci, 54*(4), 938-942. (http://www.ncbi.nlm.nih.gov/pubmed/19486437)

Kaplan, M. S., B. H. McFarland, & N. Huguet. (2009). Firearm suicide among veterans in the general population: findings from the national violent death reporting system. *J Trauma, 67*(3), 503-507. (http://www.ncbi.nlm.nih.gov/pubmed/19741391)

Kapusta, N. D., T. Niederkrotenthaler, E. Etzersdorfer, et al. (2009). Influence of psychotherapist density and antidepressant sales on suicide rates. *Acta Psychiatr Scand, 119*(3), 236-242. (http://www.ncbi.nlm.nih.gov/pubmed/19076117)

Karch, D. L., L. L. Dahlberg, N. Patel, et al. (2009). Surveillance for violent deaths--national violent death reporting system, 16 States, 2006. *MMWR Surveill Summ, 58*(1), 1-44. (http://www.ncbi.nlm.nih.gov/pubmed/19305379)

Kaye, S., S. Darke, & J. Duflou. (2009). Methylenedioxymethamphetamine (MDMA)-related fatalities in Australia: demographics, circumstances, toxicology and major organ pathology. *Drug Alcohol Depend, 104*(3), 254-261. (http://www.ncbi.nlm.nih.gov/pubmed/19604654)

Kerig, Patricia K., Rose Marie Ward, Karin L. Vanderzee, et al. (2009). Posttraumatic Stress as a Mediator of the Relationship between Trauma and Mental Health Problems among Juvenile Delinquents. *Journal of Youth and Adolescence, 38*(9), 1214-1225. (http://www.ncbi.nlm.nih.gov/pubmed/19669901)

Kessler, R. C., G. Borges, N. Sampson, et al. (2009). The association between smoking and subsequent suicide-related outcomes in the National Comorbidity Survey panel sample. *Mol Psychiatry, 14*(12), 1132-1142. (http://www.ncbi.nlm.nih.gov/pubmed/18645572)

Kim, D. S. (2009). Body image dissatisfaction as an important contributor to suicidal ideation in Korean adolescents: gender difference and mediation of parent and peer relationships. *J Psychosom Res, 66*(4), 297-303. (http://www.ncbi.nlm.nih.gov/pubmed/19302886)

Kim, D. S., & H. S. Kim. (2009). Body-image dissatisfaction as a predictor of suicidal ideation among Korean boys and girls in different stages of adolescence: a two-year longitudinal study. *J Adolesc Health, 45*(1), 47-54. (http://www.ncbi.nlm.nih.gov/pubmed/19541249)

Kim, D.S., Cho , Y., Cho, S.I., et al. (2009). Body Weight Perception, Unhealthy Weight Control Behaviors, and Suicidal Ideation among Korean Adolescents. *Journal of School Health, 79*(12), 585-592. (http://www.ncbi.nlm.nih.gov/pubmed/19909422)

Kim, Y. S., B. L. Leventhal, Y. J. Koh, et al. (2009). Bullying increased suicide risk: prospective study of Korean adolescents. *Arch Suicide Res, 13*(1), 15-30. (http://www.ncbi.nlm.nih.gov/pubmed/19123106)

King, C. A., N. Klaus, A. Kramer, et al. (2009). The Youth-Nominated Support Team-Version II for suicidal adolescents: A randomized controlled intervention trial. *J Consult Clin Psychol, 77*(5), 880-893. (http://www.ncbi.nlm.nih.gov/pubmed/19803568)

Kirkcaldy, Bruce, & Randall Richardson-Vejlgaard. (2009). Birth order: Self-injurious and suicidal behaviour among adolescents. *Psychology, Health & Medicine, 14*(1), 9-16. (http://www.ncbi.nlm.nih.gov/pubmed/19085308)

Kivistö, J. E., J. Parkkari, V. M. Mattila, et al. (2009). Poisoning deaths among Finnish children from 1969 to 2003. *Acta Paediatr, 98*(10), 1661-1666. (http://www.ncbi.nlm.nih.gov/pubmed/19558585)

Klempan, T. A., C. Ernst, V. Deleva, et al. (2009). Characterization of QKI gene expression, genetics, and epigenetics in suicide victims with major depressive disorder. *Biol Psychiatry, 66*(9), 824-831. (http://www.ncbi.nlm.nih.gov/pubmed/19545858)

Klempan, T. A., A. Sequeira, L. Canetti, et al. (2009). Altered expression of genes involved in ATP biosynthesis and GABAergic neurotransmission in the ventral prefrontal cortex of suicides with and without major depression. *Mol Psychiatry, 14*(2), 175-189. (http://www.ncbi.nlm.nih.gov/pubmed/17938633)

Klieve, H., M. Barnes, & D. De Leo. (2009). Controlling firearms use in Australia: has the 1996 gun law reform produced the decrease in rates of suicide with this method? *Soc Psychiatry Psychiatr Epidemiol, 44*(4), 285-292. (http://www.ncbi.nlm.nih.gov/pubmed/18839044)

Klomek, A. B., A. Sourander, S. Niemelä, et al. (2009). Childhood bullying behaviors as a risk for suicide attempts and completed suicides: a population-based birth cohort study. *J Am Acad Child Adolesc Psychiatry, 48*(3), 254-261. (http://www.ncbi.nlm.nih.gov/pubmed/19169159)

Krinsky, C. S., S. L. Lathrop, P. Brown, et al. (2009). Drugs, detention, and death: a study of the mortality of recently released prisoners. *Am J Forensic Med Pathol, 30*(1), 6-9. (http://www.ncbi.nlm.nih.gov/pubmed/19237844)

Kurihara, T., M. Kato, R. Reverger, et al. (2009). Suicide rate in Bali. *Psychiatry Clin Neurosci, 63*(5), 701.

Kutcher, Stanley, & Magdalena Szumilas. (2009). Distinguishing suicide attempts from nonsuicidal self-harming behaviors. *Journal of the American Academy of Child & Adolescent Psychiatry, 48*(10), 1039.

Kwok, S. Y., & D. T. Shek. (2009). Social problem solving, family functioning, and suicidal ideation among Chinese adolescents in Hong Kong. *Adolescence, 44*(174), 391-406. (http://www.ncbi.nlm.nih.gov/pubmed/19764274)

Kwon, J. S., J. H. Jang, D. H. Kang, et al. (2009). Long-term efficacy and safety of aripiprazole in patients with schizophrenia, schizophreniform disorder, or schizoaffective disorder: 26-week prospective study. *Psychiatry Clin Neurosci, 63*(1), 73-81. (http://www.ncbi.nlm.nih.gov/pubmed/19154213)

Landberg, J. (2009). Per capita alcohol consumption and suicide rates in the U.S., 1950-2002. *Suicide Life Threat Behav, 39*(4), 452-459. (http://www.ncbi.nlm.nih.gov/pubmed/19792986)

Langhinrichsen-Rohling, Jennifer, John Friend, & Ashley Powell. (2009). Adolescent suicide, gender, and culture: A rate and risk factor analysis. *Aggression and Violent Behavior, 14*(5), 402-414.

Largey, M., C. B. Kelly, & M. Stevenson. (2009). A study of suicide rates in Northern Ireland 1984-2002. *Ulster Med J, 78*(1), 16-20. (http://www.ncbi.nlm.nih.gov/pubmed/19252725)

Lari, A. R., R. Alaghehbandan, M. R. Panjeshahin, et al. (2009). Suicidal behavior by burns in the province of Fars, Iran. *Crisis, 30*(2), 98-101. (http://www.ncbi.nlm.nih.gov/pubmed/19525170)

Lavigne, J. E. Smoking cessation agents and suicide. *Clinical research ed, 339*, b4360.

Lee, A., S. Y. Wong, K. K. Tsang, et al. (2009). Understanding suicidality and correlates among Chinese secondary school students in Hong Kong. *Health Promot Int, 24*(2), 156-165. (http://www.ncbi.nlm.nih.gov/pubmed/19304991)

Lee, J., H. Choi, M. J. Kim, et al. (2009). Anger as a predictor of suicidal ideation in middle-school students in Korea: gender difference in threshold point. *Adolescence, 44*(174), 433-446. (http://www.ncbi.nlm.nih.gov/pubmed/19764277)

Lee, W. J., E. S. Cha, E. S. Park, et al. (2009). Deaths from pesticide poisoning in South Korea: trends over 10 years. *Int Arch Occup Environ Health, 82*(3), 365-371. (http://www.ncbi.nlm.nih.gov/pubmed/18600341)

Lewine, R., & B. Shriner. (2009). Work expectations, cultural sensitivity, schizophrenia, and suicide risk in male patients. *J Nerv Ment Dis, 197*(4), 239-243. (http://www.ncbi.nlm.nih.gov/pubmed/19363379)

Lewis-Fernández, R., M. Horvitz-Lennon, C. Blanco, et al. (2009). Significance of endorsement of psychotic symptoms by US Latinos. *J Nerv Ment Dis, 197*(5), 337-347. (http://www.ncbi.nlm.nih.gov/pubmed/19440107)

Libby, A. M., H. D. Orton, & R. J. Valuck. (2009). Persisting decline in depression treatment after FDA warnings. *Arch Gen Psychiatry, 66*(6), 633-639. (http://www.ncbi.nlm.nih.gov/pubmed/19487628)

Lin, D. L., H. C. Liu, & R. H. Liu. (2009). Methylenedioxymethamphetamine-related deaths in Taiwan: 2001-2008. *J Anal Toxicol, 33*(7), 366-371. (http://www.ncbi.nlm.nih.gov/pubmed/19796506)

Lin, P. T., & J. R. Gill. (2009). Subway train-related fatalities in New York City: accident versus suicide. *J Forensic Sci, 54*(6), 1414-1418. (http://www.ncbi.nlm.nih.gov/pubmed/19804531)

Lin, T. J., L. S. Nelson, J. L. Tsai, et al. (2009). Common toxidromes of plant poisonings in Taiwan. *Clin Toxicol (Phila), 47*(2), 161-168. (http://www.ncbi.nlm.nih.gov/pubmed/18788001)

Lineberry, T. W. (2009). Suicide rates in 2009. Do the economy and wars have an effect? *Minn Med, 92*(8), 49-52. (http://www.ncbi.nlm.nih.gov/pubmed/19772056)

Lineberry, T. W., J. D. Allen, J. Nash, et al. (2009). Population-based prevalence of smoking in psychiatric inpatients: a focus on acute suicide risk and major diagnostic groups. *Compr Psychiatry, 50*(6), 526-532. (http://www.ncbi.nlm.nih.gov/pubmed/19840590)

Logan, J. E., R. T. Leeb, & L. E. Barker. (2009). Gender-specific mental and behavioral outcomes among physically abused high-risk seventh-grade youths. *Public Health Rep, 124*(2), 234-245. (http://www.ncbi.nlm.nih.gov/pubmed/19320365)

Lucas, J. (2009). Electrical fatalities in Northern Ireland. *Ulster Med J, 78*(1), 37-42. (http://www.ncbi.nlm.nih.gov/pubmed/19252729)

Ludwig, J., D. E. Marcotte, & K. Norberg. (2009). Anti-depressants and suicide. *J Health Econ, 28*(3), 659-676. (http://www.ncbi.nlm.nih.gov/pubmed/19324439)

Lui, S. Y. (2009). Risk factors for deliberate self-harm and completed suicide in young Chinese people with schizophrenia. *Aust N Z J Psychiatry, 43*(3), 252-259. (http://www.ncbi.nlm.nih.gov/pubmed/19221914)

Lukasiewicz, M., L. Blecha, B. Falissard, et al. (2009). Dual diagnosis: prevalence, risk factors, and relationship with suicide risk in a nationwide sample of French prisoners. *Alcohol Clin Exp Res, 33*(1), 160-168. (http://www.ncbi.nlm.nih.gov/pubmed/18976349)

Ma, X., Y. T. Xiang, Z. J. Cai, et al. (2009). Prevalence and socio-demographic correlates of major depressive episode in rural and urban areas of Beijing, China. *J Affect Disord, 115*(3), 323-330. (http://www.ncbi.nlm.nih.gov/pubmed/18937979)

MacKay, Sherri, Angela Paglia-Boak, Joanna Henderson, et al. (2009). Epidemiology of Firesetting in Adolescents: Mental Health and Substance Use Correlates. *Journal of Child Psychology and Psychiatry, 50*(10), 1282-1290. (http://www.ncbi.nlm.nih.gov/pubmed/19508496)

March, J. S., & B. Vitiello. (2009). Clinical messages from the Treatment for Adolescents With Depression Study (TADS). *Am J Psychiatry, 166*(10), 1118-1123. (http://www.ncbi.nlm.nih.gov/pubmed/19723786)

Mather, A. A., B. J. Cox, M. W. Enns, et al. (2009). Associations of obesity with psychiatric disorders and suicidal behaviors in a nationally representative sample. *J Psychosom Res, 66*(4), 277-285. (http://www.ncbi.nlm.nih.gov/pubmed/19302884)

Matsumoto, T., A. Tsutsumi, T. Izutsu, et al. (2009). Comparative study of the prevalence of suicidal behavior and sexual abuse history in delinquent and non-delinquent adolescents. *Psychiatry Clin Neurosci, 63*(2), 238-240. (http://www.ncbi.nlm.nih.gov/pubmed/19335395)

McCarthy, S., N. Cranswick, L. Potts, et al. (2009). Mortality associated with attention-deficit hyperactivity disorder (ADHD) drug treatment: a retrospective cohort study of children, adolescents and young adults using the general practice research database. *Drug Saf, 32*(11), 1089-1096. (http://www.ncbi.nlm.nih.gov/pubmed/19810780)

McLaren, Suzanne, & Chantal Challis. (2009). Resilience among Men Farmers: The Protective Roles of Social Support and Sense of Belonging in the Depression-Suicidal Ideation Relation. *Death Studies, 33*(3), 262-276. (http://www.ncbi.nlm.nih.gov/pubmed/19353822)

McMain, S. F., P. S. Links, W. H. Gnam, et al. (2009). A randomized trial of dialectical behavior therapy versus general psychiatric management for borderline personality disorder. *Am J Psychiatry, 166*(12), 1365-1374. (http://www.ncbi.nlm.nih.gov/pubmed/19755574)

McNamara, R. K., R. Jandacek, T. Rider, et al. (2009). Fatty acid composition of the postmortem prefrontal cortex of adolescent male and female suicide victims. *Prostaglandins Leukot Essent Fatty Acids, 80*(1), 19-26. (http://www.ncbi.nlm.nih.gov/pubmed/19064316)

Mesoudi, A. (2009). The cultural dynamics of copycat suicide. *PLoS One, 4*(9), e7252. (http://www.ncbi.nlm.nih.gov/pubmed/19789643)

Miller, E. J., & H. Chung. (2009). A literature review of studies of depression and treatment outcomes among U.S. College students since 1990. *Psychiatr Serv, 60*(9), 1257-1260. (http://www.ncbi.nlm.nih.gov/pubmed/19723743)

Miret, M., R. Nuevo, & J. L. Ayuso-Mateos. (2009). Documentation of suicide risk assessment in clinical records. *Psychiatr Serv, 60*(7), 994.

Mitchell, A. M., T. J. Sakraida, Y. Kim, et al. (2009). Depression, anxiety and quality of life in suicide survivors: a comparison of close and distant relationships. *Arch Psychiatr Nurs, 23*(1), 2-10. (http://www.ncbi.nlm.nih.gov/pubmed/19216982)

Mohandie, K., J. R. Meloy, & P. I. Collins. (2009). Suicide by cop among officer-involved shooting cases. *J Forensic Sci, 54*(2), 456-462. (http://www.ncbi.nlm.nih.gov/pubmed/19220654)

Mullany, B., A. Barlow, N. Goklish, et al. (2009). Toward understanding suicide among youths: results from the White Mountain Apache tribally mandated suicide surveillance system, 2001-2006. *Am J Public Health, 99*(10), 1840-1848. (http://www.ncbi.nlm.nih.gov/pubmed/19696377)

Must, A., S. Kõks, E. Vasar, et al. (2009). Common variations in 4p locus are related to male completed suicide. *Neuromolecular Med, 11*(1), 13-19. (http://www.ncbi.nlm.nih.gov/pubmed/19115052)

Näyhä, S. (2009). Suicide mortality in Finnish Lapland by small areas, with reference to temporal trends. *Int J Circumpolar Health, 68*(3), 224-234. (http://www.ncbi.nlm.nih.gov/pubmed/19705655)

Nickerson, Amanda B., & Evan D. Slater. (2009). School and Community Violence and Victimization as Predictors of Adolescent Suicidal Behavior. *School Psychology Review, 38*(2), 218-232.

Niederkrotenthaler, T., B. Till, N. D. Kapusta, et al. (2009). Copycat effects after media reports on suicide: a population-based ecologic study. *Soc Sci Med, 69*(7), 1085-1090. (http://www.ncbi.nlm.nih.gov/pubmed/19682782)

Nock, M. K. (2009). Suicidal behavior among adolescents: correlates, confounds, and (the search for) causal mechanisms. *J Am Acad Child Adolesc Psychiatry, 48*(3), 237-239.

Nock, M. K., I. Hwang, N. Sampson, et al. (2009). Cross-national analysis of the associations among mental disorders and suicidal behavior: findings from the WHO World Mental Health Surveys. *PLoS Med, 6*(8), e1000123. (http://www.ncbi.nlm.nih.gov/pubmed/19668361)

Ohtsu, T., A. Kokaze, Y. Osaki, et al. (2009). Blue Monday phenomenon among men: suicide deaths in Japan. *Acta Med Okayama, 63*(5), 231-236. (http://www.ncbi.nlm.nih.gov/pubmed/19893598)

Pagura, J., S. Fotti, L. Y. Katz, et al. (2009). Help seeking and perceived need for mental health care among individuals in Canada with suicidal behaviors. *Psychiatr Serv, 60*(7), 943-949. (http://www.ncbi.nlm.nih.gov/pubmed/19564225)

Pan, Y. J., M. B. Lee, H. C. Chiang, et al. (2009). The recognition of diagnosable psychiatric disorders in suicide cases' last medical contacts. *Gen Hosp Psychiatry, 31*(2), 181-184. (http://www.ncbi.nlm.nih.gov/pubmed/19269541)

Pandey, G. N., Y. Dwivedi, H. S. Rizavi, et al. (2009). GSK-3beta gene expression in human postmortem brain: regional distribution, effects of age and suicide. *Neurochem Res, 34*(2), 274-285. (http://www.ncbi.nlm.nih.gov/pubmed/18584322)

Papadopoulos, F. C., A. Skalkidou, T. N. Sergentanis, et al. (2009). Preventing suicide and homicide in the United States: the potential benefit in human lives. *Psychiatry Res, 169*(2), 154-158. (http://www.ncbi.nlm.nih.gov/pubmed/19646765)

Patton, G. C., C. Coffey, S. M. Sawyer, et al. (2009). Global patterns of mortality in young people: a systematic analysis of population health data. *Lancet, 374*(9693), 881-892. (http://www.ncbi.nlm.nih.gov/pubmed/19748397)

Pearson, J., S. Jeffrey, & D. H. Stone. (2009). Varying gender pattern of childhood injury mortality over time in Scotland. *Arch Dis Child, 94*(7), 524-530. (http://www.ncbi.nlm.nih.gov/pubmed/19019882)

Pearson, J., & D. H. Stone. (2009). Pattern of injury mortality by age-group in children aged 0-14 years in Scotland, 2002-2006, and its implications for prevention. *BMC Pediatr, 9*, 26. (http://www.ncbi.nlm.nih.gov/pubmed/19351386)

Perroud, N., R. Uher, A. Marusic, et al. (2009). Suicidal ideation during treatment of depression with escitalopram and nortriptyline in genome-based therapeutic drugs for depression (GENDEP): a clinical trial. *BMC Med, 7*, 60. (http://www.ncbi.nlm.nih.gov/pubmed/19832967)

Perry, A. E., & S. Gilbody. (2009). Detecting and predicting self-harm behaviour in prisoners: a prospective psychometric analysis of three instruments. *Soc Psychiatry Psychiatr Epidemiol, 44*(10), 853-861. (http://www.ncbi.nlm.nih.gov/pubmed/19290444)

Perry, A. E., & D. T. Olason. (2009). A new psychometric instrument assessing vulnerability to risk of suicide and self-harm behaviour in offenders: Suicide Concerns for Offenders in Prison Environment (SCOPE). *Int J Offender Ther Comp Criminol, 53*(4), 385-400. (http://www.ncbi.nlm.nih.gov/pubmed/18519741)

Pettit, J. W., M. J. Garza, K. E. Grover, et al. (2009). Factor structure and psychometric properties of the Modified Scale for Suicidal Ideation among suicidal youth. *Depress Anxiety, 26*(8), 769-774. (http://www.ncbi.nlm.nih.gov/pubmed/19434622)

Pettit, J. W., S. R. Temple, P. J. Norton, et al. (2009). Thought suppression and suicidal ideation: preliminary evidence in support of a robust association. *Depress Anxiety, 26*(8), 758-763. (http://www.ncbi.nlm.nih.gov/pubmed/18781662)

Pfeiffer, P. N., D. Ganoczy, M. Ilgen, et al. (2009). Comorbid anxiety as a suicide risk factor among depressed veterans. *Depress Anxiety, 26*(8), 752-757. (http://www.ncbi.nlm.nih.gov/pubmed/19544314)

Pirkis, J., L. Neal, A. Dare, et al. (2009). Legal bans on pro-suicide web sites: an early retrospective from Australia. *Suicide Life Threat Behav, 39*(2), 190-193. (http://www.ncbi.nlm.nih.gov/pubmed/19527159)

Plöderl, M., & R. Fartacek. (2009). Childhood gender nonconformity and harassment as predictors of suicidality among gay, lesbian, bisexual, and heterosexual Austrians. *Arch Sex Behav, 38*(3), 400-410. (http://www.ncbi.nlm.nih.gov/pubmed/18040769)

Pomerantz, Wendy, Michael Gittelman, Sarah Farris, et al. (2009). Drug Ingestions in Children 10-14 Years Old: An Old Problem Revisited. *Suicide and Life-Threatening Behavior, 39*(4), 433-439. (http://www.ncbi.nlm.nih.gov/pubmed/19792984)

Pompili, M., D. Lester, M. Innamorati, et al. (2009). Quality of life and suicide risk in patients with diabetes mellitus. *Psychosomatics, 50*(1), 16-23. (http://www.ncbi.nlm.nih.gov/pubmed/19213968)

Pompili, M., M. Masocco, M. Vichi, et al. (2009). Suicide among Italian adolescents: 1970-2002. *Eur Child Adolesc Psychiatry, 18*(9), 525-533. (http://www.ncbi.nlm.nih.gov/pubmed/19290562)

Portzky, G., K. Audenaert, & K. van Heeringen. (2009). Psychosocial and psychiatric factors associated with adolescent suicide: a case-control psychological autopsy study. *J Adolesc, 32*(4), 849-862. (http://www.ncbi.nlm.nih.gov/pubmed/19027150)

Posada-Villa, J., J. C. Camacho, J. I. Valenzuela, et al. (2009). Prevalence of suicide risk factors and suicide-related outcomes in the National Mental Health Study, Colombia. *Suicide Life Threat Behav, 39*(4), 408-424. (http://www.ncbi.nlm.nih.gov/pubmed/19792982)

Poteat, V. Paul, Steven R. Aragon, Dorothy L. Espelage, et al. (2009). Psychosocial Concerns of Sexual Minority Youth: Complexity and Caution in Group Differences. *Journal of Consulting and Clinical Psychology, 77*(1), 196-201. (http://www.ncbi.nlm.nih.gov/pubmed/19170465)

Prager, L. M. (2009). Depression and suicide in children and adolescents. *Pediatr Rev, 30*(6), 199-205; quiz 206. (http://www.ncbi.nlm.nih.gov/pubmed/19170465)

Preti, A., A. Meneghelli, A. Pisano, et al. (2009). Risk of suicide and suicidal ideation in psychosis: results from an Italian multi-modal pilot program on early intervention in psychosis. *Schizophr Res, 113*(2-3), 145-150. (http://www.ncbi.nlm.nih.gov/pubmed/19570653)

Pridgen, Bryan. (2009). Review of Cyberbullying: Bullying in the digital age. *Journal of the American Academy of Child & Adolescent Psychiatry, 48*(3), 344-346.

Pritchard, Colin, & Richard Williams. (2009). Does social work make a difference? A controlled study of former 'looked-after-children' and 'excluded-from-school' adolescents now men aged 16-24 subsequent offences, being. *Journal of Social Work, 9*(3), 285-307.

Purselle, D. C., M. Heninger, R. Hanzlick, et al. (2009). Differential association of socioeconomic status in ethnic and age-defined suicides. *Psychiatry Res, 167*(3), 258-265. (http://www.ncbi.nlm.nih.gov/pubmed/19395050)

Putkonen, H., S. Amon, M. P. Almiron, et al. (2009). Filicide in Austria and Finland--a register-based study on all filicide cases in Austria and Finland 1995-2005. *BMC Psychiatry, 9*, 74. (http://www.ncbi.nlm.nih.gov/pubmed/19930581)

Pycha, R., M. Pompili, M. Innamorati, et al. (2009). Sex and ethnic differences among South Tirolean suicides: a psychological autopsy study. *Eur Psychiatry, 24*(1), 47-56. (http://www.ncbi.nlm.nih.gov/pubmed/18951765)

Qin, P., P. B. Mortensen, & C. B. Pedersen. (2009). Frequent change of residence and risk of attempted and completed suicide among children and adolescents. *Arch Gen Psychiatry, 66*(6), 628-632. (http://www.ncbi.nlm.nih.gov/pubmed/19487627)

Radobuljac, M. D., N. U. Bratina, T. Battelino, et al. (2009). Lifetime prevalence of suicidal and self-injurious behaviors in a representative cohort of Slovenian adolescents with type 1 diabetes. *Pediatr Diabetes, 10*(7), 424-431. (http://www.ncbi.nlm.nih.gov/pubmed/19487627)

Ran, M. S., C. L. Chan, E. Y. Chen, et al. (2009). Differences in mortality and suicidal behaviour between treated and never-treated people with schizophrenia in rural China. *Br J Psychiatry, 195*(2), 126-131. (http://www.ncbi.nlm.nih.gov/pubmed/19487627)

Rantanen, H., A. M. Koivisto, R. K. Salokangas, et al. (2009). Five-year mortality of Finnish schizophrenia patients in the era of deinstitutionalization. *Soc Psychiatry Psychiatr Epidemiol, 44*(2), 135-142. (http://www.ncbi.nlm.nih.gov/pubmed/18663397)

Rasic, D. T., S. L. Belik, B. Elias, et al. (2009). Spirituality, religion and suicidal behavior in a nationally representative sample. *J Affect Disord, 114*(1-3), 32-40. (http://www.ncbi.nlm.nih.gov/pubmed/18799219)

Ratnayake, R., & P. Links. (2009). Examining student perspectives on suicidal behaviour and its prevention in Sri Lanka. *Int J Soc Psychiatry, 55*(5), 387-400. (http://www.ncbi.nlm.nih.gov/pubmed/19700482)

Razvodovsky, Y., & A. Stickley. (2009). Suicide in urban and rural regions of Belarus, 1990-2005. *Public Health, 123*(1), 27-31. (http://www.ncbi.nlm.nih.gov/pubmed/19138777)

Renaud, J., M. T. Berlim, M. Séguin, et al. (2009). Recent and lifetime utilization of health care services by children and adolescent suicide victims: a case-control study. *J Affect Disord, 117*(3), 168-173. (http://www.ncbi.nlm.nih.gov/pubmed/19187970)

Reutfors, J., L. Brandt, E. G. Jönsson, et al. (2009). Risk factors for suicide in schizophrenia: findings from a Swedish population-based case-control study. *Schizophr Res, 108*(1-3), 231-237. (http://www.ncbi.nlm.nih.gov/pubmed/19176276)

Rhodes, K. V., D. Houry, C. Cerulli, et al. (2009). Intimate partner violence and comorbid mental health conditions among urban male patients. *Ann Fam Med, 7*(1), 47-55. (http://www.ncbi.nlm.nih.gov/pubmed/19139449)

Riala, Kaisa, & Helin Hakko. (2009). Nicotine dependence is associated with suicide attempts and self-mutilation among adolescent females. *Comprehensive Psychiatry, 50*(4), 293-298. (http://www.ncbi.nlm.nih.gov/pubmed/19486726)

Roberts, D. M., R. Heilmair, N. A. Buckley, et al. (2009). Clinical outcomes and kinetics of propanil following acute self-poisoning: a prospective case series. *BMC Clin Pharmacol, 9*, 3. (http://www.ncbi.nlm.nih.gov/pubmed/19220887)

Robins, A., & A. Fiske. (2009). Explaining the relation between religiousness and reduced suicidal behavior: social support rather than specific beliefs. *Suicide Life Threat Behav, 39*(4), 386-395. (http://www.ncbi.nlm.nih.gov/pubmed/19792980)

Robinson, J., S. Hetrick, S. Gook, et al. (2009). Study protocol: the development of a randomised controlled trial testing a postcard intervention designed to reduce suicide risk among young help-seekers. *BMC Psychiatry, 9*, 59. (http://www.ncbi.nlm.nih.gov/pubmed/19775469)

Russell, D., R. J. Turner, & T. E. Joiner. (2009). Physical disability and suicidal ideation: a community-based study of risk/protective factors for suicidal thoughts. *Suicide Life Threat Behav, 39*(4), 440-451. (http://www.ncbi.nlm.nih.gov/pubmed/19792985)

Ruuhela, R., L. Hiltunen, A. Venäläinen, et al. (2009). Climate impact on suicide rates in Finland from 1971 to 2003. *Int J Biometeorol, 53*(2), 167-175. (http://www.ncbi.nlm.nih.gov/pubmed/19101735)

Ryb, G. E., C. C. Cooper, P. C. Dischinger, et al. (2009). Suicides, homicides, and unintentional injury deaths after trauma center discharge: cocaine use as a risk factor. *J Trauma, 67*(3), 490-496; discussion 497. (http://www.ncbi.nlm.nih.gov/pubmed/19741389)

Sam, K. G., K. Kondabolu, D. Pati, et al. (2009). Poisoning severity score, APACHE II and GCS: effective clinical indices for estimating severity and predicting outcome of acute organophosphorus and carbamate poisoning. *J Forensic Leg Med, 16*(5), 239-247. (http://www.ncbi.nlm.nih.gov/pubmed/19481704)

Sanghavi, P., K. Bhalla, & V. Das. (2009). Fire-related deaths in India in 2001: a retrospective analysis of data. *Lancet, 373*(9671), 1282-1288. (http://www.ncbi.nlm.nih.gov/pubmed/19250664)

Sauvageau, A. (2009). True and simulated homicidal hangings: a six-year retrospective study. *Med Sci Law, 49*(4), 283-290. (http://www.ncbi.nlm.nih.gov/pubmed/20025104)

Schilling, E. A., R. H. Aseltine, Jr., J. L. Glanovsky, et al. (2009). Adolescent alcohol use, suicidal ideation, and suicide attempts. *J Adolesc Health, 44*(4), 335-341. (http://www.ncbi.nlm.nih.gov/pubmed/19306791)

Schmutte, T., M. O'Connell, M. Weiland, et al. (2009). Stemming the tide of suicide in older white men: a call to action. *Am J Mens Health, 3*(3), 189-200. (http://www.ncbi.nlm.nih.gov/pubmed/19477749)

Scott, M. A., H. C. Wilcox, I. S. Schonfeld, et al. (2009). School-based screening to identify at-risk students not already known to school professionals: the Columbia suicide screen. *Am J Public Health, 99*(2), 334-339. (http://www.ncbi.nlm.nih.gov/pubmed/19059865)

Shah, A., & J. Coupe. (2009). A comparative study of elderly suicides in England and Wales, Scotland and Northern Ireland: trends over time and age-associated trends. *Int Psychogeriatr, 21*(3), 581-587. (http://www.ncbi.nlm.nih.gov/pubmed/19243656)

Shah, A., & A. Sahay. (2009). Should ecological studies designed to identify distal risk factors focus specifically on elderly suicide rates or broader age-bands? *Int Psychogeriatr, 21*(3), 608-609.

Shahar, G., G. Cohen, K. E. Grogan, et al. (2009). Terrorism-related perceived stress, adolescent depression, and social support from friends. *Pediatrics, 124*(2), e235-240. (http://www.ncbi.nlm.nih.gov/pubmed/19596732)

Sharan, P., C. Gallo, O. Gureje, et al. (2009). Mental health research priorities in low- and middle-income countries of Africa, Asia, Latin America and the Caribbean. *Br J Psychiatry, 195*(4), 354-363. (http://www.ncbi.nlm.nih.gov/pubmed/19794206)

Shin, Y. M., Y. K. Chung, K. Y. Lim, et al. (2009). Childhood predictors of deliberate self-harm behavior and suicide ideation in korean adolescents: a prospective population-based follow-up study. *J Korean Med Sci, 24*(2), 215-222. (http://www.ncbi.nlm.nih.gov/pubmed/19399261)

Shiner, M., J. Scourfield, B. Fincham, et al. (2009). When things fall apart: Gender and suicide across the life-course. *Soc Sci Med, 69*(5), 738-746. (http://www.ncbi.nlm.nih.gov/pubmed/19608323)

Siegel, Darren, & Paul C. McCabe. (2009). Gauging Media Influence on Adolescent Suicide Rates. *Communique, 38*(4), 1.

Silenzio, Vincent M., Paul R. Duberstein, & Wan Tang. (2009). Connecting the invisible dots: Reaching lesbian, gay, and bisexual adolescents and young adults at risk for suicide through online social networks. *Social Science & Medicine, 69*(3), 469-474. (http://www.ncbi.nlm.nih.gov/pubmed/19540641)

Silviken, A. (2009). Prevalence of suicidal behaviour among indigenous Sami in northern Norway. *Int J Circumpolar Health, 68*(3), 204-211. (http://www.ncbi.nlm.nih.gov/pubmed/19705653)

Soto, E. C., A. M. Frederickson, H. Trivedi, et al. (2009). Frequency and correlates of inappropriate pediatric psychiatric emergency room visits. *J Clin Psychiatry, 70*(8), 1164-1177. (http://www.ncbi.nlm.nih.gov/pubmed/19758526)

Sourander, A., A. B. Klomek, S. Niemelä, et al. (2009). Childhood predictors of completed and severe suicide attempts: findings from the Finnish 1981 Birth Cohort Study. *Arch Gen Psychiatry, 66*(4), 398-406. (http://www.ncbi.nlm.nih.gov/pubmed/19349309)

Spinardi-Pirozzi, Jan. (2009). A comparison of drinking behavior between heterosexual and gay, lesbian and bisexual college students: An examination of prevalence and contributing factors. *Dissertation Abstracts International: Section B: The Sciences and Engineering, 69*(10-B), 6437.

Stone, M., T. Laughren, M. L. Jones, et al. Risk of suicidality in clinical trials of antidepressants in adults: analysis of proprietary data submitted to US Food and Drug Administration. *Clinical research ed, 339*, b2880. (http://www.ncbi.nlm.nih.gov/pubmed/19671933)

Suryani, L. K., A. Page, C. B. Lesmana, et al. (2009). Suicide in paradise: aftermath of the Bali bombings. *Psychol Med, 39*(8), 1317-1323. (http://www.ncbi.nlm.nih.gov/pubmed/19091162)

Swahn, M. H., & R. M. Bossarte. (2009). Assessing and quantifying high risk: comparing risky behaviors by youth in an urban, disadvantaged community with nationally representative youth. *Public Health Rep, 124*(2), 224-233. (http://www.ncbi.nlm.nih.gov/pubmed/19320364)

Tang, T. C., S. H. Jou, C. H. Ko, et al. (2009). Randomized study of school-based intensive interpersonal psychotherapy for depressed adolescents with suicidal risk and parasuicide behaviors. *Psychiatry Clin Neurosci, 63*(4), 463-470. (http://www.ncbi.nlm.nih.gov/pubmed/19531111)

Tang, T. C., C. H. Ko, J. Y. Yen, et al. (2009). Suicide and its association with individual, family, peer, and school factors in an adolescent population in southern Taiwan. *Suicide Life Threat Behav, 39*(1), 91-102. (http://www.ncbi.nlm.nih.gov/pubmed/19298154)

Thomas, Chandra R. (2009). S.O.S. (Save Our Students). *Diverse: Issues in Higher Education, 25*(26), 9-11.

Tikkanen, V., A. Alaräisänen, H. Hakko, et al. (2009). Psychotic boys performing well in school are at increased risk of suicidal ideation. *Psychiatry Clin Neurosci, 63*(1), 30-36. (http://www.ncbi.nlm.nih.gov/pubmed/19067996)

Timonen, M. (2009). Occurence and prevention of suicides in circumpolar areas. *Int J Circumpolar Health, 68*(3), 202-203.

Töro, K., & S. Pollak. (2009). Complex suicide versus complicated suicide. *Forensic Sci Int, 184*(1-3), 6-9. (http://www.ncbi.nlm.nih.gov/pubmed/19111411)

Torzsa, P., Z. Rihmer, X. Gonda, et al. (2009). Family history of suicide: a clinical marker for major depression in primary care practice? *J Affect Disord, 117*(3), 202-204. (http://www.ncbi.nlm.nih.gov/pubmed/19211149)

Uzün, I., Y. Büyük, Z. Erkol, et al. (2009). Fatalities caused by spherical bullets fired from blank cartridge guns in Istanbul, Turkey. *J Forensic Sci, 54*(5), 1127-1130. (http://www.ncbi.nlm.nih.gov/pubmed/19570048)

Uzun, I., F. A. Karayel, E. U. Akyildiz, et al. (2009). Suicide among children and adolescents in a province of Turkey. *J Forensic Sci, 54*(5), 1097-1100. (http://www.ncbi.nlm.nih.gov/pubmed/19686393)

Vitiello, B., S. G. Silva, P. Rohde, et al. (2009). Suicidal events in the Treatment for Adolescents With Depression Study (TADS). *J Clin Psychiatry, 70*(5), 741-747. (http://www.ncbi.nlm.nih.gov/pubmed/19552869)

Walker, R. L., J. Ashby, O. D. Hoskins, et al. (2009). Peer-support suicide prevention in a non-metropolitan U.S. community. *Adolescence, 44*(174), 335-346. (http://www.ncbi.nlm.nih.gov/pubmed/19764270)

Wang, A. G., & T. Stórá. (2009). Core features of suicide. Gender, age, alcohol and other putative risk factors in a low-incidence population. *Nord J Psychiatry, 63*(2), 154-159. (http://www.ncbi.nlm.nih.gov/pubmed/19003565)

Wang, S. J., J. L. Fuh, K. D. Juang, et al. (2009). Migraine and suicidal ideation in adolescents aged 13 to 15 years. *Neurology, 72*(13), 1146-1152. (http://www.ncbi.nlm.nih.gov/pubmed/19332691)

Webb, Lucy. (2009). Counting Girls Out: A Review of Suicide among Young Substance Misusers and Gender Difference Implications in the Evaluation of Risk. *Drugs: Education, Prevention & Policy, 16*(2), 103-126.

Weich, S., J. Patterson, R. Shaw, et al. (2009). Family relationships in childhood and common psychiatric disorders in later life: systematic review of prospective studies. *Br J Psychiatry, 194*(5), 392-398. (http://www.ncbi.nlm.nih.gov/pubmed/19407266)

Wexler, L. Identifying colonial discourses in Inupiat young people's narratives as a way to understand the no future of Inupiat youth suicide. *Online, 16*(1), 1-24. (http://www.ncbi.nlm.nih.gov/pubmed/19340763)

Wilson, Alexander M., Catherine Deri Armstrong, Adele Furrie, et al. (2009). The Mental Health of Canadians with Self-Reported Learning Disabilities. *Journal of Learning Disabilities, 42*(1), 24-40. (http://www.ncbi.nlm.nih.gov/pubmed/19103798)

Witte, T. K., K. A. Timmons, E. Fink, et al. (2009). Do major depressive disorder and dysthymic disorder confer differential risk for suicide? *J Affect Disord, 115*(1-2), 69-78. (http://www.ncbi.nlm.nih.gov/pubmed/18842304)

Wojnar, M., M. A. Ilgen, J. Wojnar, et al. (2009). Sleep problems and suicidality in the National Comorbidity Survey Replication. *J Psychiatr Res, 43*(5), 526-531. (http://www.ncbi.nlm.nih.gov/pubmed/18778837)

Wyman, P. A., P. A. Gaudieri, K. Schmeelk-Cone, et al. (2009). Emotional triggers and psychopathology associated with suicidal ideation in urban children with elevated aggressive-disruptive behavior. *J Abnorm Child Psychol, 37*(7), 917-928. (http://www.ncbi.nlm.nih.gov/pubmed/19479370)

Yasumi, K., & J. Kageyama. (2009). Filicide and fatal abuse in Japan, 1994-2005: temporal trends and regional distribution. *J Forensic Leg Med, 16*(2), 70-75. (http://www.ncbi.nlm.nih.gov/pubmed/19135001)

Ying, Y. H., & K. Chang. (2009). A study of suicide and socioeconomic factors. *Suicide Life Threat Behav, 39*(2), 214-226. (http://www.ncbi.nlm.nih.gov/pubmed/19527162)

Zeyrek, E. Y., F. Gençöz, Y. Bergman, et al. (2009). Suicidality, problem-solving skills, attachment style, and hopelessness in Turkish students. *Death Stud, 33*(9), 815-827. (http://www.ncbi.nlm.nih.gov/pubmed/19798810)

Zhang, J., N. Dong, R. Delprino, et al. (2009). Psychological strains found from in-depth interviews with 105 Chinese rural youth suicides. *Arch Suicide Res, 13*(2), 185-194. (http://www.ncbi.nlm.nih.gov/pubmed/19363755)

Zill, P., A. Büttner, W. Eisenmenger, et al. (2009). Predominant expression of tryptophan hydroxylase 1 mRNA in the pituitary: a postmortem study in human brain. *Neuroscience, 159*(4), 1274-1282. (http://www.ncbi.nlm.nih.gov/pubmed/19233335)