




**Sexually Transmitted Diseases  
Reported Cases Among Residents of Idaho  
April - June 2012**

District	HIV Infection¶	Chlamydia	Gonorrhea	Early Syphilis*	Congenital Syphilis	Late or Unknown Duration Syphilis**	TOTAL
1	1	155	2	0	0	0	158
2	2	99	1	2	0	0	104
3	2	182	6	3	0	1	194
4	8	379	16	10	0	0	413
5	0	111	0	0	0	0	111
6	0	128	2	1	0	0	131
7	0	94	1	0	0	0	95
<b>Total</b>	13	1,148	28	16	0	1	1,206

**Sexually Transmitted Diseases  
Reported Cases Among Residents of Idaho  
April – June 2011**

District	HIV	AIDS	Chlamydia	Gonorrhea	Early Syphilis*	Congenital Syphilis	Late or Unknown Duration Syphilis**	TOTAL
1	1	0	62	1	0	0	0	64
2	0	1	49	6	0	0	0	56
3	2	3	175	0	2	0	3	185
4	0	0	111	7	1	0	0	119
5	0	0	59	1	0	0	0	60
6	1	0	56	1	1	0	0	59
7	0	0	43	0	0	0	1	44
<b>Total</b>	4	4	555	16	4	0	4	587

¶Newly-diagnosed HIV infection among residents of Idaho, including concurrent AIDS diagnosis. Sometimes referred to as HIV/AIDS.  
 \*Syphilis of ≤ 1 year duration: primary, secondary, and early latent syphilis.  
 \*\*Syphilis of > 1 year or unknown duration: late symptomatic, late latent, and unknown duration.



Idaho District Health Departments		
District 1	Coeur d'Alene	415-5100
District 2	Lewiston	799-3100
District 3	Caldwell	455-5300
District 4	Boise	375-5211
District 5	Twin Falls	734-5900
District 6	Pocatello	233-9080
District 7	Idaho Falls	522-0310

Reported <u>Idaho</u> HIV and AIDS Cases Presumed Living* by Diagnostic Status as of June 30, 2012							
District	HIV Cases**	HIV Cases Reported Deceased	Presumed Living with HIV	AIDS Cases	AIDS Cases Reported Deceased	Presumed Living with AIDS	Reported HIV and AIDS Cases Presumed Living***
1	74	10	64	164	76	88	152
2	49	6	43	68	24	44	87
3	95	11	84	148	52	96	180
4	346	36	310	483	214	269	579
5	63	8	55	106	44	62	117
6	83	10	73	115	52	63	136
7	58	4	54	94	41	53	107
<b>TOTAL</b>	<b>768</b>	<b>85</b>	<b>683</b>	<b>1,178</b>	<b>503</b>	<b>675</b>	<b>1,358</b>

All reported HIV and AIDS cases in Idaho, regardless of residence at first diagnosis or death.

\*Reported cases of HIV not reported with AIDS EVER REPORTED in Idaho and have not been reported as deceased. Previous prevalence tables only included cases first reported in Idaho. Reported AIDS cases presumed living - Reported cases of AIDS EVER REPORTED in Idaho and have not been reported as deceased. Previous prevalence tables only included cases first reported in Idaho.

\*\*Number of reported individuals with HIV (not yet AIDS) EVER REPORTED in Idaho, excluding those who were concurrently diagnosed with AIDS or have progressed to AIDS

\*\*\*Reported HIV/AIDS cases presumed living - Total number of HIV and AIDS cases EVER REPORTED in Idaho that have not been reported as deceased.

**HIV and AIDS (HIV Stage 3) reports among residents of Idaho at diagnosis, by case status through 6/30/2012**

		HIV		AIDS		COMBINED	
<b>Sex</b>							
Male		415	82%	626	85%	1,041	84%
Female		89	18%	112	15%	201	16%
Total		504	100%	738	100%	1,242	100%
<b>Pediatric/Adult &amp; Adolescent</b>							
Adults/Adolescents (13 or above)		501	99%	733	99%	1,234	99%
Pediatric (<13 years)		3	1%	5	1%	8	1%
Total		504	100%	738	100%	1,242	100%
<b>Race/Ethnicity</b>							
Hispanic - All Races		59	12%	79	11%	138	11%
Not Hispanic	American Indian/Alaska Native	10	2%	11	1%	21	2%
	Asian	3	1%	1	0%	4	0%
	Black	21	4%	23	3%	44	4%
	Native Hawaiian/Pacific Islander	0	0%	0	0%	0	0%
	White	396	79%	614	83%	1,010	81%
	Legacy Asian/Pacific Islander	0	0%	3	0%	3	0%
	Multi-race	3	1%	3	0%	6	0%
	Unknown	12	2%	4	1%	16	1%
Total		504	100%	738	100%	1,242	100%
<b>Exposure Categories - Adults/Adolescents</b>							
Men who have sex with men (MSM)		242	48%	377	51%	619	50%
Injection drug use		52	10%	82	11%	134	11%
MSM and inject drugs		53	11%	62	8%	115	9%
Hemophilia/Coagulation disorder		1	0%	18	2%	19	2%
High-risk heterosexual contact		59	12%	93	13%	152	12%
Presumed heterosexual contact		11	2%	14	2%	25	2%
Receipt of blood, components, or tissue		2	0%	11	2%	13	1%
Other/risk not reported or identified		81	16%	76	10%	158	13%
Total		501	100%	733	100%	1,234	100%
<b>Exposure Categories - Pediatric</b>							
Hemophilia/Coagulation disorder		0	0%	0	0%	0	0%
Mother with/at risk for HIV infection		2	67%	2	40%	4	50%
Receipt of blood, components, or tissue		0	0%	2	40%	2	25%
Other/risk not reported or identified		1	33%	1	20%	2	25%
Total		3	100%	5	100%	8	100%
<b>Cases by Age Group</b>							
Under 5		2	0%	2	0%	4	0%
5-12		1	0%	1	0%	2	0%
13-19		14	3%	7	1%	21	2%
20-29		209	41%	112	15%	321	26%
30-39		152	30%	303	41%	455	37%
40-49		97	19%	213	29%	310	25%
Over 49		29	6%	100	14%	129	10%
Unknown		0	0%	0	0%	0	0%
Total		504	100%	738	100%	1,242	100%
<b>Rate (Cumulative) per 100,000 Residents</b>		<b>31.8</b>		<b>46.6</b>		<b>78.4</b>	

This table excludes cases of HIV or AIDS (HIV Stage 3) first diagnosed in other states. Data are provisional. Reports of HIV positive and AIDS cases should be made to the Bureau of Communicable Disease Prevention and Control as required by Idaho Code 39-602. Data collection and publication is made possible through a federal grant from the Centers for Disease Control and Prevention, United States – Department of Health and Human Services. Idaho statistics are posted on the Internet four times per year. To be placed on an e-mail alert group to signal you when a new issue is posted, please e-mail Allen Haumann at [haumanna@dhw.idaho.gov](mailto:haumanna@dhw.idaho.gov).