

INDUCED ABORTION DATA SUMMARY

IDAHO

**Induced Abortions Occurring in Idaho and
Induced Abortions to Idaho Residents**

1997-2007

**Bureau of Vital Records and Health Statistics
Division of Health
Idaho Department of Health and Welfare**

December 2008

TABLE OF CONTENTS

	<u>Page</u>
Purpose.....	1
 <u>Induced Abortions Occurring in Idaho</u>	
Definition, limitations, and summary.....	2
District and county of occurrence, 1997-2007 (Table 1).....	4
Selected demographic characteristics, 1997-2007 (Table 2A).....	5
Selected demographic characteristics (percent), 1997-2007 (Table 2B).....	6
Idaho residence status, 1997-2007 (Graph 1).....	7
Marital status, 1997-2007 (Graph 2).....	7
Age, 1997-2007 (Graph 3).....	8
Number of previous abortions, 1997-2007 (Graph 4).....	8
Procedure characteristics, 1997-2007 (Table 3A).....	9
Procedure characteristics (percent), 1997-2007 (Table 3B).....	10
Termination procedure by length of gestation, three-year total, 2005-2007 (Table 4).....	11
Length of gestation, three-year total, 2005-2007 (Graph 5).....	11
Age by length of gestation, three-year total, 2005-2007 (Table 5).....	12
Age by length of gestation, three-year total, 2005-2007 (Graph 6).....	12
Age by marital status, three-year total, 2005-2007 (Table 6).....	13
Age by marital status, three-year total, 2005-2007 (Graph 7).....	13
Age by number of previous induced abortions, three-year total, 2005-2007 (Table 7).....	14
Age by number of previous induced abortions, three-year total, 2005-2007 (Graph 8).....	14
Patient educational materials provided, 1997-2007 (Table 8).....	15
Informed consent, aged <18, 2007 (Table 9).....	15
 <u>Induced Abortions to Idaho Residents</u>	
Definition, limitations, and summary.....	16
District and county of residence, 1997-2007 (Table 9A).....	18
District and county of residence, (rates) 1997-2007 (Table 9B).....	19
State of occurrence, 1997-2007 (Table 10).....	20
Occurring in Idaho and out of state, 1997-2007 (Graph 9).....	20
Age, abortion rate, and abortion ratio, 1997-2007 (Table 11).....	21
Termination procedure by length of gestation, three-year total, 2005-2007 (Table 12).....	22
Length of gestation, three-year total, 2005-2007 (Graph 10).....	22
 <u>Appendix</u>	
Counties comprising Idaho public health districts.....	23

INDUCED ABORTION SUMMARY REPORT

Purpose

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. The Bureau of Vital Records and Health Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. This summary report contains data regarding abortions occurring in Idaho and data regarding abortions to Idaho residents for the years 1997 - 2007.

INDUCED ABORTIONS OCCURRING IN IDAHO 1997-2007

Definition

Induced abortions occurring in Idaho include all reported abortion procedures occurring in Idaho, regardless of the patient's state of residence.

Limitations

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics. The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 1997 to 2007, the number of induced abortions occurring in Idaho increased 64.2 percent from 878 in 1997 to 1,442 in 2007. In 2007, all but one abortion occurred in Ada County and one occurred in Bannock County.

The number of abortions occurring to Idaho residents in Idaho increased 65.5 percent from 840 in 1997 to 1,390 in 2007. At the same time, the number of abortions occurring to out-of-state residents in Idaho increased 36.8 percent. Of the 878 abortions occurring in Idaho in 1997, 38 (4.3 percent) were to out-of-state residents compared with 52 out of 1,442 (3.6 percent) in 2007.

INDUCED ABORTIONS OCCURRING IN IDAHO 2007

Induced abortions occurring in Idaho increased by 15.5 percent in 2007, from 1,249 in 2006 to 1,442 in 2007. Abortions occurring in Idaho to Idaho residents also increased, rising 14.4 percent from 1,215 in 2006 to 1,390 in 2007. Ada County reported the largest increase of abortions; up 18.3 percent in 2007, from 1,218 in 2006 to 1,441 in 2007.

Age:

From 2006 to 2007, the number of abortions increased in each age group, except for the 10 to 17 age group, which had seventeen fewer abortions than in 2006. The number of abortions in the 10-14 year old age group decreased 37.5 percent while the 15-17 year old age group decreased 12.4 percent. The number of abortions to women in the age group 20 to 24 accounted for 32.9 percent of all abortions in 2007.

Residency Status:

The number of abortions occurring in Idaho to Idaho residents increased 14.4 percent in 2007, from 1,215 in 2006 to 1,390 in 2007. The number of abortions occurring to non-Idaho residents increased in 2007 to 52.

Marital Status:

The number of abortions occurring to married women increased 20.7 percent in 2007, from 256 in 2006 to 309 in 2007. The number of abortions occurring to unmarried women increased 14.0 percent in 2007, from 993 in 2006 to 1,132 in 2007.

Race:

The number of abortions occurring to whites increased 13.7 percent in 2007, from 1,133 in 2006 to 1,288 in 2007. The number of abortions occurring to American Indians decreased 32 percent in 2007, from 25 in 2006 to 17 in 2007.

Ethnicity:

The number of abortions occurring to Hispanics increased 2.9 percent in 2007, from 136 in 2006 to 140 in 2007. The number of abortions occurring to non-Hispanics increased 16.0 percent in 2007, from 1,104 in 2006 to 1,281 in 2007.

Table 1
INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence
1997-2007

PLACE OF OCCURRENCE	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
TOTAL IN IDAHO	878	888	867	801	738	829	911	963	1,099	1,249	1,442
District 1	-	-	1	-	-	-	-	-	-	-	-
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	-	1	-	-	-	-	-	-	-	-	-
District 4	787	822	798	699	652	756	838	873	1,018	1,218	1,441
District 5	35	24	24	30	32	10	24	25	18	-	-
District 6	56	40	43	72	53	63	49	65	63	31	1
District 7	-	1	1	-	1	-	-	-	-	-	-
Ada	787	822	798	699	652	756	838	873	1,018	1,218	1,441
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	56	40	43	72	53	63	49	65	63	31	1
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	34	24	24	30	32	10	24	25	18	-	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	-	-	-	-	-	-	-	-
Bonneville	-	1	-	-	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	-	1	-	-	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	-	1	-	-	-	-	-	-	-	-
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	-	-	1	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	-	1	-	-	-	-	-	-
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	1	-	-	-	-	-	-	-	-	-	-
Valley	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 2A
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics
1997-2007

DEMOGRAPHIC CHARACTERISTICS	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
TOTAL IN IDAHO	878	888	867	801	738	829	911	963	1,099	1,249	1,442
Age:											
10-14	10	8	3	7	4	4	3	2	6	8	5
15-19	226	221	229	159	168	176	178	189	208	257	290
15-17	91	69	72	53	54	66	47	68	73	113	99
18-19	135	152	157	106	114	110	131	121	135	144	191
20-24	277	272	246	270	220	259	304	302	330	398	475
25-29	157	159	164	160	145	171	171	191	267	268	318
30-34	90	114	117	92	95	110	137	151	138	162	178
35-39	92	87	73	78	71	73	74	95	107	112	122
40-44	24	26	32	33	29	35	43	32	41	42	51
45+	2	-	3	2	5	1	1	1	2	1	3
Not stated	-	1	-	-	1	-	-	-	-	1	-
Idaho residence status:											
Resident	840	862	839	779	712	800	871	928	1,065	1,215	1,390
Non-resident	38	26	28	22	26	29	40	35	34	34	52
Marital status:											
Married	167	174	218	168	168	178	238	184	219	256	309
Not married	711	712	649	632	569	650	671	778	878	993	1,132
Not stated	-	2	-	1	1	1	2	1	2	-	1
Previous induced abortions:											
None	658	657	672	637	597	627	691	725	856	976	1,104
1	155	173	137	117	96	149	159	182	177	199	272
2	45	40	34	33	29	39	38	39	46	48	47
3+	19	17	24	13	14	12	16	13	15	19	17
Not stated	1	1	-	1	2	2	7	4	5	7	2
Race											
White	819	834	813	751	679	769	845	894	1,018	1,133	1,288
Black	10	7	10	8	13	15	11	17	16	14	23
American Indian	14	13	10	10	17	7	10	11	19	25	17
Asian/Pacific Islander	31	31	32	23	24	32	32	32	35	38	41
Other	2	-	-	-	1	2	-	3	1	3	11
Race not stated	2	3	2	9	4	4	13	6	10	36	62
Ethnicity*											
Hispanic	91	102	82	87	92	90	110	115	133	136	140
Non-Hispanic	783	783	785	709	641	736	785	838	959	1,104	1,281
Ethnicity not stated	4	3	-	5	5	3	16	10	7	9	21

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 2B
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics (Percent)
1997-2007

DEMOGRAPHIC CHARACTERISTICS	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
TOTAL IN IDAHO	878	888	867	801	738	829	911	963	1,099	1,249	1,442
Age:											
10-14	1.1%	0.9%	0.3%	0.9%	0.5%	0.5%	0.3%	0.2%	0.5%	0.6%	0.3%
15-19	25.7	24.9	26.4	19.9	22.8	21.2	19.5	19.6	18.9	20.6	20.1
15-17	10.4	7.8	8.3	6.6	7.3	8.0	5.2	7.1	6.6	9.1	6.9
18-19	15.4	17.1	18.1	13.2	15.5	13.3	14.4	12.6	12.3	11.5	13.2
20-24	31.5	30.7	28.4	33.7	29.9	31.2	33.4	31.4	30.0	31.9	32.9
25-29	17.9	17.9	18.9	20.0	19.7	20.6	18.8	19.8	24.3	21.5	22.1
30-34	10.3	12.9	13.5	11.5	12.9	13.3	15.0	15.7	12.6	13.0	12.3
35-39	10.5	9.8	8.4	9.7	9.6	8.8	8.1	9.9	9.7	9.0	8.5
40-44	2.7	2.9	3.7	4.1	3.9	4.2	4.7	3.3	3.7	3.4	3.5
45+	0.2	-	0.3	0.2	0.7	0.1	0.1	0.1	0.2	0.1	0.2
Not stated	NA	NA	NA								
Idaho residence status:											
Resident	95.7%	97.1%	96.8%	97.3%	96.5%	96.5%	95.6%	96.4%	96.9%	97.3%	96.4%
Non-resident	4.3	2.9	3.2	2.7	3.5	3.5	4.4	3.6	3.1	2.7	3.6
Marital status:											
Married	19.0%	19.6%	25.1%	21.0%	22.8%	21.5%	26.2%	19.1%	20.0%	20.5%	21.4%
Not married	81.0	80.4	74.9	79.0	77.2	78.5	73.8	80.9	80.0	79.5	78.6
Not stated	NA	NA	NA								
Previous induced abortions:											
None	75.0%	74.1%	77.5%	79.6%	81.1%	75.8%	76.4%	75.6%	78.2%	78.6%	76.7%
1	17.7	19.5	15.8	14.6	13.0	18.0	17.6	19.0	16.2	16.0	18.9
2	5.1	4.5	3.9	4.1	3.9	4.7	4.2	4.1	4.2	3.9	3.3
3+	2.2	1.9	2.8	1.6	1.9	1.5	1.8	1.4	1.4	1.5	1.2
Not stated	NA	NA	NA								
Race											
White	93.5%	94.2%	94.0%	94.8%	92.5%	93.2%	94.1%	93.4%	93.5%	93.4%	93.3%
Black	1.1	0.8	1.2	1.0	1.8	1.8	1.2	1.8	1.5	1.2	1.7
American Indian	1.6	1.5	1.2	1.3	2.3	0.8	1.1	1.1	1.7	2.1	1.2
Asian/Pacific Islander	3.5	3.5	3.7	2.9	3.3	3.9	3.6	3.3	3.2	3.1	3.0
Other	0.2	-	-	-	0.1	0.2	-	0.3	0.1	0.2	0.8
Race not stated	NA	NA	NA								
Ethnicity*											
Hispanic	10.4	11.5	9.5	10.9	12.6	10.9	12.3	12.1	12.2	11.0	9.9
Non-Hispanic	89.6	88.5	90.5	89.1	87.4	89.1	87.7	87.9	87.8	89.0	90.1
Ethnicity not stated	NA	NA	NA								

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

Dash (-) represents zero or a percent that rounds to less than 0.1%.


NA - not applicable.

Percent distributions are based on records with known data.


Percents may not sum to 100 due to rounding.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 1
INDUCED ABORTIONS OCCURRING IN IDAHO
Idaho Residence Status
1997-2007**




**Graph 2
INDUCED ABORTIONS OCCURRING IN IDAHO
Marital Status
1997-2007**



Records with marital status not stated are included in total, but are not shown on graph. See Table 2A for number of records with marital status not stated.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Graph 3
INDUCED ABORTIONS OCCURRING IN IDAHO
Age
1997-2007**



Records with age not stated are included in the total, but are not shown on graph. See Table 2A for number of records with age not stated.

**Graph 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Number of Previous Abortions
1997-2007**



Records with number of previous abortions not stated are included in the total, but are not shown on graph. See Table 2A for number of records with previous abortions not stated.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 3A
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics
1997-2007

PROCEDURE CHARACTERISTICS	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
TOTAL IN IDAHO	878	888	867	801	738	829	911	963	1,099	1,249	1,442
Weeks of gestation:											
<9	466	446	488	476	488	501	540	585	645	804	926
9-10	251	297	236	217	153	211	236	238	303	258	256
11-12	121	104	106	74	74	87	103	111	118	135	187
13-15	26	25	20	14	12	18	13	18	15	37	53
16-20	9	10	8	12	6	8	12	6	13	8	11
21-24	2	5	7	4	1	2	3	5	4	3	5
25+	2	-	-	1	2	1	1	-	1	2	-
Not stated	1	1	2	3	2	1	3	-	-	2	4
Termination procedure: ¹											
Suction curettage	855	872	853	784	724	823	895	952	967	1,035	1,129
Medical (nonsurgical) ²	NA	NA	3	8	7	2	10	3	117	198	293
Dilation and evacuation (D&E)	4	1	1	3	1	1	3	1	3	7	12
Intra-uterine instillation (saline / prostaglandin)	4	2	4	4	2	2	1	4	4	3	2
Sharp curettage (D&C)	-	4	1	1	3	-	-	2	4	3	2
Hysterotomy / Hysterectomy	1	-	1	1	-	1	-	-	-	-	-
Other	14	9	4	-	-	-	1	1	4	3	4
Not stated	-	-	-	-	1	-	1	-	-	-	-

1. Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

2. The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Dash (-) represents zero.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 3B
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics (Percent)
1997-2007**

PROCEDURE CHARACTERISTICS	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
TOTAL IN IDAHO	878	888	867	801	738	829	911	963	1,099	1,249	1,442
Weeks of gestation:											
<9	53.1%	50.3%	56.4%	59.6%	66.3%	60.5%	59.5%	60.7%	58.7%	64.5%	64.4%
9-10	28.6	33.5	27.3	27.2	20.8	25.5	26.0	24.7	27.6	20.7	17.8
11-12	13.8	11.7	12.3	9.3	10.1	10.5	11.3	11.5	10.7	10.8	13.0
13-15	3.0	2.8	2.3	1.8	1.6	2.2	1.4	1.9	1.4	3.0	3.7
16-20	1.0	1.1	0.9	1.5	0.8	1.0	1.3	0.6	1.2	0.6	0.8
21-24	0.2	0.6	0.8	0.5	0.1	0.2	0.3	0.5	0.4	0.2	0.3
25+	0.2	-	-	0.1	0.3	0.1	0.1	-	0.1	0.2	-
Not stated	NA	NA	NA								
Termination procedure: ¹											
Suction curettage	97.4%	98.2%	98.4%	97.9%	98.2%	99.3%	98.4%	98.9%	88.0%	82.9%	78.3%
Medical (nonsurgical) ²	NA	NA	0.3	1.0	0.9	0.2	1.1	0.3	10.6	15.9	20.3
Dilation and evacuation (D&E)	0.5	0.1	0.1	0.4	0.1	0.1	0.3	0.1	0.3	0.6	0.8
Intra-uterine instillation (saline / prostaglandin)	0.5	0.2	0.5	0.5	0.3	0.2	0.1	0.4	0.4	0.2	0.1
Sharp curettage (D&C)	-	0.5	0.1	0.1	0.4	-	-	0.2	0.4	0.2	0.1
Hysterotomy / Hysterectomy	0.1	-	0.1	0.1	-	0.1	-	-	-	-	-
Other	1.6	1.0	0.5	-	-	-	0.1	0.1	0.4	0.2	0.3
Not stated	NA	NA	NA								

1. Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

2. The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Percent distributions are based on records with known data.

Percents may not sum to 100 due to rounding.

Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Termination Procedure by Length of Gestation
Three-Year Total, 2005-2007


TERMINATION PROCEDURE*	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	3,790	2,375	817	440	105	32	12	3	6
Suction curettage	3,131	1,786	806	435	92	5	-	1	6
Medical (nonsurgical)	608	585	9	1	-	6	5	2	-
Dilation and evacuation (D&E)	22	-	-	1	13	8	-	-	-
Intra-uterine instillation (saline / prostaglandin)	9	-	-	-	-	7	2	-	-
Sharp curettage (D&C)	9	4	2	3	-	-	-	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	11	-	-	-	-	6	5	-	-
Not stated	-	-	-	-	-	-	-	-	-

* Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Length of Gestation
Three-Year Total, 2005-2007



Percent distributions are based on records with known data for length of gestation. Percents may not sum to 100 percent due to rounding.

Table 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation
Three-Year Total, 2005-2007

AGE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	3,790	2,375	817	440	105	32	12	3	6
10-14	19	8	3	8	-	-	-	-	-
15-19	755	435	176	104	35	4	1	-	-
15-17	285	161	68	39	17	-	-	-	-
18-19	470	274	108	65	18	4	1	-	-
20-24	1,203	737	276	154	22	10	2	-	2
25-29	853	550	183	96	17	1	4	-	2
30-34	478	323	87	41	18	5	3	1	-
35-39	341	222	67	24	11	11	2	2	2
40-44	134	93	25	13	2	1	-	-	-
45+	6	6	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation in Weeks
Three-Year Total, 2005-2007




Table 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2005-2007

AGE	TOTAL IN IDAHO	MARITAL STATUS		
		Not Married	Married	Not Stated
TOTAL IN IDAHO	3,790	3,003	784	3
10-14	19	19	-	-
15-19	755	728	27	-
15-17	285	280	5	-
18-19	470	448	22	-
20-24	1,203	1,023	180	-
25-29	853	640	212	1
30-34	478	312	165	1
35-39	341	196	144	1
40-44	134	81	53	-
45+	6	3	3	-
Not stated	1	1	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2005-2007





Table 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2005-2007

AGE	TOTAL IN IDAHO	NUMBER OF PREVIOUS INDUCED ABORTIONS				
		None	1	2	3+	Not Stated
TOTAL IN IDAHO	3,790	2,936	648	141	51	14
10-14	19	19	-	-	-	-
15-19	755	702	49	4	-	-
15-17	285	276	8	1	-	-
18-19	470	426	41	3	-	-
20-24	1,203	980	175	33	12	3
25-29	853	597	193	44	16	3
30-34	478	328	113	22	11	4
35-39	341	226	82	21	10	2
40-44	134	80	34	16	2	2
45+	6	4	1	1	-	-
Not stated	1	-	1	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2005-2007



**Table 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Patient Educational Materials Provided
1997-2007**

Were Patient Educational Materials Provided?

Year	Yes	No	Unknown	Total
1997	840	2	36	878
1998	827	10	51	888
1999	815	16	36	867
2000	745	20	36	801
2001	665	30	43	738
2002	797	9	23	829
2003	867	-	44	911
2004	933	-	30	963
2005	1,072	1	26	1,099
2006	1,239	1	9	1,249
2007	1,442	-	-	1,442

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. Of the nine records with unknown status for patient education materials provided in 2006, 7 procedures occurred prior to July 1, 2006 and 2 occurred on or after July 1, 2006. The one procedure in 2006 in which patient educational materials were not provided occurred prior to July 1, 2006. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

**Table 9
INDUCED ABORTIONS OCCURRING IN IDAHO
Informed Consent, Aged <18
2007**

Total Abortions Aged <18	104
TERMINATION PERFORMED FOLLOWING:	
Written informed consent of a parent, guardian, or conservator and the minor	68
Written informed consent of emancipated minor for herself	1
Written informed consent of minor for herself pursuant to court order granting minor right to self-consent	8
Written informed consent of court pursuant to order stating abortion in best interests of minor, despite absence of parental consent	3
Certification from minor that pregnancy resulted from rape or sexual conduct with minor by minor's parent, stepparent, uncle, grandparent, sibling, adoptive parent, legal guardian, or foster parent.	-
Unknown*	24

*Data on Informed Consent was required to be collected by the legislation beginning on March 27, 2007. There were 24 records for individuals <18 in 2007 that were submitted prior to the rule change. Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

INDUCED ABORTIONS TO IDAHO RESIDENTS 1997-2007

Definition

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

Limitations

In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho can obtain non-identifying information about abortions occurring to Idaho residents in other states. However, not all states have regularly provided the Bureau of Vital Records and Health Statistics with non-identifying, detailed reports on abortions obtained by Idaho residents. From 1989-2001, with the exception of 1991 and 1998, reports were not forwarded from Montana for Idaho residents who obtained abortions in Montana. In 2003, Montana forwarded reports for the missing years and they were added to our databases. Those reports are included in the data published in this report and in any data published after August 2003. The total number of abortions occurring to Idaho residents may differ from the vital statistics annual reports due to late reporting by Montana and revisions to the database.

In cases where the state of residence is reported without a city or county specified and the resident state is different from the state of occurrence, the abortion record is allocated to the largest city of the state of residence. In Idaho, the largest city is Boise in Ada County and in 2007, there were seven out-of-state records allocated to Ada County.

The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 1997 to 2007, the number of abortions to Idaho residents ranged from a low of 1,473 in 2001 to a high of 2,160 in 2007. In all but one year, 2001, the majority of abortions to Idaho residents occurred in Idaho. From 1997 to 2007, most abortions to Idaho residents which occurred out of state occurred in Washington. Of the 770 abortions to Idaho residents which occurred out of state in 2007, 525 (68.2 percent) occurred in Washington.

Overall, the number of abortions to Idaho residents increased by 537 (33.1 percent) from 1997 to 2007. The abortion rate per 1,000 females aged 15-44 increased 18.0 percent from 6.1 in 1997 to 7.2 per 1,000 females in 2007. However, the abortion ratio per 1,000 live births declined 1.5 percent from 87.6 per 1,000 live births in 1997 to 86.3 in 2007.

INDUCED ABORTIONS TO IDAHO RESIDENTS 2007

The rate for induced abortions occurring to Idaho residents increased 12.6 percent in 2007, from 6.4 (1,919 abortions) in 2006 to 7.2 (2,160 abortions) in 2007. From 2006 to 2007, the number and rate of abortions to residents increased for all districts, except District 1 where the total number decreased by 1.0 percent (7 abortions). The majority of statewide increase occurred to residents of Ada County where there were 65 (8.4 percent) more abortions to Ada County residents in 2007 than in 2006.

From 2006 to 2007, the number of abortions to Idaho residents increased in the 18-19, 20-24, 25-29, 30-34, 40-44, and 45+ age groups. Numbers decreased for the 10-14, 15-17, and 35-39 age categories during the same time period. The largest increase occurred in the 20-24 year old age group where the number increased 15.8 percent (100 abortions).

In Idaho:

The number of induced abortions occurring to Idaho residents in Idaho increased 14.4 percent in 2007, from 1,215 in 2006 to 1,390 in 2007.

Out-of-State:

The number of induced abortions occurring to Idaho residents out-of-state increased 9.4 percent in 2007, from 704 in 2006 to 770 in 2007. The majority of out-of-state abortions occurring to Idaho residents occurred in Washington, although between 2006 and 2007 there was a slight decrease in the number of abortions occurring in Washington (528 in 2006 as compared with 525 in 2007).

Between 2006 and 2007, there was a sharp increase in the number of out-of-state abortions occurring in Utah to Idaho residents. In 2006, 96 abortions occurred in Utah to Idaho residents, while in 2007 the number rose to 181. Montana also saw an increase in abortions to Idaho residents. In 2006, Montana providers conducted 19 abortions to Idaho residents. This increased to 30 in 2007.

Table 9A
INDUCED ABORTIONS TO IDAHO RESIDENTS
Number by District and County of Residence
1997-2007

RESIDENCE	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
TOTAL IDAHO RESIDENT	1,623	1,636	1,561	1,553	1,473	1,493	1,620	1,618	1,827	1,919	2,160
District 1	390	395	377	465	428	391	395	357	423	371	364
District 2	204	193	182	166	174	158	187	172	161	158	170
District 3	150	198	161	153	149	157	191	183	192	265	294
District 4	603	617	619	536	505	558	603	625	744	840	909
District 5	112	95	84	99	91	91	124	147	150	142	200
District 6	78	89	76	62	61	70	62	83	91	78	132
District 7	86	49	62	72	65	68	58	51	66	65	91
Ada	558	579	571	505	471	526	571	586	703	775	840
Adams	-	2	3	1	3	2	3	1	2	5	1
Bannock	42	63	53	45	40	46	40	63	58	57	97
Bear Lake	2	1	1	1	2	1	2	1	-	3	-
Benewah	11	16	14	19	13	13	11	13	12	8	15
Bingham	17	12	10	10	11	11	10	12	21	10	23
Blaine	53	40	33	41	42	35	51	61	54	41	46
Boise	3	7	7	2	4	4	1	-	3	8	3
Bonner	63	61	66	82	82	68	57	55	62	59	64
Bonneville	52	27	35	40	38	45	38	33	40	38	62
Boundary	12	13	11	18	7	7	10	9	14	8	7
Butte	1	3	-	-	-	1	2	1	1	-	1
Camas	1	-	-	-	-	-	-	-	-	1	-
Canyon	125	162	135	129	127	131	160	150	161	214	248
Caribou	2	2	5	3	1	1	3	1	1	-	3
Cassia	8	6	4	6	7	-	6	7	9	9	11
Clark	-	-	-	1	-	1	-	-	1	-	1
Clearwater	9	10	10	9	8	10	7	7	8	2	5
Custer	3	4	6	4	4	4	4	3	3	1	2
Elmore	25	24	32	20	17	22	21	23	25	31	46
Franklin	5	4	7	-	4	-	3	3	5	3	2
Fremont	3	-	5	6	2	2	2	2	5	3	4
Gem	10	7	7	6	4	11	8	6	9	15	11
Gooding	5	2	8	8	2	7	7	7	5	10	18
Idaho	19	12	7	10	13	9	12	5	5	6	9
Jefferson	6	2	3	4	5	3	2	2	4	5	4
Jerome	7	7	6	6	7	8	9	13	14	14	18
Kootenai	280	276	263	315	308	281	295	260	313	277	265
Latah	89	84	85	76	73	83	100	73	79	66	76
Lemhi	10	10	11	12	10	6	10	6	6	11	9
Lewis	6	6	5	4	6	5	6	7	4	7	6
Lincoln	3	-	-	3	-	-	1	6	4	4	5
Madison	4	1	2	2	3	3	-	3	3	2	2
Minidoka	6	9	5	5	5	7	10	9	6	5	15
Nez Perce	81	81	75	67	74	51	62	80	65	77	74
Oneida	4	1	-	-	-	2	1	2	1	1	2
Owyhee	5	7	5	5	1	3	4	8	7	3	6
Payette	8	16	9	9	13	5	12	14	10	22	24
Power	5	3	-	3	3	8	1	-	4	4	4
Shoshone	24	29	23	31	18	22	22	20	22	19	13
Teton	8	5	-	3	3	4	2	2	4	5	7
Twin Falls	29	31	28	30	28	34	40	44	58	58	87
Valley	17	7	9	9	13	6	10	16	13	26	20
Washington	2	4	2	3	1	5	4	4	3	6	4

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 9B
INDUCED ABORTIONS TO IDAHO RESIDENTS
Rate by District and County of Residence
1997-2007

RESIDENCE	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
TOTAL IDAHO RESIDENT	6.1	6.1	5.8	5.6	5.2	5.3	5.6	5.5	6.1	6.4	7.2
District 1	11.1	11.2	10.5	13.1	12.0	10.9	10.8	9.4	10.8	9.4	9.3
District 2	9.4	9.0	8.6	7.8	8.3	7.7	9.2	8.4	7.8	8.1	8.5
District 3	4.1	5.3	4.2	3.9	3.6	3.6	4.3	4.0	4.0	5.3	5.9
District 4	8.3	8.2	8.1	6.8	6.3	6.9	7.5	7.7	8.9	9.9	10.5
District 5	3.5	3.0	2.6	3.0	2.8	2.8	3.8	4.4	4.5	4.3	6.2
District 6	2.4	2.7	2.3	1.8	1.8	2.1	1.9	2.5	2.7	2.4	4.0
District 7	2.5	1.4	1.8	2.0	1.8	1.8	1.5	1.3	1.7	1.7	2.3
Ada	8.6	8.7	8.4	7.3	6.6	7.3	8.0	8.1	9.4	10.2	10.8
Adams	-	2.8	4.3	1.8	5.4	3.6	5.3	1.7	3.3	8.8	1.7
Bannock	2.5	3.7	3.1	2.5	2.3	2.7	2.4	3.7	3.3	3.4	5.7
Bear Lake	1.8	0.9	0.9	0.8	1.7	0.9	1.7	0.9	-	2.8	-
Benewah	6.1	8.9	7.9	11.1	8.0	8.2	7.0	8.3	7.6	5.0	9.7
Bingham	2.0	1.4	1.2	1.2	1.3	1.3	1.1	1.3	2.3	1.1	2.7
Blaine	12.9	9.8	8.1	10.3	10.2	8.4	12.3	14.8	13.4	10.5	12.3
Boise	2.9	6.8	6.7	1.6	3.1	3.0	0.7	-	2.2	5.7	2.2
Bonner	9.0	8.6	9.3	11.9	11.9	9.6	7.9	7.5	8.3	7.9	8.9
Bonneville	3.1	1.6	2.1	2.3	2.2	2.5	2.1	1.8	2.1	2.0	3.2
Boundary	6.1	6.7	5.6	9.8	3.9	3.8	5.4	4.7	7.3	4.2	3.7
Butte	1.7	5.3	-	-	-	2.0	4.2	2.1	2.2	-	2.3
Camas	6.5	-	-	-	-	-	-	-	-	4.3	-
Canyon	4.9	6.2	5.0	4.6	4.2	4.1	4.8	4.3	4.4	5.6	6.5
Caribou	1.5	1.5	3.8	2.1	0.7	0.7	2.2	0.7	0.8	-	2.5
Cassia	1.9	1.4	1.0	1.4	1.7	-	1.5	1.7	2.2	2.3	2.9
Clark	-	-	-	5.1	-	5.3	-	-	5.6	-	5.8
Clearwater	5.2	5.9	6.0	6.1	5.8	7.6	5.5	5.6	6.6	1.7	4.4
Custer	3.5	5.0	7.5	5.4	5.4	5.6	5.8	4.3	4.5	1.5	3.1
Elmore	4.3	4.1	5.4	3.1	2.7	3.5	3.4	3.9	4.4	5.8	8.4
Franklin	2.5	2.0	3.4	-	1.7	-	1.3	1.2	2.0	1.2	0.9
Fremont	1.3	-	2.2	2.7	0.9	0.9	0.9	0.9	2.3	1.4	1.8
Gem	3.7	2.5	2.5	2.1	1.4	3.7	2.7	1.9	2.8	4.7	3.6
Gooding	2.0	0.8	3.3	3.0	0.8	2.7	2.7	2.7	2.0	4.1	7.4
Idaho	6.9	4.4	2.6	3.9	5.1	3.6	4.9	2.0	2.0	2.5	3.9
Jefferson	1.6	0.5	0.8	1.0	1.3	0.7	0.5	0.5	0.9	1.1	0.9
Jerome	2.0	2.0	1.7	1.6	1.9	2.2	2.5	3.5	3.7	3.7	4.9
Kootenai	12.9	12.6	11.7	13.9	13.4	12.1	12.3	10.4	12.0	10.5	10.0
Latah	10.1	9.7	9.9	8.5	8.2	9.4	11.5	8.5	8.9	8.0	8.8
Lemhi	6.6	6.8	7.7	9.0	7.7	4.5	7.5	4.4	4.4	8.2	7.1
Lewis	8.6	8.8	7.5	6.2	9.9	8.2	9.8	11.7	6.8	12.0	11.2
Lincoln	4.1	-	-	4.0	-	-	1.2	6.8	4.3	4.3	5.8
Madison	0.5	0.1	0.2	0.2	0.3	0.3	-	0.3	0.3	0.2	0.2
Minidoka	1.5	2.3	1.3	1.2	1.3	1.8	2.7	2.4	1.7	1.4	4.6
Nez Perce	10.5	10.7	10.0	8.8	9.9	6.9	8.4	10.8	8.7	10.9	10.2
Oneida	6.0	1.5	-	-	-	2.6	1.3	2.6	1.3	1.3	2.8
Owyhee	2.5	3.5	2.5	2.5	0.5	1.5	1.9	4.0	3.5	1.5	3.2
Payette	2.0	3.9	2.2	2.2	3.2	1.2	2.8	3.3	2.3	5.0	5.6
Power	2.8	1.7	-	2.0	2.0	5.3	0.7	-	2.5	2.5	2.7
Shoshone	8.9	10.9	8.9	12.5	7.7	9.8	10.3	9.4	10.2	8.8	6.3
Teton	7.3	4.4	-	2.3	2.1	2.7	1.3	1.3	2.7	3.2	4.2
Twin Falls	2.3	2.4	2.2	2.3	2.1	2.6	2.9	3.2	4.2	4.1	6.1
Valley	10.5	4.4	5.9	6.8	9.8	4.8	7.8	12.2	9.4	17.1	13.3
Washington	1.1	2.1	1.1	1.7	0.6	2.8	2.3	2.2	1.7	3.5	2.3

Abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Dash (-) represents zero.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
1997-2007

STATE OF OCCURRENCE	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
TOTAL IDAHO RESIDENT	1,623	1,636	1,561	1,553	1,473	1,493	1,620	1,618	1,827	1,919	2,160
Abortions in Idaho	840	862	839	779	712	800	871	928	1,065	1,215	1,390
Abortions out of state	783	774	722	774	761	693	749	690	762	704	770
Montana	68	60	46	43	43	16	25	19	20	19	30
Oregon	49	61	67	61	67	60	57	49	45	59	33
Utah	92	86	74	64	71	70	79	87	104	96	181
Washington	572	562	533	605	575	546	586	533	591	528	525
All others	2	5	2	1	5	1	2	2	2	2	1

Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 9
INDUCED ABORTIONS TO IDAHO RESIDENTS
Occurring in Idaho and Out of State
1997-2007



Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

Table 11
INDUCED ABORTIONS TO IDAHO RESIDENTS
Age, Abortion Rate, and Abortion Ratio
1997-2007

AGE	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007
TOTAL IDAHO RESIDENT	1,623	1,636	1,561	1,553	1,473	1,493	1,620	1,618	1,827	1,919	2,160
Age:											
10-14	16	13	7	12	10	9	12	6	9	12	8
15-19	406	384	394	346	362	326	336	323	356	380	430
15-17	166	139	125	129	128	131	105	127	127	159	155
18-19	240	245	269	217	234	195	231	196	229	221	275
20-24	480	524	471	502	453	485	553	530	579	632	732
25-29	325	324	289	312	258	286	303	327	412	427	470
30-34	184	201	205	179	192	187	221	223	219	228	272
35-39	161	144	138	147	129	139	133	141	177	173	167
40-44	47	40	50	51	55	57	58	63	68	60	72
45+	4	4	7	2	9	3	3	3	5	2	6
Not stated	-	2	-	2	5	1	1	2	2	5	3
Abortion rate per 1,000 females in age group:											
Total ¹	6.1	6.1	5.8	5.6	5.2	5.3	5.6	5.5	6.1	6.4	7.2
Age:*											
10-14	0.3	0.3	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2
15-19	7.5	7.0	7.2	6.3	6.5	6.1	6.4	6.1	6.7	7.0	7.9
15-17	5.2	4.3	4.0	4.0	3.9	4.2	3.4	4.1	4.0	4.8	4.7
18-19	10.9	10.7	11.6	9.5	10.1	9.0	10.7	9.0	10.6	10.3	12.7
20-24	10.9	11.5	10.0	11.1	9.9	9.4	10.2	9.5	10.2	12.7	15.1
25-29	8.7	8.4	7.2	7.6	6.1	6.9	7.1	7.4	8.7	8.0	8.7
30-34	4.9	5.4	5.5	4.3	4.6	4.3	5.1	5.1	4.9	5.0	5.8
35-39	3.5	3.2	3.1	3.1	2.7	3.1	3.0	3.2	3.9	3.7	3.5
40-44	1.0	0.9	1.1	1.0	1.1	1.1	1.2	1.3	1.3	1.2	1.5
45+	0.1	0.1	0.2	-	0.2	0.1	0.1	0.1	0.1	-	0.1
Not stated	NA										
Abortion ratio per 1,000 live births in age group:											
Total ²	87.6	84.5	78.6	76.5	71.2	71.2	74.3	71.8	79.2	79.3	86.3
Age:											
10-14	444.4	464.3	225.8	750.0	625.0	562.5	631.6	428.6	473.7	666.7	470.6
15-19	174.1	156.7	164.4	147.9	154.8	156.9	161.8	156.9	176.3	176.9	190.3
15-17	222.5	177.3	157.4	192.8	191.3	225.1	192.7	241.9	238.7	266.3	246.8
18-19	151.3	147.1	167.9	129.9	140.1	130.3	150.9	127.9	154.0	142.5	168.5
20-24	86.1	86.1	76.0	79.2	71.5	72.2	79.8	73.7	80.6	84.1	97.0
25-29	61.4	58.1	50.1	53.8	44.5	47.2	46.8	48.5	57.7	55.7	59.5
30-34	52.9	59.0	56.8	46.9	50.3	46.0	52.4	51.5	49.9	50.3	57.2
35-39	107.2	97.8	91.3	90.6	79.5	84.3	77.8	79.3	94.1	89.4	80.1
40-44	152.6	128.2	152.0	144.9	156.3	159.7	168.6	165.4	167.1	172.9	168.6
45+	363.6	285.7	304.3	117.6	529.4	115.4	150.0	96.8	178.6	100.0	272.7
Not stated	NA										

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Abortion rates for 1997-1999 are based on population estimates from the U.S. Census Bureau, Internet release August 30, 2000. Rates for 2000 are based on April 1, 2000 Census data, Internet release August 1, 2001. Rates for 2001-2002 are based on the National Center for Health Statistics, estimates of the July 1, 2001-July 1, 2002, United States resident population from the Vintage 2002 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 8, 2003. Rates for 2003, 2004, 2005, 2006, and 2007 are based on July 1, 2003, July 1, 2004, July 1, 2005, July 1, 2006, and July 1, 2007 population estimates from the U.S. Census Bureau and National Center for Health Statistics, Internet release dates August 18, 2004, September 9, 2005, August 16, 2006, August 16, 2007 and September 5, 2008, respectively.

2. Total abortion ratio: Number of induced abortions per 1,000 live births.

*Rate for 45+ age group is based on the population of women 45-49 years of age.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Dash (-) represents zero or a rate that rounds to less than 0.1.

NA - not applicable.

Table 12
INDUCED ABORTIONS TO IDAHO RESIDENTS
Termination Procedure by Length of Gestation
Three-Year Total, 2005-2007


TERMINATION PROCEDURE*	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	5,906	3,389	1,306	650	277	208	52	6	18
Suction curettage	4,694	2,558	1,286	637	180	18	2	1	12
Medical (nonsurgical)	847	813	10	2	3	6	8	3	2
Dilation and evacuation (D&E)	296	8	6	7	86	150	34	2	3
Intra-uterine instillation (saline / prostaglandin)	12	-	-	-	-	9	3	-	-
Sharp curettage (D&C)	29	4	2	3	6	13	-	-	1
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	11	-	-	-	-	6	5	-	-
Not stated	17	6	2	1	2	6	-	-	-

* Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Dash (-) represents zero.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
Length of Gestation
Three-Year Total, 2005-2007



Percent distributions are based on records with known data for length of gestation. Percents may not sum to 100% due to rounding.

APPENDIX
Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton