

INDUCED ABORTION DATA SUMMARY

IDAHO

**Induced Abortions Occurring in Idaho and
Induced Abortions to Idaho Residents**

1998-2008

**Bureau of Vital Records and Health Statistics
Division of Health
Idaho Department of Health and Welfare**

December 2009

TABLE OF CONTENTS

	<u>Page</u>
Purpose.....	1
 <u>Induced Abortions Occurring in Idaho</u>	
Definition, limitations, and summary.....	2
District and county of occurrence, 1998-2008 (Table 1).....	4
Selected demographic characteristics, 1998-2008 (Table 2A).....	5
Selected demographic characteristics (percent), 1998-2008 (Table 2B).....	6
Idaho residence status, 1998-2008 (Graph 1).....	7
Marital status, 1998-2008 (Graph 2).....	7
Age, 1998-2008 (Graph 3).....	8
Number of previous abortions, 1998-2008 (Graph 4).....	8
Procedure characteristics, 1998-2008 (Table 3A).....	9
Procedure characteristics (percent), 1998-2008 (Table 3B).....	10
Termination procedure by length of gestation, three-year total, 2006-2008 (Table 4).....	11
Length of gestation, three-year total, 2006-2008 (Graph 5).....	11
Age by length of gestation, three-year total, 2006-2008 (Table 5).....	12
Age by length of gestation, three-year total, 2006-2008 (Graph 6).....	12
Age by marital status, three-year total, 2006-2008 (Table 6).....	13
Age by marital status, three-year total, 2006-2008 (Graph 7).....	13
Age by number of previous induced abortions, three-year total, 2006-2008 (Table 7).....	14
Age by number of previous induced abortions, three-year total, 2006-2008 (Graph 8).....	14
Patient educational materials provided, 1998-2008 (Table 8).....	15
Informed consent, aged <18, 2008 (Table 9).....	15
 <u>Induced Abortions to Idaho Residents</u>	
Definition, limitations, and summary.....	16
District and county of residence, 1998-2008 (Table 9A).....	18
District and county of residence, (rates) 1998-2008 (Table 9B).....	19
State of occurrence, 1998-2008 (Table 10).....	20
Occurring in Idaho and out of state, 1998-2008 (Graph 9).....	20
Age, abortion rate, and abortion ratio, 1998-2008 (Table 11).....	21
Termination procedure by length of gestation, three-year total, 2006-2008 (Table 12).....	22
Length of gestation, three-year total, 2006-2008 (Graph 10).....	22
 <u>Appendix</u>	
Counties comprising Idaho public health districts.....	23

INDUCED ABORTION SUMMARY REPORT

Purpose

The reporting of induced abortions occurring in Idaho has been required by state statute since July 1, 1977, as provided in Section 39-261, Idaho Code. The Bureau of Vital Records and Health Statistics began collecting abortion data in July 1977, with 1978 the first full year for which abortion statistics are available. This summary report contains data regarding abortions occurring in Idaho and data regarding abortions to Idaho residents for the years 1998 - 2008.

INDUCED ABORTIONS OCCURRING IN IDAHO 1998-2008

Definition

Induced abortions occurring in Idaho include all reported abortion procedures occurring in Idaho, regardless of the patient's state of residence.

Limitations

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics. The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 1998 to 2008, the number of induced abortions occurring in Idaho increased 66.8 percent from 888 in 1998 to 1,481 in 2008. In 2008, eight abortions occurred in Twin Falls County and the rest occurred in Ada County.

The number of abortions occurring to Idaho residents in Idaho increased 66.9 percent from 862 in 1998 to 1,439 in 2008. At the same time, the number of abortions occurring to out-of-state residents in Idaho increased 61.5 percent. Of the 888 abortions occurring in Idaho in 1998, 26 (2.9 percent) were to out-of-state residents compared with 42 out of 1,481 (2.8 percent) in 2008.

INDUCED ABORTIONS OCCURRING IN IDAHO 2008

Induced abortions occurring in Idaho increased by 2.7 percent in 2008, from 1,442 in 2007 to 1,481 in 2008. Abortions occurring in Idaho to Idaho residents also increased, rising 3.5 percent from 1,390 in 2007 to 1,439 in 2008. Ada County reported an increase of abortions; up 2.2 percent in 2008, from 1,441 in 2007 to 1,473 in 2008.

Age:

From 2007 to 2008, the number of abortions decreased in all but four age groups, 18 to 19, 20 to 24, 30 to 34 and 44 to 49, with a 1.6 percent, 7.6 percent, 18.5 percent and 66.7 percent increase in abortions in 2008, respectively. The number of abortions in the 10-14 age group decreased 40.0 percent while the 15-17 year old age group decreased 19.2 percent. The number of abortions to women in the age group 20 to 24 accounted for 34.5 percent of all abortions in 2008.

Residency Status:

The number of abortions occurring in Idaho to Idaho residents increased 3.5 percent in 2007, from 1,390 in 2007 to 1,439 in 2008. The number of abortions occurring to non-Idaho residents decreased in 2008 to 42.

Marital Status:

The number of abortions occurring to married women decreased 12.9 percent in 2008, from 309 in 2007 to 269 in 2008. The number of abortions occurring to unmarried women increased 6.9 percent in 2008, from 1,132 in 2007 to 1,210 in 2008.

Race:

The number of abortions occurring to whites increased 5.4 percent in 2008, from 1,288 in 2007 to 1,358 in 2008. The number of abortions occurring to blacks decreased 39.1 percent in 2008, from 23 in 2007 to 14 in 2008.

Ethnicity:

The number of abortions occurring to Hispanics increased 7.9 percent in 2008, from 140 in 2007 to 151 in 2008. The number of abortions occurring to non-Hispanics increased 3.0 percent in 2008, from 1,281 in 2007 to 1,319 in 2008.

Table 1
INDUCED ABORTIONS OCCURRING IN IDAHO
District and County of Occurrence
1998-2008

PLACE OF OCCURRENCE	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
TOTAL IN IDAHO	888	867	801	738	829	911	963	1,099	1,249	1,442	1,481
District 1	-	1	-	-	-	-	-	-	-	-	-
District 2	-	-	-	-	-	-	-	-	-	-	-
District 3	1	-	-	-	-	-	-	-	-	-	-
District 4	822	798	699	652	756	838	873	1,018	1,218	1,441	1,473
District 5	24	24	30	32	10	24	25	18	-	-	8
District 6	40	43	72	53	63	49	65	63	31	1	-
District 7	1	1	-	1	-	-	-	-	-	-	-
Ada	822	798	699	652	756	838	873	1,018	1,218	1,441	1,473
Adams	-	-	-	-	-	-	-	-	-	-	-
Bannock	40	43	72	53	63	49	65	63	31	1	-
Bear Lake	-	-	-	-	-	-	-	-	-	-	-
Benewah	-	-	-	-	-	-	-	-	-	-	-
Bingham	-	-	-	-	-	-	-	-	-	-	-
Blaine	24	24	30	32	10	24	25	18	-	-	-
Boise	-	-	-	-	-	-	-	-	-	-	-
Bonner	-	-	-	-	-	-	-	-	-	-	-
Bonneville	1	-	-	-	-	-	-	-	-	-	-
Boundary	-	-	-	-	-	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-	-
Canyon	1	-	-	-	-	-	-	-	-	-	-
Caribou	-	-	-	-	-	-	-	-	-	-	-
Cassia	-	-	-	-	-	-	-	-	-	-	-
Clark	-	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-	-
Elmore	-	-	-	-	-	-	-	-	-	-	-
Franklin	-	-	-	-	-	-	-	-	-	-	-
Fremont	-	-	-	-	-	-	-	-	-	-	-
Gem	-	-	-	-	-	-	-	-	-	-	-
Gooding	-	-	-	-	-	-	-	-	-	-	-
Idaho	-	-	-	-	-	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-	-
Jerome	-	-	-	-	-	-	-	-	-	-	-
Kootenai	-	1	-	-	-	-	-	-	-	-	-
Latah	-	-	-	-	-	-	-	-	-	-	-
Lemhi	-	1	-	-	-	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-	-
Madison	-	-	-	1	-	-	-	-	-	-	-
Minidoka	-	-	-	-	-	-	-	-	-	-	-
Nez Perce	-	-	-	-	-	-	-	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-	-
Payette	-	-	-	-	-	-	-	-	-	-	-
Power	-	-	-	-	-	-	-	-	-	-	-
Shoshone	-	-	-	-	-	-	-	-	-	-	-
Teton	-	-	-	-	-	-	-	-	-	-	-
Twin Falls	-	-	-	-	-	-	-	-	-	-	8
Valley	-	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 2A
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics
1998-2008

DEMOGRAPHIC CHARACTERISTICS	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
TOTAL IN IDAHO	888	867	801	738	829	911	963	1,099	1,249	1,442	1,481
Age:											
10-14	8	3	7	4	4	3	2	6	8	5	3
15-19	221	229	159	168	176	178	189	208	257	290	274
15-17	69	72	53	54	66	47	68	73	113	99	80
18-19	152	157	106	114	110	131	121	135	144	191	194
20-24	272	246	270	220	259	304	302	330	398	475	511
25-29	159	164	160	145	171	171	191	267	268	318	317
30-34	114	117	92	95	110	137	151	138	162	178	211
35-39	87	73	78	71	73	74	95	107	112	122	118
40-44	26	32	33	29	35	43	32	41	42	51	42
45+	-	3	2	5	1	1	1	2	1	3	5
Not stated	1	-	-	1	-	-	-	-	1	-	-
Idaho residence status:											
Resident	862	839	779	712	800	871	928	1,065	1,215	1,390	1,439
Non-resident	26	28	22	26	29	40	35	34	34	52	42
Marital status:											
Married	174	218	168	168	178	238	184	219	256	309	269
Not married	712	649	632	569	650	671	778	878	993	1,132	1,210
Not stated	2	-	1	1	1	2	1	2	-	1	2
Previous induced abortions:											
None	657	672	637	597	627	691	725	856	976	1,104	1,078
1	173	137	117	96	149	159	182	177	199	272	311
2	40	34	33	29	39	38	39	46	48	47	64
3+	17	24	13	14	12	16	13	15	19	17	28
Not stated	1	-	1	2	2	7	4	5	7	2	-
Race											
White	834	813	751	679	769	845	894	1,018	1,133	1,288	1,358
Black	7	10	8	13	15	11	17	16	14	23	14
American Indian	13	10	10	17	7	10	11	19	25	17	18
Asian/Pacific Islander	31	32	23	24	32	32	32	35	38	41	48
Other	-	-	-	1	2	-	3	1	3	11	34
Race not stated	3	2	9	4	4	13	6	10	36	62	9
Ethnicity*											
Hispanic	102	82	87	92	90	110	115	133	136	140	151
Non-Hispanic	783	785	709	641	736	785	838	959	1,104	1,281	1,319
Ethnicity not stated	3	-	5	5	3	16	10	7	9	21	11

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 2B
INDUCED ABORTIONS OCCURRING IN IDAHO
Selected Demographic Characteristics (Percent)
1998-2008**

DEMOGRAPHIC CHARACTERISTICS	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
TOTAL IN IDAHO	888	867	801	738	829	911	963	1,099	1,249	1,442	1,481
Age:											
10-14	0.9%	0.3%	0.9%	0.5%	0.5%	0.3%	0.2%	0.5%	0.6%	0.3%	0.2%
15-19	24.9	26.4	19.9	22.8	21.2	19.5	19.6	18.9	20.6	20.1	18.5
15-17	7.8	8.3	6.6	7.3	8.0	5.2	7.1	6.6	9.1	6.9	5.4
18-19	17.1	18.1	13.2	15.5	13.3	14.4	12.6	12.3	11.5	13.2	13.1
20-24	30.7	28.4	33.7	29.9	31.2	33.4	31.4	30.0	31.9	32.9	34.5
25-29	17.9	18.9	20.0	19.7	20.6	18.8	19.8	24.3	21.5	22.1	21.4
30-34	12.9	13.5	11.5	12.9	13.3	15.0	15.7	12.6	13.0	12.3	14.2
35-39	9.8	8.4	9.7	9.6	8.8	8.1	9.9	9.7	9.0	8.5	8.0
40-44	2.9	3.7	4.1	3.9	4.2	4.7	3.3	3.7	3.4	3.5	2.8
45+	-	0.3	0.2	0.7	0.1	0.1	0.1	0.2	0.1	0.2	0.3
Not stated	NA	NA	NA	NA							
Idaho residence status:											
Resident	97.1%	96.8%	97.3%	96.5%	96.5%	95.6%	96.4%	96.9%	97.3%	96.4%	97.2%
Non-resident	2.9	3.2	2.7	3.5	3.5	4.4	3.6	3.1	2.7	3.6	2.8
Marital status:											
Married	19.6%	25.1%	21.0%	22.8%	21.5%	26.2%	19.1%	20.0%	20.5%	21.4%	18.2%
Not married	80.4	74.9	79.0	77.2	78.5	73.8	80.9	80.0	79.5	78.6	81.8
Not stated	NA	NA	NA	NA							
Previous induced abortions:											
None	74.1%	77.5%	79.6%	81.1%	75.8%	76.4%	75.6%	78.2%	78.6%	76.7%	72.8%
1	19.5	15.8	14.6	13.0	18.0	17.6	19.0	16.2	16.0	18.9	21.0
2	4.5	3.9	4.1	3.9	4.7	4.2	4.1	4.2	3.9	3.3	4.3
3+	1.9	2.8	1.6	1.9	1.5	1.8	1.4	1.4	1.5	1.2	1.9
Not stated	NA	NA	NA	NA							
Race											
White	94.2%	94.0%	94.8%	92.5%	93.2%	94.1%	93.4%	93.5%	93.4%	93.3%	92.3%
Black	0.8	1.2	1.0	1.8	1.8	1.2	1.8	1.5	1.2	1.7	1.0
American Indian	1.5	1.2	1.3	2.3	0.8	1.1	1.1	1.7	2.1	1.2	1.2
Asian/Pacific Islander	3.5	3.7	2.9	3.3	3.9	3.6	3.3	3.2	3.1	3.0	3.3
Other	-	-	-	0.1	0.2	-	0.3	0.1	0.2	0.8	2.3
Race not stated	NA	NA	NA	NA							
Ethnicity*											
Hispanic	11.5	9.5	10.9	12.6	10.9	12.3	12.1	12.2	11.0	9.9	10.3
Non-Hispanic	88.5	90.5	89.1	87.4	89.1	87.7	87.9	87.8	89.0	90.1	89.7
Ethnicity not stated	NA	NA	NA	NA							

* Race and Hispanic origin are reported separately on the abortion report. Women of Hispanic origin are included in appropriate race totals.

Dash (-) represents zero or a percent that rounds to less than 0.1%.


NA - not applicable.

Percent distributions are based on records with known data.


Percents may not sum to 100 due to rounding.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 1
INDUCED ABORTIONS OCCURRING IN IDAHO
Idaho Residence Status
1998-2008




Graph 2
INDUCED ABORTIONS OCCURRING IN IDAHO
Marital Status
1998-2008



Records with marital status not stated are included in total, but are not shown on graph. See Table 2A for number of records with marital status not stated.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 3
INDUCED ABORTIONS OCCURRING IN IDAHO
Age
1998-2008



Records with age not stated are included in the total, but are not shown on graph. See Table 2A for number of records with age not stated.

Graph 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Number of Previous Abortions
1998-2008



Records with number of previous abortions not stated are included in the total, but are not shown on graph. See Table 2A for number of records with previous abortions not stated.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 3A
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics
1998-2008**

PROCEDURE CHARACTERISTICS	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
TOTAL IN IDAHO	888	867	801	738	829	911	963	1,099	1,249	1,442	1,481
Weeks of gestation:											
<9	446	488	476	488	501	540	585	645	804	926	997
9-10	297	236	217	153	211	236	238	303	258	256	275
11-12	104	106	74	74	87	103	111	118	135	187	135
13-15	25	20	14	12	18	13	18	15	37	53	62
16-20	10	8	12	6	8	12	6	13	8	11	8
21-24	5	7	4	1	2	3	5	4	3	5	3
25+	-	-	1	2	1	1	-	1	2	-	-
Not stated	1	2	3	2	1	3	-	-	2	4	1
Termination procedure: ¹											
Suction curettage	872	853	784	724	823	895	952	967	1,035	1,129	1,043
Medical (nonsurgical) ²	NA	3	8	7	2	10	3	117	198	293	423
Dilation and evacuation (D&E)	1	1	3	1	1	3	1	3	7	12	7
Intra-uterine instillation (saline / prostaglandin)	2	4	4	2	2	1	4	4	3	2	1
Sharp curettage (D&C)	4	1	1	3	-	-	2	4	3	2	4
Hysterotomy / Hysterectomy	-	1	1	-	1	-	-	-	-	-	-
Other	9	4	-	-	-	1	1	4	3	4	3
Not stated	-	-	-	1	-	1	-	-	-	-	-

1. Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

2. The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Dash (-) represents zero.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 3B
INDUCED ABORTIONS OCCURRING IN IDAHO
Procedure Characteristics (Percent)
1998-2008

PROCEDURE CHARACTERISTICS	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
TOTAL IN IDAHO	888	867	801	738	829	911	963	1,099	1,249	1,442	1,481
Weeks of gestation:											
<9	50.3%	56.4%	59.6%	66.3%	60.5%	59.5%	60.7%	58.7%	64.5%	64.4%	67.4%
9-10	33.5	27.3	27.2	20.8	25.5	26.0	24.7	27.6	20.7	17.8	18.6
11-12	11.7	12.3	9.3	10.1	10.5	11.3	11.5	10.7	10.8	13.0	9.1
13-15	2.8	2.3	1.8	1.6	2.2	1.4	1.9	1.4	3.0	3.7	4.2
16-20	1.1	0.9	1.5	0.8	1.0	1.3	0.6	1.2	0.6	0.8	0.5
21-24	0.6	0.8	0.5	0.1	0.2	0.3	0.5	0.4	0.2	0.3	0.2
25+	-	-	0.1	0.3	0.1	0.1	-	0.1	0.2	-	-
Not stated	NA	NA	NA	NA							
Termination procedure: ¹											
Suction curettage	98.2%	98.4%	97.9%	98.2%	99.3%	98.4%	98.9%	88.0%	82.9%	78.3%	70.4%
Medical (nonsurgical) ²	NA	0.3	1.0	0.9	0.2	1.1	0.3	10.6	15.9	20.3	28.6
Dilation and evacuation (D&E)	0.1	0.1	0.4	0.1	0.1	0.3	0.1	0.3	0.6	0.8	0.5
Intra-uterine instillation (saline / prostaglandin)	0.2	0.5	0.5	0.3	0.2	0.1	0.4	0.4	0.2	0.1	0.1
Sharp curettage (D&C)	0.5	0.1	0.1	0.4	-	-	0.2	0.4	0.2	0.1	0.3
Hysterotomy / Hysterectomy	-	0.1	0.1	-	0.1	-	-	-	-	-	-
Other	1.0	0.5	-	-	-	0.1	0.1	0.4	0.2	0.3	0.2
Not stated	NA	NA	NA	NA							

1. Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

2. The classification "Medical (nonsurgical)" was not listed as a termination procedure prior to 1999. This procedure was included in the "Other" category prior to 1999.

Classification of procedures changed in 1999; data for previous years have been adjusted to the new classifications.

Percent distributions are based on records with known data.

Percents may not sum to 100 due to rounding.

Dash (-) represents zero or a percent that rounds to less than 0.1%.

NA - not applicable

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 4
INDUCED ABORTIONS OCCURRING IN IDAHO
Termination Procedure by Length of Gestation
Three-Year Total, 2006-2008


TERMINATION PROCEDURE*	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	4,172	2,727	789	457	152	27	11	2	7
Suction curettage	3,207	1,841	769	451	134	4	-	1	7
Medical (nonsurgical)	914	884	19	2	-	4	4	1	-
Dilation and evacuation (D&E)	26	-	-	1	15	10	-	-	-
Intra-uterine instillation (saline / prostaglandin)	6	-	-	-	-	5	1	-	-
Sharp curettage (D&C)	9	2	1	3	3	-	-	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	10	-	-	-	-	4	6	-	-
Not stated	-	-	-	-	-	-	-	-	-

* Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Length of Gestation
Three-Year Total, 2006-2008



Percent distributions are based on records with known data for length of gestation.

Table 5
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation
Three-Year Total, 2006-2008

AGE	TOTAL IN IDAHO	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL IN IDAHO	4,172	2,727	789	457	152	27	11	2	7
10-14	16	6	3	7	-	-	-	-	-
15-19	821	486	176	108	47	3	1	-	-
15-17	292	162	68	40	22	-	-	-	-
18-19	529	324	108	68	25	3	1	-	-
20-24	1,384	891	279	157	42	9	3	-	3
25-29	903	612	162	96	24	2	5	-	2
30-34	551	381	88	50	24	5	2	1	-
35-39	352	245	60	27	11	6	-	1	2
40-44	135	97	20	12	4	2	-	-	-
45+	9	8	1	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Length of Gestation in Weeks
Three-Year Total, 2006-2008




Table 6
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2006-2008

AGE	TOTAL IN IDAHO	MARITAL STATUS		
		Not Married	Married	Not Stated
TOTAL IN IDAHO	4,172	3,335	834	3
10-14	16	16	-	-
15-19	821	794	26	1
15-17	292	285	7	-
18-19	529	509	19	1
20-24	1,384	1,190	193	1
25-29	903	690	213	-
30-34	551	366	185	-
35-39	352	202	149	1
40-44	135	72	63	-
45+	9	4	5	-
Not stated	1	1	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Marital Status
Three-Year Total, 2006-2008





Table 7
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2006-2008

AGE	TOTAL IN IDAHO	NUMBER OF PREVIOUS INDUCED ABORTIONS				
		None	1	2	3+	Not Stated
TOTAL IN IDAHO	4,172	3,158	782	159	64	9
10-14	16	16	-	-	-	-
15-19	821	750	66	5	-	-
15-17	292	283	8	1	-	-
18-19	529	467	58	4	-	-
20-24	1,384	1,096	232	38	15	3
25-29	903	615	223	46	18	1
30-34	551	373	132	28	16	2
35-39	352	226	86	26	13	1
40-44	135	77	39	15	2	2
45+	9	5	3	1	-	-
Not stated	1	-	1	-	-	-

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Age by Number of Previous Induced Abortions
Three-Year Total, 2006-2008



**Table 8
INDUCED ABORTIONS OCCURRING IN IDAHO
Patient Educational Materials Provided
1998-2008**

Were Patient Educational Materials Provided?

Year	Yes	No	Unknown	Total
1998	827	10	51	888
1999	815	16	36	867
2000	745	20	36	801
2001	665	30	43	738
2002	797	9	23	829
2003	867	-	44	911
2004	933	-	30	963
2005	1,072	1	26	1,099
2006	1,239	1	9	1,249
2007	1,442	-	-	1,442
2008	1,481	-	-	1,481

Note: prior to July 1, 2006, any educational material may have been provided to patient. Starting July 1, 2006, educational materials from the Idaho Department of Health and Welfare must be provided to patient by law. Of the nine records with unknown status for patient education materials provided in 2006, 7 procedures occurred prior to July 1, 2006 and 2 occurred on or after July 1, 2006. The one procedure in 2006 in which patient educational materials were not provided occurred prior to July 1, 2006. It is possible to have reports of procedures with unknown or no patient educational materials provided in rare cases of medical emergencies.

**Table 9
INDUCED ABORTIONS OCCURRING IN IDAHO
Informed Consent, Aged <18
2008**

Total Abortions Aged <18	83
TERMINATION PERFORMED FOLLOWING:	
Written informed consent of a parent, guardian, or conservator and the minor	73
Written informed consent of emancipated minor for herself	1
Written informed consent of minor for herself pursuant to court order granting minor right to self-consent	8
Written informed consent of court pursuant to order stating abortion in best interests of minor, despite absence of parental consent	1
Certification from minor that pregnancy resulted from rape or sexual conduct with minor by minor's parent, stepparent, uncle, grandparent, sibling, adoptive parent, legal guardian, or foster parent.	-
Medical emergency	-
Unknown*	-

*Data on Informed Consent was required to be collected by the legislation beginning on March 27, 2007. Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

INDUCED ABORTIONS TO IDAHO RESIDENTS 1998-2008

Definition

Induced abortions to Idaho residents include:

- 1) The number of reported abortions occurring in Idaho to Idaho residents; and,
- 2) The number of reported abortions occurring in other states to Idaho residents.

Limitations

In 1984, an interstate data exchange program for abortion data was initiated nationwide, whereby Idaho can obtain non-identifying information about abortions occurring to Idaho residents in other states. However, not all states have regularly provided the Bureau of Vital Records and Health Statistics with non-identifying, detailed reports on abortions obtained by Idaho residents. From 1989-2001, with the exception of 1991 and 1998, reports were not forwarded from Montana for Idaho residents who obtained abortions in Montana. In 2003, Montana forwarded reports for the missing years and they were added to our databases. Those reports are included in the data published in this report and in any data published after August 2003. The total number of abortions occurring to Idaho residents may differ from the vital statistics annual reports due to late reporting by Montana and revisions to the database.

In cases where the state of residence is reported without a city or county specified and the resident state is different from the state of occurrence, the abortion record is allocated to the largest city of the state of residence. In Idaho, the largest city is Boise in Ada County and in 2008, there were eight out-of-state records allocated to Ada County.

The reader is cautioned that the database contains small numbers; therefore, percents, rates, and trends tend to randomly fluctuate.

Summary

From 1998 to 2008, the number of abortions to Idaho residents ranged from a low of 1,473 in 2001 to a high of 2,160 in 2007. In all but one year, 2001, the majority of abortions to Idaho residents occurred in Idaho. From 1998 to 2008, most abortions to Idaho residents which occurred out of state occurred in Washington. Of the 693 abortions to Idaho residents which occurred out of state in 2008, 490 (70.7 percent) occurred in Washington.

Overall, the number of abortions to Idaho residents increased by 496 (30.3 percent) from 1998 to 2008. The abortion rate per 1,000 females aged 15-44 increased 16.4 percent from 6.1 in 1998 to 7.1 per 1,000 females in 2008. The abortion ratio per 1,000 live births increased 0.4 percent from 84.5 per 1,000 live births in 1998 to 84.8 in 2008.

INDUCED ABORTIONS TO IDAHO RESIDENTS 2008

The rate for induced abortions occurring to Idaho residents decreased 1.4 percent in 2008, from 7.2 per 1,000 (2,160 abortions) in 2007 to 7.1 (2,132 abortions) in 2008. From 2007 to 2008, the number of abortions to residents increased for Districts 1, 3 and 4 and decreased for Districts 2, 5, 6 and 7. The abortion rates for residents increased for District 3 and 4 (10.2 percent and 0.9 percent respectively) and decreased for the remaining districts. The majority of statewide increase occurred to residents of Ada County where there were 22 (2.6 percent) more abortions to Ada County residents in 2008 than in 2007.

From 2007 to 2008, the number of abortions to Idaho residents increased in the 20-24, 30-34, 35-39, and 45+ age groups. Numbers decreased for the 10-14, 15-17, 18-19, 25-29, and 40-44 age categories during the same time period. The largest increase occurred in the 30-34 year old age group where the number increased 9.2 percent (25 abortions).

In Idaho:

The number of induced abortions occurring to Idaho residents in Idaho increased 3.5 percent in 2008, from 1,390 in 2007 to 1,439 in 2008.

Out-of-State:

The number of induced abortions occurring to Idaho residents out-of-state decreased 10.0 percent in 2008, from 770 in 2007 to 693 in 2008. The majority of out-of-state abortions occurring to Idaho residents occurred in Washington, although between 2007 and 2008 there was 6.7 percent decrease in the number of abortions occurring in Washington (525 in 2007 as compared with 490 in 2008).

Between 2007 and 2008, there was a sharp decrease in the number of out-of-state abortions occurring in Utah to Idaho residents. In 2007, 181 abortions occurred in Utah to Idaho residents, while in 2008 the number fell to 134. Montana saw an increase in abortions to Idaho residents. In 2007, Montana providers conducted 30 abortions to Idaho residents. This increased to 39 in 2008.

**Table 9A
INDUCED ABORTIONS TO IDAHO RESIDENTS
Number by District and County of Residence
1998-2008**

RESIDENCE	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
TOTAL IDAHO RESIDENT	1,636	1,561	1,553	1,473	1,493	1,620	1,618	1,827	1,919	2,160	2,132
District 1	395	377	465	428	391	395	357	423	371	364	365
District 2	193	182	166	174	158	187	172	161	158	170	133
District 3	198	161	153	149	157	191	183	192	265	294	324
District 4	617	619	536	505	558	603	625	744	840	909	921
District 5	95	84	99	91	91	124	147	150	142	200	196
District 6	89	76	62	61	70	62	83	91	78	132	105
District 7	49	62	72	65	68	58	51	66	65	91	88
Ada	579	571	505	471	526	571	586	703	775	840	862
Adams	2	3	1	3	2	3	1	2	5	1	4
Bannock	63	53	45	40	46	40	63	58	57	97	74
Bear Lake	1	1	1	2	1	2	1	-	3	-	1
Benewah	16	14	19	13	13	11	13	12	8	15	15
Bingham	12	10	10	11	11	10	12	21	10	23	18
Blaine	40	33	41	42	35	51	61	54	41	46	43
Boise	7	7	2	4	4	1	-	3	8	3	7
Bonner	61	66	82	82	68	57	55	62	59	64	59
Bonneville	27	35	40	38	45	38	33	40	38	62	59
Boundary	13	11	18	7	7	10	9	14	8	7	6
Butte	3	-	-	-	1	2	1	1	-	1	-
Camas	-	-	-	-	-	-	-	-	1	-	-
Canyon	162	135	129	127	131	160	150	161	214	248	267
Caribou	2	5	3	1	1	3	1	1	-	3	4
Cassia	6	4	6	7	-	6	7	9	9	11	14
Clark	-	-	1	-	1	-	-	1	-	1	-
Clearwater	10	10	9	8	10	7	7	8	2	5	7
Custer	4	6	4	4	4	4	3	3	1	2	4
Elmore	24	32	20	17	22	21	23	25	31	46	34
Franklin	4	7	-	4	-	3	3	5	3	2	3
Fremont	-	5	6	2	2	2	2	5	3	4	4
Gem	7	7	6	4	11	8	6	9	15	11	18
Gooding	2	8	8	2	7	7	7	5	10	18	19
Idaho	12	7	10	13	9	12	5	5	6	9	10
Jefferson	2	3	4	5	3	2	2	4	5	4	3
Jerome	7	6	6	7	8	9	13	14	14	18	21
Kootenai	276	263	315	308	281	295	260	313	277	265	266
Latah	84	85	76	73	83	100	73	79	66	76	59
Lemhi	10	11	12	10	6	10	6	6	11	9	9
Lewis	6	5	4	6	5	6	7	4	7	6	5
Lincoln	-	-	3	-	-	1	6	4	4	5	3
Madison	1	2	2	3	3	-	3	3	2	2	3
Minidoka	9	5	5	5	7	10	9	6	5	15	9
Nez Perce	81	75	67	74	51	62	80	65	77	74	52
Oneida	1	-	-	-	2	1	2	1	1	2	-
Owyhee	7	5	5	1	3	4	8	7	3	6	10
Payette	16	9	9	13	5	12	14	10	22	24	18
Power	3	-	3	3	8	1	-	4	4	4	5
Shoshone	29	23	31	18	22	22	20	22	19	13	19
Teton	5	-	3	3	4	2	2	4	5	7	6
Twin Falls	31	28	30	28	34	40	44	58	58	87	87
Valley	7	9	9	13	6	10	16	13	26	20	18
Washington	4	2	3	1	5	4	4	3	6	4	7

Dash (-) represents zero.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 9B
INDUCED ABORTIONS TO IDAHO RESIDENTS
Rate by District and County of Residence
1998-2008

RESIDENCE	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
TOTAL IDAHO RESIDENT	6.1	5.8	5.6	5.2	5.3	5.6	5.5	6.1	6.4	7.2	7.1
District 1	11.2	10.5	13.1	12.0	10.9	10.8	9.4	10.8	9.4	9.3	9.2
District 2	9.0	8.6	7.8	8.3	7.7	9.2	8.4	7.8	8.1	8.5	6.9
District 3	5.3	4.2	3.9	3.6	3.6	4.3	4.0	4.0	5.3	5.9	6.5
District 4	8.2	8.1	6.8	6.3	6.9	7.5	7.7	8.9	9.9	10.5	10.6
District 5	3.0	2.6	3.0	2.8	2.8	3.8	4.4	4.5	4.3	6.2	6.1
District 6	2.7	2.3	1.8	1.8	2.1	1.9	2.5	2.7	2.4	4.0	3.2
District 7	1.4	1.8	2.0	1.8	1.8	1.5	1.3	1.7	1.7	2.3	2.1
Ada	8.7	8.4	7.3	6.6	7.3	8.0	8.1	9.4	10.2	10.8	11.0
Adams	2.8	4.3	1.8	5.4	3.6	5.3	1.7	3.3	8.8	1.7	7.2
Bannock	3.7	3.1	2.5	2.3	2.7	2.4	3.7	3.3	3.4	5.7	4.4
Bear Lake	0.9	0.9	0.8	1.7	0.9	1.7	0.9	-	2.8	-	1.0
Benewah	8.9	7.9	11.1	8.0	8.2	7.0	8.3	7.6	5.0	9.7	9.8
Bingham	1.4	1.2	1.2	1.3	1.3	1.1	1.3	2.3	1.1	2.7	2.1
Blaine	9.8	8.1	10.3	10.2	8.4	12.3	14.8	13.4	10.5	12.3	11.6
Boise	6.8	6.7	1.6	3.1	3.0	0.7	-	2.2	5.7	2.2	5.3
Bonner	8.6	9.3	11.9	11.9	9.6	7.9	7.5	8.3	7.9	8.9	8.2
Bonneville	1.6	2.1	2.3	2.2	2.5	2.1	1.8	2.1	2.0	3.2	3.0
Boundary	6.7	5.6	9.8	3.9	3.8	5.4	4.7	7.3	4.2	3.7	3.2
Butte	5.3	-	-	-	2.0	4.2	2.1	2.2	-	2.3	-
Camas	-	-	-	-	-	-	-	-	4.3	-	-
Canyon	6.2	5.0	4.6	4.2	4.1	4.8	4.3	4.4	5.6	6.5	6.9
Caribou	1.5	3.8	2.1	0.7	0.7	2.2	0.7	0.8	-	2.5	3.4
Cassia	1.4	1.0	1.4	1.7	-	1.5	1.7	2.2	2.3	2.9	3.7
Clark	-	-	5.1	-	5.3	-	-	5.6	-	5.8	-
Clearwater	5.9	6.0	6.1	5.8	7.6	5.5	5.6	6.6	1.7	4.4	6.5
Custer	5.0	7.5	5.4	5.4	5.6	5.8	4.3	4.5	1.5	3.1	6.2
Elmore	4.1	5.4	3.1	2.7	3.5	3.4	3.9	4.4	5.8	8.4	6.3
Franklin	2.0	3.4	-	1.7	-	1.3	1.2	2.0	1.2	0.9	1.3
Fremont	-	2.2	2.7	0.9	0.9	0.9	0.9	2.3	1.4	1.8	1.8
Gem	2.5	2.5	2.1	1.4	3.7	2.7	1.9	2.8	4.7	3.6	6.0
Gooding	0.8	3.3	3.0	0.8	2.7	2.7	2.7	2.0	4.1	7.4	7.8
Idaho	4.4	2.6	3.9	5.1	3.6	4.9	2.0	2.0	2.5	3.9	4.4
Jefferson	0.5	0.8	1.0	1.3	0.7	0.5	0.5	0.9	1.1	0.9	0.6
Jerome	2.0	1.7	1.6	1.9	2.2	2.5	3.5	3.7	3.7	4.9	5.7
Kootenai	12.6	11.7	13.9	13.4	12.1	12.3	10.4	12.0	10.5	10.0	9.9
Latah	9.7	9.9	8.5	8.2	9.4	11.5	8.5	8.9	8.0	8.8	7.0
Lemhi	6.8	7.7	9.0	7.7	4.5	7.5	4.4	4.4	8.2	7.1	7.0
Lewis	8.8	7.5	6.2	9.9	8.2	9.8	11.7	6.8	12.0	11.2	9.1
Lincoln	-	-	4.0	-	-	1.2	6.8	4.3	4.3	5.8	3.5
Madison	0.1	0.2	0.2	0.3	0.3	-	0.3	0.3	0.2	0.2	0.3
Minidoka	2.3	1.3	1.2	1.3	1.8	2.7	2.4	1.7	1.4	4.6	2.7
Nez Perce	10.7	10.0	8.8	9.9	6.9	8.4	10.8	8.7	10.9	10.2	7.3
Oneida	1.5	-	-	-	2.6	1.3	2.6	1.3	1.3	2.8	-
Owyhee	3.5	2.5	2.5	0.5	1.5	1.9	4.0	3.5	1.5	3.2	5.4
Payette	3.9	2.2	2.2	3.2	1.2	2.8	3.3	2.3	5.0	5.6	4.2
Power	1.7	-	2.0	2.0	5.3	0.7	-	2.5	2.5	2.7	3.4
Shoshone	10.9	8.9	12.5	7.7	9.8	10.3	9.4	10.2	8.8	6.3	9.4
Teton	4.4	-	2.3	2.1	2.7	1.3	1.3	2.7	3.2	4.2	3.4
Twin Falls	2.4	2.2	2.3	2.1	2.6	2.9	3.2	4.2	4.1	6.1	6.1
Valley	4.4	5.9	6.8	9.8	4.8	7.8	12.2	9.4	17.1	13.3	12.3
Washington	2.1	1.1	1.7	0.6	2.8	2.3	2.2	1.7	3.5	2.3	4.0

Abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age.

Dash (-) represents zero.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Table 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
State of Occurrence
1998-2008

STATE OF OCCURRENCE	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
TOTAL IDAHO RESIDENT	1,636	1,561	1,553	1,473	1,493	1,620	1,618	1,827	1,919	2,160	2,132
Abortions in Idaho	862	839	779	712	800	871	928	1,065	1,215	1,390	1,439
Abortions out of state	774	722	774	761	693	749	690	762	704	770	693
Montana	60	46	43	43	16	25	19	20	19	30	39
Oregon	61	67	61	67	60	57	49	45	59	33	27
Utah	86	74	64	71	70	79	87	104	96	181	134
Washington	562	533	605	575	546	586	533	591	528	525	490
All others	5	2	1	5	1	2	2	2	2	1	3

Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 9
INDUCED ABORTIONS TO IDAHO RESIDENTS
Occurring in Idaho and Out of State
1998-2008



Due to revisions in the database, data may differ from those previously published by the Bureau of Vital Records and Health Statistics.

**Table 11
INDUCED ABORTIONS TO IDAHO RESIDENTS
Age, Abortion Rate, and Abortion Ratio
1998-2008**

AGE	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008
TOTAL IDAHO RESIDENT	1,636	1,561	1,553	1,473	1,493	1,620	1,618	1,827	1,919	2,160	2,132
Age:											
10-14	13	7	12	10	9	12	6	9	12	8	6
15-19	384	394	346	362	326	336	323	356	380	430	395
15-17	139	125	129	128	131	105	127	127	159	155	127
18-19	245	269	217	234	195	231	196	229	221	275	268
20-24	524	471	502	453	485	553	530	579	632	732	733
25-29	324	289	312	258	286	303	327	412	427	470	453
30-34	201	205	179	192	187	221	223	219	228	272	297
35-39	144	138	147	129	139	133	141	177	173	167	174
40-44	40	50	51	55	57	58	63	68	60	72	63
45+	4	7	2	9	3	3	3	5	2	6	7
Not stated	2	-	2	5	1	1	2	2	5	3	4
Abortion rate per 1,000 females in age group:											
Total ¹	6.1	5.8	5.6	5.2	5.3	5.6	5.5	6.1	6.4	7.2	7.1
Age:*											
10-14	0.3	0.1	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.2	0.1
15-19	7.0	7.2	6.3	6.5	6.1	6.4	6.1	6.7	7.0	7.9	7.2
15-17	4.3	4.0	4.0	3.9	4.2	3.4	4.1	4.0	4.8	4.7	3.9
18-19	10.7	11.6	9.5	10.1	9.0	10.7	9.0	10.6	10.3	12.7	12.1
20-24	11.5	10.0	11.1	9.9	9.4	10.2	9.5	10.2	12.7	15.1	15.1
25-29	8.4	7.2	7.6	6.1	6.9	7.1	7.4	8.7	8.0	8.7	8.2
30-34	5.4	5.5	4.3	4.6	4.3	5.1	5.1	4.9	5.0	5.8	6.2
35-39	3.2	3.1	3.1	2.7	3.1	3.0	3.2	3.9	3.7	3.5	3.6
40-44	0.9	1.1	1.0	1.1	1.1	1.2	1.3	1.3	1.2	1.5	1.3
45+	0.1	0.2	-	0.2	0.1	0.1	0.1	0.1	-	0.1	0.1
Not stated	NA										
Abortion ratio per 1,000 live births in age group:											
Total ²	84.5	78.6	76.5	71.2	71.2	74.3	71.8	79.2	79.3	86.3	84.8
Age:											
10-14	464.3	225.8	750.0	625.0	562.5	631.6	428.6	473.7	666.7	470.6	333.3
15-19	156.7	164.4	147.9	154.8	156.9	161.8	156.9	176.3	176.9	190.3	174.6
15-17	177.3	157.4	192.8	191.3	225.1	192.7	241.9	238.7	266.3	246.8	195.1
18-19	147.1	167.9	129.9	140.1	130.3	150.9	127.9	154.0	142.5	168.5	166.4
20-24	86.1	76.0	79.2	71.5	72.2	79.8	73.7	80.6	84.1	97.0	100.6
25-29	58.1	50.1	53.8	44.5	47.2	46.8	48.5	57.7	55.7	59.5	55.6
30-34	59.0	56.8	46.9	50.3	46.0	52.4	51.5	49.9	50.3	57.2	59.9
35-39	97.8	91.3	90.6	79.5	84.3	77.8	79.3	94.1	89.4	80.1	84.6
40-44	128.2	152.0	144.9	156.3	159.7	168.6	165.4	167.1	172.9	168.6	166.2
45+	285.7	304.3	117.6	529.4	115.4	150.0	96.8	178.6	100.0	272.7	166.7
Not stated	NA										

1. Total abortion rate: Number of induced abortions to women of all ages per 1,000 females 15-44 years of age. Abortion rates for 1998-1999 are based on population estimates from the U.S. Census Bureau, Internet release August 30, 2000. Rates for 2000 are based on April 1, 2000 Census data, Internet release August 1, 2001. Rates for 2001-2002 are based on the National Center for Health Statistics, estimates of the July 1, 2001-July 1, 2002, United States resident population from the Vintage 2002 postcensal series, prepared under a collaborative arrangement with the U.S. Census Bureau, Internet release date August 8, 2003. Rates for 2003-2008 are based on July 1, 2003-July 1, 2008 population estimates from the U.S. Census Bureau and National Center for Health Statistics, Internet release dates August 18, 2004, September 9, 2005, August 16, 2006, August 16, 2007, September 5, 2008, and September 2, 2009 respectively.

2. Total abortion ratio: Number of induced abortions per 1,000 live births.

*Rate for 45+ age group is based on the population of women 45-49 years of age.

Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Dash (-) represents zero or a rate that rounds to less than 0.1.

NA - not applicable.

Table 12
INDUCED ABORTIONS TO IDAHO RESIDENTS
Termination Procedure by Length of Gestation
Three-Year Total, 2006-2008


TERMINATION PROCEDURE*	TOTAL	WEEKS OF GESTATION							
		<9	9-10	11-12	13-15	16-20	21-24	25+	Not Stated
TOTAL RESIDENTS OF IDAHO	6,211	3,642	1,259	707	314	212	59	4	14
Suction curettage	4,685	2,550	1,225	689	199	9	1	1	11
Medical (nonsurgical)	1,114	1,072	22	3	1	6	6	2	2
Dilation and evacuation (D&E)	339	11	4	9	101	169	43	1	1
Intra-uterine instillation (saline / prostaglandin)	12	-	-	-	-	9	3	-	-
Sharp curettage (D&C)	31	3	5	3	10	10	-	-	-
Hysterotomy / Hysterectomy	-	-	-	-	-	-	-	-	-
Other	10	-	-	-	-	4	6	-	-
Not stated	20	6	3	3	3	5	-	-	-

* Only the primary procedure that terminated the pregnancy is shown in the table. There may be additional procedures used for the termination.

Dash (-) represents zero.


Due to revisions in the database, data may differ slightly from those previously published by the Bureau of Vital Records and Health Statistics.

Graph 10
INDUCED ABORTIONS TO IDAHO RESIDENTS
Length of Gestation
Three-Year Total, 2006-2008



Percent distributions are based on records with known data for length of gestation. Percents may not sum to 100% due to rounding.

APPENDIX
Counties Comprising Idaho Public Health Districts



District 1	District 2	District 3	District 4	District 5	District 6	District 7
Benewah Bonner Boundary Kootenai Shoshone	Clearwater Idaho Latah Lewis Nez Perce	Adams Canyon Gem Owyhee Payette Washington	Ada Boise Elmore Valley	Blaine Camas Cassia Gooding Jerome Lincoln Minidoka Twin Falls	Bannock Bear Lake Bingham Butte Caribou Franklin Oneida Power	Bonneville Clark Custer Fremont Jefferson Lemhi Madison Teton