IDAHO DEPARTMENT OF HEALTH & WELFARE
DIVISION OF PUBLIC HEALTH

May
2016



Mortality

2014 Idaho Vital Statistics

Division of Public Health • Idaho Department of Health & Welfare

TABLE OF CONTENTS

MORTALITY 3
Deaths and rates, 2010-2014 *(U.S., Idaho, districts, counties)* 6
2014 Deaths: age at death *(Idaho, districts, counties)* 7
2014 Deaths: sex and race/ethnicity *(Idaho, districts, counties)* 8
2014 Deaths: ten leading causes, percent of deaths, crude rates and age-adjusted rates *(U.S., Idaho)* 9
2014 Deaths: ten leading causes by sex, percent of deaths, crude rates and age-adjusted rates *(U.S., Idaho)* 10
2014 Deaths: ten leading causes by age group (total) 11
2014 Deaths: ten leading causes by age group (males) 12
2014 Deaths: ten leading causes by age group (females) 13
2014 Deaths: ten leading causes of premature deaths, total and by sex, based on years of potential life lost before age 75 14
2014 Deaths: life expectancy, by sex *(Idaho, districts)* 15
2014 Deaths: malignant neoplasms by leading site of cancer *(Idaho, districts, counties)* 16
2014 Deaths: malignant neoplasms by leading site of cancer by sex *(Idaho, districts, counties)* 17
2014 Deaths: primary site of malignant neoplasms by sex 18
2014 Deaths: selected causes *(Idaho, districts, counties)* 20
2014 Deaths: 113 selected causes by age 22
2014 Deaths: accidental deaths by age 33
2014 Deaths: accidental deaths by place of injury and accident type 38
2014 Deaths: work injury deaths occurring in Idaho by manner, sex and age 39
2014 Deaths: accidental work injury deaths occurring in Idaho by industry and place of injury 39
2014 Deaths: firearm injury, alcohol-induced, and drug-induced deaths (*U.S., Idaho, districts*) by age, sex, and manner (*Idaho*) and years of potential life lost before age 75 40
2014 Deaths: disposition method *(Idaho, districts, counties)* 41
Infant, fetal, and maternal mortality 42
Infant deaths and rates, 2010-2014 *(U.S., Idaho, districts, counties)* 45
2014 Infant deaths: sex and race/ethnicity *(Idaho, districts, counties)* 46
2014 Infant deaths: causes of death, neonatal and postneonatal 47
2014 Infant deaths and rates: age of mother 47
2011-2014 Infant deaths: causes of death *(Idaho, districts, counties)* 48
2014 Infant deaths: neonatal, postneonatal *(U.S., Idaho, districts, counties)* 49
Infant mortality: three-year rates, 2002-2004 through 2011-2014 *(Idaho, districts, counties)* 50
Stillbirths and ratios, 2010-2014 *(Idaho, districts, counties)* 51
Perinatal deaths and ratios, 2010-2014 *(Idaho, districts, counties)* 52

Information on this section

Definitions, formulas, technical notes and additional information can be found in the:
2014 Vital Statistics Annual Report

This section and other reports form the Bureau of Vital Records and Health Statistics are available on the web at www.healthstatistics.dhw.idaho.gov.

MORTALITY

U.S. and Idaho

The number of Idaho resident deaths increased 1.5 percent from 12,426 in 2013 to 12,610 in 2014. At the same time, the death rate remained the same at 7.7 deaths per 1,000 population. There were 2,626,418 deaths in the United States in 2014 compared with 2,596,993 in 2013. The 2014 U.S. crude death rate was 8.2 deaths per 1,000 population, which was no change from 2013[1].

U.S. and Idaho Cause of Death Ranking

The ten leading causes of death in U.S in 2014 were the same as the leading causes in Idaho in 2014, with the exception of a few causes. Chronic liver disease and cirrhosis was ranked 10th in Idaho with an age-adjusted rate (AAR) of 10.9 per 100,000 population in 2014, and was ranked 12th in U.S. in 2014 with a rate of 10.4. Nephritis, nephrotic syndrome and nephrosis was ranked 9th in U.S. in 2014 with an AAR of 13.2, and was ranked 13th in Idaho with an AAR of 8.0.

	Age-Adjusted Rate	
Causes Ranked 1-10 in Idaho	**Idaho 2014**	**U.S. 2014 (Rank)**
1. Malignant neoplasms (cancer)	155.1	161.2 (2)
2. Diseases of heart	153.4	167.0 (1)
3. Chronic lower respiratory diseases	46.4	40.5 (3)
4. Accidents (unintentional injuries)	45.5	40.5 (3)
5. Cerebrovascular diseases (stroke)	36.8	36.5 (5)
6. Diabetes mellitus	22.9	20.9 (7)
7. Alzheimer's disease	22.4	25.4 (6)
8. Intentional self-harm (suicide)	20.0	13.0 (10)
9. Influenza and pneumonia	11.5	15.1 (8)
10. Chronic liver disease and cirrhosis	10.9	10.4 (12)

Age-adjusted rates are per 100,000 population.

U.S. mortality rates are consistently much higher than those in Idaho for Diseases of heart, Malignant neoplasms, Alzheimer's disease, Nephritis, nephrotic syndrome and nephrosis, and Influenza and pneumonia. Higher Idaho rates are recorded for Chronic lower respiratory disease, Intentional self-harm (suicide), Chronic liver disease and cirrhosis, Cerebrovascular diseases (stroke), Diabetes mellitus, and Accidents (unintentional injury).

Changes in Cause-of-Death Ranking for Ten leading causes in Idaho from 2013 to 2014

There were no changes in the top ten leading causes of death to Idahoans.

Changes in Idaho Age-Adjusted Rates[2]

There was one significant change in the age-adjusted death rate among the ten leading causes of death from 2013 to 2014. The age-adjusted rate for Influenza and Pneumonia decreased significantly from 15.1 deaths per 100,000 in 2013 (total of 259 deaths) to 11.5 deaths per 100,000 in 2014 (total of 203 deaths).

Changes in Idaho Age-Adjusted Rates[2]

Age-adjusted rates were higher, but not significantly higher, in 2014 than in 2013 for:

Cause	2013 Age-Adjusted Rate	2014 Age-Adjusted Rate
• Diseases of heart	145.0	153.4
• Cerebrovascular diseases	35.5	36.8
• Alzheimer's disease	21.0	22.4
• Intentional self-harm (suicide)	19.2	20.0

There were no significant declines in age-adjusted rates, but were lower in 2014 than in 2013 for:

Cause	2013 Age-Adjusted Rate	2014 Age-Adjusted Rate
• Malignant neoplasms (cancer)	156.3	155.1
• Chronic lower respiratory diseases	46.5	46.4
• Accidents (unintentional injuries)	47.7	45.5
• Diabetes mellitus	23.5	22.9
• Chronic liver disease and cirrhosis	11.9	10.9

Deaths to Idaho Males and Females

The leading cause of death for both males and females was Malignant neoplasms (cancer) in 2014. Age-adjusted rates for males were significantly higher[2] than age-adjusted rates for females for five of the ten leading causes of death among males:

Cause	Male Age-Adjusted Rate	Female Age-Adjusted Rate	Male to Female Ratio
• Malignant neoplasms (cancer)	182.6	133.8	1.4
• Diseases of heart	190.2	121.9	1.6
• Accidents (unintentional injuries)	57.6	34.1	1.7
• Intentional self-harm (suicide)	30.4	10.1	3.0
• Chronic liver disease and cirrhosis	15.1	6.9	2.2

For females, the age-adjusted rate for Alzheimer's disease was significantly higher[2] than for males:

Cause	Female Age-Adjusted Rate	Male Age-Adjusted Rate	Female to Male Ratio
• Alzheimer's disease	26.9	16.0	1.7

Oldest Age at Death to Idaho Males and Females

In 2014, the age of the oldest male at death was 105 (3 deaths), and the age of the oldest female at death was 108 (2 deaths).

1. Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015.
2. Significance based on 95-percent confidence interval.

IDAHO RESIDENT DEATHS
By Month of Death
2014



U.S., IDAHO RESIDENT DEATH RATES
2004-2014



IDAHO RESIDENT DEATHS
Number of Deaths and Rates
2010-2014

	2014		2013		2012		2011		2010	
RESIDENCE	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rates		8.2		8.2		8.1		8.1		8.0
IDAHO	12,610	7.7	12,426	7.7	11,993	7.5	11,990	7.6	11,411	7.3
District 1	2,172	9.8	2,030	9.3	2,058	9.6	2,042	9.5	1,870	8.8
District 2	1,054	9.8	1,106	10.4	1,030	9.7	1,029	9.7	1,036	9.8
District 3	1,977	7.4	2,054	7.8	1,939	7.5	1,904	7.4	1,863	7.3
District 4	3,017	6.4	2,981	6.5	2,781	6.2	2,857	6.4	2,577	5.9
District 5	1,582	8.3	1,556	8.2	1,467	7.8	1,543	8.3	1,515	8.2
District 6	1,444	8.6	1,351	8.0	1,401	8.3	1,294	7.6	1,299	7.7
District 7	1,364	6.5	1,348	6.5	1,317	6.4	1,321	6.4	1,251	6.1
Ada	2,736	6.4	2,660	6.4	2,526	6.2	2,571	6.4	2,275	5.8
Adams	37	9.6	36	9.4	32	8.2	32	8.0	34	8.6
Bannock	707	8.5	676	8.1	696	8.3	630	7.5	611	7.4
Bear Lake	74	12.4	69	11.6	66	11.2	57	9.5	74	12.4
Benewah	130	14.3	120	13.3	106	11.6	110	11.9	106	11.4
Bingham	345	7.6	325	7.2	324	7.1	327	7.1	326	7.1
Blaine	120	5.6	84	3.9	88	4.2	100	4.7	95	4.4
Boise	45	6.6	66	9.7	43	6.3	49	7.0	54	7.7
Bonner	418	10.1	383	9.4	386	9.5	418	10.2	367	9.0
Bonneville	792	7.3	832	7.7	779	7.3	749	7.1	712	6.8
Boundary	121	11.0	102	9.4	105	9.7	115	10.6	87	7.9
Butte	31	11.8	23	8.7	32	11.7	27	9.6	28	9.7
Camas	5	4.8	6	5.8	8	7.4	5	4.4	6	5.4
Canyon	1,325	6.5	1,395	7.0	1,329	6.9	1,276	6.7	1,217	6.4
Caribou	57	8.3	57	8.4	88	13.0	66	9.6	71	10.2
Cassia	191	8.1	184	7.9	190	8.2	193	8.3	187	8.1
Clark	10	11.5	6	6.9	12	13.8	4	4.2	6	6.1
Clearwater	96	11.2	100	11.7	110	12.8	120	13.8	99	11.3
Custer	46	11.1	34	8.0	35	8.1	45	10.4	41	9.4
Elmore	172	6.6	192	7.3	155	5.9	175	6.6	178	6.6
Franklin	104	8.0	103	8.0	101	7.9	92	7.2	93	7.3
Fremont	96	7.5	102	7.9	96	7.4	108	8.2	111	8.4
Gem	212	12.6	205	12.3	178	10.7	179	10.7	213	12.7
Gooding	147	9.8	140	9.3	145	9.5	147	9.5	154	10.0
Idaho	205	12.6	198	12.3	170	10.4	163	9.9	161	9.9
Jefferson	138	5.1	151	5.6	132	4.9	149	5.7	127	4.9
Jerome	186	8.2	164	7.3	159	7.1	134	5.9	164	7.3
Kootenai	1,315	8.9	1,251	8.7	1,262	8.9	1,215	8.6	1,137	8.2
Latah	227	5.9	234	6.1	215	5.6	238	6.3	220	5.9
Lemhi	117	15.1	74	9.6	99	12.8	83	10.4	92	11.6
Lewis	42	10.9	44	11.3	39	10.0	35	9.2	36	9.4
Lincoln	29	5.5	51	9.6	40	7.6	35	6.7	42	8.1
Madison	126	3.3	112	3.0	132	3.5	144	3.8	125	3.3
Minidoka	160	7.9	186	9.2	172	8.6	191	9.5	178	8.9
Nez Perce	484	12.1	530	13.3	496	12.5	473	12.0	520	13.2
Oneida	49	11.7	34	8.0	36	8.5	35	8.3	46	10.7
Owyhee	84	7.4	88	7.7	94	8.2	100	8.7	82	7.1
Payette	204	8.9	193	8.5	193	8.5	194	8.6	198	8.8
Power	77	10.1	64	8.3	58	7.5	60	7.7	50	6.4
Shoshone	188	15.2	174	13.7	199	15.7	184	14.5	173	13.6
Teton	39	3.8	37	3.6	32	3.2	39	3.8	37	3.6
Twin Falls	744	9.2	741	9.3	665	8.5	738	9.5	689	8.9
Valley	64	6.5	63	6.6	57	6.0	62	6.4	70	7.1
Washington	115	11.5	137	13.8	113	11.2	123	12.0	119	11.7

Death rate: Number of deaths per 1,000 population.

IDAHO RESIDENT DEATHS
Age at Death
2014

RESIDENCE	TOTAL DEATHS	AGE AT DEATH										
		<1	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
IDAHO	12,610	126	20	51	152	231	346	714	1,544	2,319	3,093	4,012
District 1*	2,172	17	2	7	16	28	57	105	295	434	535	675
District 2*	1,054	10	1	4	9	10	19	55	117	206	276	346
District 3	1,977	24	3	9	25	35	58	129	230	391	493	580
District 4	3,017	27	5	12	40	62	75	163	369	527	711	1,026
District 5	1,582	17	5	7	18	31	46	98	177	301	359	523
District 6	1,444	11	2	8	22	37	50	88	194	245	363	424
District 7	1,364	20	2	4	22	28	41	76	162	215	356	438
Ada	2,736	23	3	11	37	58	65	150	318	465	654	952
Adams	37	-	-	-	-	1	1	1	6	8	14	6
Bannock	707	7	1	5	10	19	28	55	97	115	166	204
Bear Lake	74	-	-	-	-	1	1	1	10	11	23	27
Benewah	130	2	-	3	2	3	2	10	12	28	29	39
Bingham	345	1	-	2	8	10	15	22	49	62	87	89
Blaine	120	-	-	1	3	1	9	10	16	21	26	33
Boise	45	-	-	-	-	-	3	2	11	12	7	10
Bonner	418	5	-	1	3	8	9	19	51	86	109	127
Bonneville	792	14	1	2	14	11	29	49	93	124	207	248
Boundary	121	1	-	1	3	2	4	2	22	25	26	35
Butte	31	-	1	-	-	2	-	1	5	6	6	10
Camas	5	-	-	-	-	-	-	-	1	2	2	-
Canyon	1,325	20	3	9	18	22	48	91	160	253	317	384
Caribou	57	1	-	-	1	-	-	2	4	11	20	18
Cassia	191	4	-	1	2	7	5	13	16	38	39	66
Clark	10	-	-	-	1	1	-	1	2	1	1	3
Clearwater	96	-	-	-	-	-	1	7	10	28	22	28
Custer	46	-	-	-	-	2	2	3	7	6	11	15
Elmore	172	4	2	-	3	3	6	8	26	38	34	48
Franklin	104	-	-	1	2	2	5	4	9	18	26	37
Fremont	96	1	1	-	1	1	-	2	11	10	31	38
Gem	212	3	-	-	1	6	2	13	20	41	53	73
Gooding	147	1	1	-	2	2	5	10	18	28	40	40
Idaho	205	2	-	-	2	2	3	9	27	41	58	61
Jefferson	138	-	-	1	4	6	2	6	18	21	32	48
Jerome	186	7	1	2	2	3	6	11	23	42	43	46
Kootenai*	1,315	8	1	2	6	13	38	60	176	251	326	433
Latah	227	4	-	1	3	5	4	14	33	43	50	70
Lemhi	117	2	-	-	-	3	2	6	15	21	30	38
Lewis	42	-	-	-	-	-	1	4	6	10	10	11
Lincoln	29	-	-	1	1	2	1	-	1	5	5	13
Madison	126	2	-	1	1	3	3	4	13	21	37	41
Minidoka	160	2	-	1	3	4	3	9	22	34	29	53
Nez Perce*	484	4	1	3	4	3	10	21	41	84	136	176
Oneida	49	-	-	-	-	-	1	1	7	7	14	19
Owyhee	84	-	-	-	1	1	1	6	19	17	18	21
Payette	204	1	-	-	5	2	4	10	13	44	64	61
Power	77	2	-	-	1	3	-	2	13	15	21	20
Shoshone	188	1	1	-	2	2	4	14	34	44	45	41
Teton	39	1	-	-	1	1	3	5	3	11	7	7
Twin Falls	744	3	3	1	5	12	17	45	80	131	175	272
Valley	64	-	-	1	-	1	1	3	14	12	16	16
Washington	115	-	-	-	-	3	2	8	12	28	27	35

* One record for a Kootenai resident (District 1) and one record for a Nez Perce resident (District 2) did not specify the age at death.

IDAHO RESIDENT DEATHS
Sex, Race and Ethnicity[1]
2014

RESIDENCE	TOTAL DEATHS	SEX		RACE						HISPANIC
		Male	Female	White	Black	American Indian/ Alaska Native	Asian/ Pacific Islander	Other Race	Not Stated	
IDAHO	12,610	6,493	6,117	12,279	31	157	64	76	3	420
District 1	2,172	1,132	1,040	2,129	4	26	5	8	-	22
District 2	1,054	547	507	1,009	3	31	7	3	1	13
District 3	1,977	1,030	947	1,938	5	13	17	4	-	137
District 4	3,017	1,507	1,510	2,940	11	18	24	24	-	78
District 5	1,582	843	739	1,546	1	7	2	25	1	88
District 6	1,444	738	706	1,367	4	57	8	8	-	52
District 7	1,364	696	668	1,350	3	5	1	4	1	30
Ada	2,736	1,359	1,377	2,673	8	13	23	19	-	68
Adams	37	24	13	37	-	-	-	-	-	-
Bannock	707	363	344	664	4	31	4	4	-	21
Bear Lake	74	46	28	73	-	-	-	1	-	1
Benewah	130	66	64	116	-	13	1	-	-	4
Bingham	345	164	181	317	-	25	2	1	-	19
Blaine	120	70	50	119	-	-	-	1	-	6
Boise	45	24	21	44	-	1	-	-	-	-
Bonner	418	210	208	415	1	1	-	1	-	1
Bonneville	792	382	410	783	3	3	1	2	-	24
Boundary	121	68	53	116	1	3	-	1	-	1
Butte	31	14	17	30	-	-	-	1	-	2
Camas	5	2	3	5	-	-	-	-	-	-
Canyon	1,325	690	635	1,298	5	9	11	2	-	115
Caribou	57	28	29	55	-	-	1	1	-	1
Cassia	191	108	83	180	-	-	-	11	-	20
Clark	10	6	4	9	-	-	-	-	1	1
Clearwater	96	61	35	95	-	1	-	-	-	1
Custer	46	29	17	46	-	-	-	-	-	-
Elmore	172	85	87	160	3	3	1	5	-	9
Franklin	104	54	50	104	-	-	-	-	-	-
Fremont	96	51	45	96	-	-	-	-	-	1
Gem	212	106	106	211	-	-	1	-	-	5
Gooding	147	78	69	143	-	3	-	1	-	8
Idaho	205	105	100	197	-	7	1	-	-	-
Jefferson	138	82	56	136	-	1	-	1	-	3
Jerome	186	100	86	184	-	1	-	1	-	15
Kootenai	1,315	687	628	1,297	2	6	4	6	-	13
Latah	227	122	105	221	2	-	2	2	-	3
Lemhi	117	63	54	116	-	1	-	-	-	-
Lewis	42	20	22	37	-	4	1	-	-	-
Lincoln	29	16	13	28	-	-	-	1	-	1
Madison	126	60	66	125	-	-	-	1	-	1
Minidoka	160	94	66	158	-	-	-	2	-	14
Nez Perce	484	239	245	459	1	19	3	1	1	9
Oneida	49	23	26	48	-	-	1	-	-	1
Owyhee	84	43	41	81	-	3	-	-	-	3
Payette	204	105	99	200	-	1	3	-	-	9
Power	77	46	31	76	-	1	-	-	-	7
Shoshone	188	101	87	185	-	3	-	-	-	3
Teton	39	23	16	39	-	-	-	-	-	-
Twin Falls	744	375	369	729	1	3	2	8	1	24
Valley	64	39	25	63	-	1	-	-	-	1
Washington	115	62	53	111	-	-	2	2	-	5

1. Race and Hispanic origin are reported separately on death certificate; people of Hispanic origin are included in appropriate race totals.
Note: Beginning in 2003, multiple races and Hispanic origins may be reported on the Idaho death certificate. For decedents with multiple races, the races were bridged to a single race category.

IDAHO RESIDENT DEATHS
Leading Causes of Death to Idahoans
Cause-Specific Crude and Age-Adjusted Rates
2014 Idaho and 2014 U.S.

RANK FOR IDAHO AND CAUSE OF DEATH	DEATHS		DEATH RATES[1]			
			Crude		Age-Adjusted[2]	
	Number	Percent	Idaho[3]	U.S.[4] 2014	Idaho[3]	U.S.[4] 2014
ALL CAUSES	12,610	100.0%	771.5	823.7	723.6	724.6
1. Malignant neoplasms (cancer)	2,790	22.1%	170.7	185.6	155.1	161.2
2. Diseases of heart	2,684	21.3%	164.2	192.7	153.4	167.0
3. Chronic lower respiratory diseases	830	6.6%	50.8	46.1	46.4	40.5
4. Accidents (unintentional injury)	748	5.9%	45.8	42.7	45.5	40.5
5. Cerebrovascular diseases	638	5.1%	39.0	41.7	36.8	36.5
6. Diabetes mellitus	408	3.2%	25.0	24.0	22.9	20.9
7. Alzheimer's disease	376	3.0%	23.0	29.3	22.4	25.4
8. Intentional self-harm (suicide)	320	2.5%	19.6	13.4	20.0	13.0
9. Influenza and pneumonia	203	1.6%	12.4	17.3	11.5	15.1
10. Chronic liver disease and cirrhosis	196	1.6%	12.0	12.0	10.9	10.4
11. Parkinson's disease	154	1.2%	9.4	8.2	9.4	7.4
12. Essential hypertension & hypertensive renal disease	142	1.1%	8.7	9.5	8.2	8.2
13. Nephritis, nephrotic syndrome and nephrosis	137	1.1%	8.4	15.1	8.0	13.2
14. Pneumonitis due to solids and liquids	101	0.8%	6.2	5.9	5.8	5.1
15. Septicemia	88	0.7%	5.4	12.2	5.0	10.7
All other causes	2,795	22.2%	NA	NA	NA	NA

1. Rates are per 100,000 population.
2. Age-adjusted rates are artificial measures developed to eliminate the bias inherent in differing age compositions, thus allowing comparisons between geographic regions. Idaho and U.S. age-adjusted rates were calculated using the 2000 U.S. population estimate as the standard population.
3. Idaho rates are based on the July 1, 2014 population estimates.
4. U.S. crude and age-adjusted rates are 2014 final for leading causes of death. Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015.

NA: Age-adjusted rates not calculated for causes with fewer than 20 deaths; crude and age-adjusted rates not applicable for all other causes.

IDAHO RESIDENT DEATHS
Leading Causes of Death to Idahoans by Sex
Cause-Specific Crude and Age-Adjusted Rates[1]
2014 Idaho and 2014 U.S.

MALES						
	Deaths		Crude Rate		Age-Adjusted[2]	
RANK FOR IDAHO AND CAUSE OF DEATH	Number	Percent	Idaho[3]	U.S.[4]	Idaho[3]	U.S.[4]
ALL CAUSES	6,493	100.0%	793.3	846.4	824.0	855.1
1. Malignant neoplasms (cancer)	1,518	23.4%	185.5	198.4	182.6	192.9
2. Diseases of heart	1,476	22.7%	180.3	207.1	190.2	210.9
3. Accidents (unintentional injury)	448	6.9%	54.7	54.4	57.6	54.7
4. Chronic lower respiratory diseases	417	6.4%	50.9	44.3	51.5	45.4
5. Cerebrovascular diseases	282	4.3%	34.5	35.3	37.1	36.9
6. Intentional self-harm (suicide)	240	3.7%	29.3	21.1	30.4	20.7
7. Diabetes mellitus	213	3.3%	26.0	26.2	25.6	25.6
8. Chronic liver disease and cirrhosis	132	2.0%	16.1	15.7	15.1	14.1
9. Alzheimer's disease	112	1.7%	13.7	18.1	16.0	20.6
10. Influenza and pneumonia	100	1.5%	12.2	16.9	13.6	17.8
11. Parkinsons disease	85	1.3%	10.4	10.0	11.8	11.1
12. Nephritis, nephrotic syndrome and nephrosis	71	1.1%	8.7	15.6	9.7	16.2
13. Essential hypertension & hypertensive renal disease	56	0.9%	6.8	8.3	7.7	8.5
14. Pneumonitis due to solids and liquids	54	0.8%	6.6	6.6	7.6	7.1
15. Septicemia	46	0.7%	5.6	11.7	5.8	11.8
All other causes	1,243	19.1%	NA	NA	NA	NA

FEMALES						
	Deaths		Crude Rate		Age-Adjusted[2]	
RANK FOR IDAHO AND CAUSE OF DEATH	Number	Percent	Idaho[3]	U.S.[4]	Idaho[3]	U.S.[4]
ALL CAUSES	6,117	100.0%	749.7	801.7	634.1	616.7
1. Malignant neoplasms (cancer)	1,272	20.8%	155.9	173.2	133.8	138.1
2. Diseases of heart	1,208	19.7%	148.0	178.6	121.9	131.8
3. Chronic lower respiratory diseases	413	6.8%	50.6	48.0	42.5	37.1
4. Cerebrovascular diseases	356	5.8%	43.6	47.9	35.7	35.6
5. Accidents (unintentional injury)	300	4.9%	36.8	31.3	34.1	27.3
6. Alzheimer's disease	264	4.3%	32.4	40.3	26.9	28.3
7. Diabetes mellitus	195	3.2%	23.9	21.8	20.6	17.2
8. Influenza and pneumonia	103	1.7%	12.6	17.7	10.0	13.2
9. Essential hypertension & hypertensive renal disease	86	1.4%	10.5	10.6	8.5	7.8
10. Intentional self-harm (suicide)	80	1.3%	9.8	6.0	10.1	5.8
11. Parkinsons disease	69	1.1%	8.5	6.5	7.5	4.9
12. Nephritis, nephrotic syndrome and nephrosis	66	1.1%	8.1	14.6	6.8	11.1
13. Chronic liver disease and cirrhosis	64	1.0%	7.8	8.4	6.9	7.1
14. Pneumonitis due to solids and liquids	47	0.8%	5.8	5.2	4.9	3.8
15. Septicemia	42	0.7%	5.1	12.7	4.4	9.9
All other causes	1,552	25.4%	NA	NA	NA	NA

NA: not applicable.

1. Rates are per 100,000 population per gender.
2. Age-adjusted rates are artificial measures developed to eliminate the bias inherent in differing age compositions, thus allowing comparisons between geographic regions. Idaho and U.S. age-adjusted rates were calculated using the 2000 U.S. population estimate as the standard population.
3. Idaho rates are based on July 1, 2014 population estimates based on the 2010 census.
4. U.S. crude and age-adjusted rates are 2014 final for leading causes of death. Source: Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015.

IDAHO RESIDENT DEATHS
Ten Leading Causes of Death by Age Group and Number of Deaths
2014

RANK	AGE GROUP												ALL AGES[4]
	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
1	Congenital malformations (31)	Accidents (13) (Trans: 9 MVA: 9 All Other: 4)	Accidents (8) (Trans: 5 MVA: 5 All Other: 3)	Accidents (12) (Trans: 8 MVA: 8 All Other: 4)	Accidents (22) (Trans: 12 MVA: 12 All Other: 10)	Accidents (39) (Trans: 21 MVA: 18 All Other: 18)	Accidents (81) (Trans: 34 MVA: 33 All Other: 47)	Accidents (77) (Trans: 29 MVA: 23 All Other: 48)	Malignant neoplasms (183)	Malignant neoplasms (481)	Malignant neoplasms (816)	Diseases of heart (1,761)	Malignant neoplasms (2,790)
2	Short gestation and low birth weight (18)	Assault (Homicide) (2)	Congenital malformations (4)	Intentional self-harm (Suicide) (9)	Intentional self-harm (Suicide) (16)	Intentional self-harm (Suicide) (28)	Intentional self-harm (Suicide) (47)	Intentional self-harm (Suicide) (60)	Diseases of heart (123)	Diseases of heart (306)	Diseases of heart (428)	Malignant neoplasms (1,226)	Diseases of heart (2,684)
3	(Tie) Maternal complications of pregnancy; Sudden infant death syndrome (14 each)	Influenza and pneumonia (1)	(Tie) Malignant neoplasms; Assault (Homicide) (2 each)	Malignant neoplasms (4)	Malignant neoplasms (2)	Assault (Homicide) (7)	Malignant neoplasms (27)	Diseases of heart (43)	Accidents (94) (Trans: 32 MVA: 27 All Other: 62)	Chronic lower respiratory diseases (110)	Chronic lower respiratory diseases (234)	Chronic lower respiratory diseases (461)	Chronic lower respiratory diseases (830)
4				Diseases of heart (2)	(Tie) Congenital malformations; Diabetes mellitus; Assault (Homicide); Diseases of heart (1 each)	Malignant neoplasms (5)	Diseases of heart (17)	Malignant neoplasms (42)	Intentional self-harm (Suicide) (58)	Accidents (87) (Trans: 29 MVA: 27 All Other: 58)	Diabetes mellitus (116)	Cerebrovas-cular diseases (450)	Accidents (748) (Trans: 234 MVA: 213 All Other: 514)
5	Accidents (6) (Trans: 0 MVA: 0 All Other: 6)		Influenza and pneumonia (1)	(Tie) Congenital malformations; Chronic lower respiratory diseases; Assault (Homicide) (1 each)		Diseases of heart (3)	(Tie) Congenital malformations; Assault (Homicide) (6 each)	Chronic liver disease and cirrhosis (12)	Chronic liver disease and cirrhosis (50)	Diabetes mellitus (66)	Cerebrovas-cular diseases (105)	Alzheimer's disease (347)	Cerebrovas-cular diseases (638)
6	Complications placenta cord & membranes (4)					Cerebrovas-cular diseases (2)		Diabetes mellitus (11)	Cerebrovas-cular diseases (26)	Chronic liver disease and cirrhosis (62)	Accidents (73) (Trans: 23 MVA: 21 All Other: 50)	Accidents (236) (Trans: 32 MVA: 30 All Other: 204)	Diabetes mellitus (408)
7	Pulmonary hemorrhage (3)					(Tie) Influenza and pneumonia; Diabetes mellitus; Septicemia; Congenital malformations; Pregnancy childbirth and the puerperium; In situ neoplasms (1 each)	Chronic liver disease and cirrhosis (5)	(Tie) Cerebrovascul ar diseases; Assault (Homicide) (9 each)	Diabetes mellitus (23)	Intentional self-harm (Suicide) (55)	Chronic liver disease and cirrhosis (40)	Diabetes mellitus (186)	Alzheimer's disease (376)
8	Newborn affected by maternal conditions (2)						Diabetes mellitus (4)		Chronic lower respiratory diseases (22)	Cerebrovas-cular diseases (46)	Influenza and pneumonia (31)	Influenza and pneumonia (134)	Intentional self-harm (Suicide) (320)
9							(Tie) Influenza and pneumonia; Legal intervention (3 each)	Influenza and pneumonia (5)	(Tie) Influenza and pneumonia; Septicemia (7 each)	Viral hepatitis (33)	Alzheimer's disease (22)	Parkinson's disease (132)	Influenza and pneumonia (203)
10								Tie (3 each)[2]		Influenza and pneumonia (20)	Tie (19 each)[3]	Essential hypertension (113)	Chronic liver disease and cirrhosis (196)
Residual[1]	34	4	2	2	8	10	32	69	121	278	561	2,059	3,417
Total	126	20	19	32	52	100	231	346	714	1,544	2,319	7,105	12,610

Note: Number of deaths in parentheses. 'Accidents' is a shortened ICD-10 title for 'Accidents (unintentional injuries)'. 'Trans' is short for 'Transportation Accidents.' 'MVA' is short for "Motor Vehicle Accidents".

1. Residual: Total number of deaths for all other leading causes not listed and all other causes not ranked for leading cause of death.
2. Tie at rank 10 for aged 35-44: Septicemia; Viral hepatitis; Aortic aneurysm and dissection (3 each).
3. Tie at rank 10 for aged 65-74: Septicemia; Intentional self-harm (Suicide) (19 each).
4. There are two deaths where the age of the deceased is 'unknown' at rank 1. malignant neoplasm; and rank 10. chronic liver disease and cirrhosis.) These deaths are included in the total.

IDAHO MALE RESIDENT DEATHS
Ten Leading Causes of Death by Age Group and Number of Deaths
2014

RANK	AGE GROUP												ALL AGES[4]
	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
1	Congenital malformations (16)	Accidents (8) (Trans: 6 MVA: 6 All other: 2)	Accidents (4) (Trans: 3 MVA: 3 All other: 1)	(Tie) Accidents (Trans: 4 MVA: 4, All Other: 4); Intentional self-harm (Suicide) (8 each)	Accidents (14) (Trans: 5 MVA: 5 All other: 9)	Accidents (27) (Trans: 15 MVA: 12 All other: 12)	Accidents (53) (Trans: 27 MVA: 26 All other: 26)	Accidents (53) (Trans: 22 MVA: 16 All other: 31)	Malignant neoplasms (85)	Malignant neoplasms (263)	Malignant neoplasms (469)	Diseases of heart (848)	Malignant neoplasms (1,518)
2	Sudden infant death syndrome (9)				Intentional self-harm (Suicide) (12)	Intentional self-harm (Suicide) (24)	Intentional self-harm (Suicide) (34)	Intentional self-harm (Suicide) (44)	Diseases of heart (82)	Diseases of heart (220)	Diseases of heart (279)	Malignant neoplasms (664)	Diseases of heart (1,476)
3	Short gestation and low birth weight (8)			Malignant neoplasms (3)	Malignant neoplasms (2)	Assault (Homicide) (5)	Malignant neoplasms (16)	Diseases of heart (31)	Accidents (56) (Trans: 20 MVA: 16 All other: 36)	Chronic lower respiratory diseases (61)	Chronic lower respiratory diseases (119)	Chronic lower respiratory diseases (226)	Accidents (448) (Trans: 160 MVA: 143 All other: 288)
4	Maternal complications of pregnancy (7)					Malignant neoplasms (4)	Diseases of heart (12)	Malignant neoplasms (11)	Intentional self-harm (Suicide) (39)	Accidents (54) (Trans: 22 MVA: 21 All other: 32)	(Tie) Diabetes mellitus; Cerebrovas-cular diseases (61 each)	Cerebrovas-cular diseases (176)	Chronic lower respiratory diseases (417)
5	Accidents (3) (Trans: 0 MVA: 0 All other: 3)					Diseases of heart (3)	Assault (Homicide) (4)	Chronic liver disease and cirrhosis (10)	Chronic liver disease and cirrhosis (36)	(Tie) Diabetes mellitus; Chronic liver disease and cirrhosis (43 each)		Accidents (125) (Trans: 23 MVA: 22 All other: 102)	Cerebrovas-cular diseases (282)
6	(Tie) Newborn affected by maternal conditions; Pulmonary hemorrhage (2 each)						(Tie) Chronic liver disease and cirrhosis; Legal intervention (3 each)	(Tie) Assault (Homicide); Diabetes mellitus (7 each)	Cerebrovas-cular diseases (16)		Accidents (43) (Trans: 13 MVA: 12 All other: 30)	Alzheimer's disease (101)	Intentional self-harm (Suicide) (240)
7									Diabetes mellitus (13)	Intentional self-harm (Suicide) (40)	Chronic liver disease and cirrhosis (26)	Diabetes mellitus (87)	Diabetes mellitus (213)
8							(Tie) Aortic aneurysm and dissection; Congenital malformations (2 each)	Cerebrovas-cular diseases (6)	Chronic lower respiratory diseases (9)	(Tie) Cerebrovas-cular diseases; Viral hepatitis (23 each)	Intentional self-harm (Suicide) (13)	Parkinson's disease (71)	Chronic liver disease and cirrhosis (132)
9								Influenza and pneumonia (4)	Influenza and pneumonia (6)		Influenza and pneumonia (12)	Influenza and pneumonia (65)	Alzheimer's disease (112)
10								Aortic aneurysm and dissection (3)	(Tie) (4 each)[2]	Influenza and pneumonia (10)	(Tie) (11 each)[3]	Nephritis, nephrotic syndrome (54)	Influenza and pneumonia (100)
Residual[1]	20	1	1	4	3	7	16	41	67	157	221	812	1,555
Total	67	11	7	23	31	72	151	217	421	937	1,326	3,229	6,493

Note: Causes of death with one death are not shown. Number of deaths in parentheses. 'Accidents' is a shortened ICD-10 title for 'Accidents (unintentional injuries)'. 'Trans' is short for "Transportation Accidents"; 'MVA' is short for 'Motor Vehicle Accident', and is a subset of transportation Accident.

1. Residual: Total number of deaths for all other leading causes not listed and all other causes not ranked for leading cause of death.
2. Tie at rank 10 for aged 45-54: Assault (homicide); Septicemia; Viral hepatitis. (4 each)
3. Tie at rank 10 for aged 65-74: Septicemia; Parkinson's disease. (11 each) 4. There is one death where age is 'unknown' at rank 8. Chronic liver disease and cirrhosis. This death is included in the total.

IDAHO FEMALE RESIDENT DEATHS
Ten Leading Causes of Death by Age Group and Number of Deaths
2014

RANK	AGE GROUP												ALL AGES[2]
	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75+	
1	Congenital malformations (15)	Accidents (5) (Trans: 3 MVA: 3 All other: 2)	Accidents (4) (Trans: 2 MVA: 2 All other: 2)	Accidents (4) (Trans: 4 MVA: 4 All other: 0)	Accidents (8) (Trans: 7 MVA: 7 All other: 1)	Accidents (12) (Trans: 6 MVA: 6 All other: 6)	Accidents (28) (Trans: 7 MVA: 7 All other: 21)	Malignant neoplasms (31)	Malignant neoplasms (98)	Malignant neoplasms (218)	Malignant neoplasms (347)	Diseases of heart (913)	Malignant neoplasms (1,272)
2	Short gestation and low birth weight (10)		Congenital malformations (3)		Intentional self-harm (Suicide) (4)	Intentional self-harm (Suicide) (4)	Intentional self-harm (Suicide) (13)	Accidents (24) (Trans: 7 MVA: 7 All other: 17)	Diseases of heart (41)	Diseases of heart (86)	Diseases of heart (149)	Malignant neoplasms (562)	Diseases of heart (1,208)
3	Maternal complications of pregnancy (7)		Assault (Homicide) (2)			(Tie) Cerebrovas-cular diseases; Assault (Homicide) (2 each)	Malignant neoplasms (11)	Intentional self-harm (Suicide) (16)	Accidents (38) (Trans: 12 MVA: 11 All other: 26)	Chronic lower respiratory diseases (49)	Chronic lower respiratory diseases (115)	Cerebrovas-cular diseases (274)	Chronic lower respiratory diseases (413)
4	Sudden infant death syndrome (5)						Diseases of heart (5)	Diseases of heart (12)	Intentional self-harm (Suicide) (19)	Accidents (33) (Trans: 7 MVA: 6 All other: 26)	Diabetes mellitus (55)	Alzheimer's disease (246)	Cerebrovas-cular diseases (356)
5	(Tie) Complications of placenta, cord & membranes; Accidents (Other: 3) (3 each)						Congenital malformations (4)	Diabetes mellitus (4)	Chronic liver disease and cirrhosis (14)	(Tie) Diabetes mellitus; Cerebro-vascular diseases (23 each)	Cerebrovas-cular diseases (44)	Chronic lower respiratory diseases (235)	Accidents (300) (Trans: 74 MVA: 70 All other: 226)
6							Diabetes mellitus (3)	Cerebrovas-cular diseases (3)	Chronic lower respiratory diseases (13)		Accidents (30) (Trans: 10 MVA: 9 All other: 20)	Accidents (111) (Trans: 9 MVA: 8 All other: 102)	Alzheimer's disease (264)
7							(Tie) Assault (Homicide); Influenza and pneumonia; Pregnancy, childbirth and the puerperium; Chronic liver disease and cirrhosis (2 each)	(Tie) Assault (Homicide); Pregnancy, childbirth, and the puerperium; Nephritis, nephrotic syndrome; Complications of medical and surgical care; Chronic liver disease and cirrhosis (2 each)	(Tie) Diabetes mellitus; Cerebro-vascular diseases (10 each)	Chronic liver disease and cirrhosis (19)	Influenza and pneumonia (19)	Diabetes mellitus (99)	Diabetes mellitus (195)
8										Intentional self-harm (Suicide) (15)	Chronic liver disease and cirrhosis (14)	Hypertension (70)	Influenza and pneumonia (103)
9									(Tie) Hypertension; Septicemia (3 each)	(Tie) Influenza and pneumonia; Viral hepatitis (10 each)	Alzheimer's disease (13)	Influenza and pneumonia (69)	Hypertension (86)
10											Pneumonitis due to solids and liquids (11)	Parkinson's disease (61)	Intentional self-harm (Suicide) (80)
Residual[1]	16	4	3	5	9	8	8	29	44	121	196	1,236	1,840
Total	59	9	12	9	21	28	80	129	293	607	993	3,876	6,117

Note: Causes of death with one death are not shown. Number of deaths in parentheses. 'Accidents' is a shortened ICD-10 title for 'Accidents (unintentional injuries)'. 'Trans' is short for Transportation Accidents"; MVA is short for 'Motor Vehicle Accidents', and is a subset of transportation accidents. Hypertension includes essential hypertensive renal disease.

1. Residual: Total number of deaths for all other leading causes not listed and all other causes not ranked for leading cause of death.

2. There is one death where the age of the deceased is 'unknown' at rank 1. Malignant neoplasm. This death is included in the total.

YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
Ten Leading Causes of Death Based on Premature Mortality[1]
Total Population and by Sex
2014

Rank	Cause of Death	Persons Aged Less than 75 Years		Years of Potential Life Lost (YPLL) Before Age 75		
		Number of Deaths	Percent of Deaths	Average Number of YPLL per Death	Total Number of YPLL	YPLL Rate[2]
	Total	5,503	100.0%	17.3	95,116.5	6,177.3
1.	Malignant neoplasms (cancer)	1,563	28.4	11.9	18,666.5	1,212.3
2.	Accidents (unintentional injury)	512	9.3	31.8	16,274.0	1,056.9
	-Nontransport accidents	310	5.6	29.3	9,095.0	590.7
	-Transport accidents	202	3.7	35.5	7,179.0	466.2
	--Motor vehicle accidents	183	3.3	36.1	6,604.5	428.9
3.	Diseases of heart	923	16.8	12.8	11,858.5	770.1
4.	Intentional self-harm (suicide)	292	5.3	32.6	9,514.0	617.9
5.	Certain conditions originating in perinatal period	58	1.1	74.5	4,321.0	280.6
6.	Chronic lower respiratory diseases	369	6.7	8.7	3,215.5	208.8
7.	Congenital malformations	53	1.0	59.7	3,163.5	205.5
8.	Chronic liver disease and cirrhosis	169	3.1	17.9	3,026.5	196.6
9.	Diabetes mellitus	222	4.0	12.2	2,703.0	175.5
10.	Cerebrovascular diseases	188	3.4	11.8	2,218.0	144.0
	All other causes	1,154	21.0	17.5	20,156.0	1,309.0
	Total Males	3,263	100.0%	17.6	57,550.5	7,407.2
1.	Accidents (unintentional injury)	323	9.9	32.2	10,413.5	1,340.3
	-Nontransport accidents	186	5.7	29.9	5,568.0	716.6
	-Transport accidents	137	4.2	35.4	4,845.5	623.7
	--Motor vehicle accidents	121	3.7	35.7	4,321.5	556.2
2.	Malignant neoplasms (cancer)	854	26.2	11.4	9,737.0	1,253.2
3.	Diseases of heart	628	19.2	13.2	8,260.0	1,063.1
4.	Intentional self-harm (suicide)	214	6.6	33.5	7,167.0	922.5
5.	Chronic liver disease and cirrhosis	118	3.6	18.3	2,163.0	278.4
6.	Certain conditions originating in perinatal period	29	0.9	74.5	2,160.5	278.1
7.	Chronic lower respiratory diseases	191	5.9	8.8	1,689.5	217.5
8.	Diabetes mellitus	126	3.9	12.2	1,541.0	198.3
9.	Congenital malformations	25	0.8	57.8	1,444.5	185.9
10.	Cerebrovascular diseases	106	3.2	11.3	1,199.0	154.3
	All other causes	649	19.9	18.1	11,775.5	1,515.6
	Total Females	2,240	100.0%	16.8	37,566.0	4,924.6
1.	Malignant neoplasms (cancer)	709	31.7	12.6	8,929.5	1,170.6
2.	Accidents (unintentional injury)	189	8.4	31.0	5,860.5	768.3
	-Nontransport accidents	124	5.5	28.4	3,527.0	462.4
	-Transport accidents	65	2.9	35.9	2,333.5	305.9
	--Motor vehicle accidents	62	2.8	36.8	2,283.0	299.3
3.	Diseases of heart	295	13.2	12.2	3,598.5	471.7
4.	Intentional self-harm (suicide)	78	3.5	30.1	2,347.0	307.7
5.	Certain conditions originating in perinatal period	29	1.3	74.5	2,160.5	283.2
6.	Congenital malformations	28	1.3	61.4	1,719.0	225.3
7.	Chronic lower respiratory diseases	178	7.9	8.6	1,526.0	200.0
8.	Diabetes mellitus	96	4.3	12.1	1,162.0	152.3
9.	Cerebrovascular diseases	82	3.7	12.4	1,019.0	133.6
10.	Chronic liver disease and cirrhosis	51	2.3	16.9	863.5	113.2
	All other causes	505	22.5	16.6	8,380.5	1,098.6

1. Ranking based on total number of years of potential life lost (YPLL).
2. YPLL rate: Total number of years of potential life lost per 100,000 population aged less than 75 years. See Technical Notes for methodology.

IDAHO RESIDENT LIFE EXPECTANCY
Age in Years by Sex
2014

EXACT AGE IN YEARS	AVERAGE NUMBER OF YEARS OF LIFE REMAINING ($^{o}e_{x}$)		
	Total	Male	Female
0	79.9	78.0	81.8
1	78.9	77.0	80.8
5	75.0	73.1	76.9
10	70.0	68.1	71.9
15	65.1	63.2	67.0
20	60.2	58.4	62.1
25	55.5	53.8	57.3
30	50.8	49.1	52.5
35	46.0	44.4	47.7
40	41.4	39.8	42.9
45	36.8	35.3	38.2
50	32.2	30.8	33.6
55	27.9	26.5	29.2
60	23.7	22.5	24.9
65	19.7	18.7	20.7
70	15.8	15.0	16.7
75	12.4	11.7	13.0
80	9.4	8.8	9.9
85	6.8	6.3	7.1

U.S. life expectancy in 2013 was 78.8 years, 76.4 years for males, and 81.2 years for females.

IDAHO RESIDENT LIFE EXPECTANCY AT BIRTH
By District of Residence
2014

RESIDENCE	AVERAGE NUMBER OF YEARS LIFE EXPECTANCY AT BIRTH		
	Total	Male	Female
Idaho	79.9	78.0	81.8
District 1	79.2	77.3	81.2
District 2	79.6	77.8	81.6
District 3	79.9	77.8	81.9
District 4	81.4	79.7	82.9
District 5	79.2	76.7	81.7
District 6	77.7	75.8	79.6
District 7	80.2	78.6	81.8

See Technical Notes for methodology.
Note: Two deaths with unknown age were excluded from this analysis.

IDAHO RESIDENT DEATHS
Malignant Neoplasm (Cancer) Deaths by Leading Site of Cancer
2014

RESIDENCE	Total Malignant Neoplasms	Trachea, Bronchus, and Lung	Colon, Rectum, and Anus	Pancreas	Breast[1]	Prostate[2]	Leukemia	Non-Hodgkin's Lymphoma	All Other Malignant Neoplasms
IDAHO	2,790	658	230	206	195	191	118	118	1,074
Rates	170.7	40.3	14.1	12.6	11.9	23.3	7.2	7.2	65.7
District 1	553	139	48	36	46	46	20	25	193
Rates	249.8	62.8	21.7	16.3	20.8	41.8	9.0	11.3	87.2
District 2	256	61	21	20	16	16	10	16	96
Rates	239.2	57.0	19.6	18.7	14.9	29.3	9.3	14.9	89.7
District 3	434	109	38	38	33	30	13	17	156
Rates	161.9	40.7	14.2	14.2	12.3	22.6	4.8	6.3	58.2
District 4	688	165	52	53	38	34	35	23	288
Rates	146.7	35.2	11.1	11.3	8.1	14.4	7.5	4.9	61.4
District 5	350	80	29	24	25	21	19	13	139
Rates	183.7	42.0	15.2	12.6	13.1	22.0	10.0	6.8	73.0
District 6	255	54	25	19	18	20	10	10	99
Rates	151.0	32.0	14.8	11.3	10.7	23.7	5.9	5.9	58.6
District 7	254	50	17	16	19	24	11	14	103
Rates	121.2	23.9	8.1	7.6	9.1	22.8	5.2	6.7	49.1
Ada	621	147	47	52	36	29	33	23	254
Adams	7	3	-	-	-	2	-	-	2
Bannock	117	29	13	8	6	6	5	6	44
Bear Lake	13	4	1	2	-	2	-	-	4
Benewah	31	8	4	-	2	3	3	1	10
Bingham	62	10	7	7	4	3	4	1	26
Blaine	31	5	1	4	4	2	2	1	12
Boise	12	5	-	-	1	2	1	-	3
Bonner	115	29	9	6	9	9	7	4	42
Bonneville	138	28	7	7	8	14	6	9	59
Boundary	26	3	2	-	4	7	3	-	7
Butte	7	1	-	-	1	-	-	-	5
Camas	3	1	-	-	-	-	-	-	2
Canyon	275	59	27	27	21	20	8	12	101
Caribou	11	3	1	-	1	1	-	1	4
Cassia	44	12	1	2	2	3	4	3	17
Clark	3	-	-	-	3	-	-	-	-
Clearwater	20	5	-	3	-	2	-	-	10
Custer	11	3	-	2	2	1	-	-	3
Elmore	38	11	3	1	1	1	1	-	20
Franklin	20	3	-	-	3	3	-	2	9
Fremont	20	4	1	1	-	1	1	1	11
Gem	46	13	2	2	5	1	2	1	20
Gooding	36	8	6	2	1	1	4	1	13
Idaho	50	11	6	4	5	-	5	3	16
Jefferson	25	4	4	1	1	2	1	-	12
Jerome	44	12	2	1	3	2	4	2	18
Kootenai	339	86	28	29	28	25	7	16	120
Latah	57	11	8	4	3	3	2	4	22
Lemhi	23	6	2	1	2	3	3	2	4
Lewis	13	8	-	-	-	-	-	-	5
Lincoln	6	1	1	-	-	-	-	1	3
Madison	25	3	2	3	2	2	-	2	11
Minidoka	30	7	1	3	1	2	2	1	13
Nez Perce	116	26	7	9	8	11	3	9	43
Oneida	9	1	1	2	1	-	-	-	4
Owyhee	21	4	2	-	2	-	1	1	11
Payette	52	19	4	6	3	2	2	2	14
Power	16	3	2	-	2	5	1	-	3
Shoshone	42	13	5	1	3	2	-	4	14
Teton	9	2	1	1	1	1	-	-	3
Twin Falls	156	34	17	12	14	11	3	4	61
Valley	17	2	2	-	-	2	-	-	11
Washington	33	11	3	3	2	5	-	1	8

Malignant neoplasm death rate: Number of deaths per 100,000 population.

1. Total breast cancer deaths and rates (see table for Malignant neoplasm deaths by sex for female breast cancer numbers and rates).
2. Prostate cancer death rates are expressed as the number of deaths per 100,000 male population.

IDAHO RESIDENT DEATHS
Malignant Neoplasm (Cancer) Deaths by Sex and Leading Site of Cancer
2014

	MALES					FEMALES				
	Total	Trachea, Bronchus, and Lung	Prostate	Colon, Rectum, and Anus	Pancreas	Total	Trachea, Bronchus, and Lung	Breast	Colon, Rectum, and Anus	Pancreas
IDAHO	1,518	354	191	122	100	1,272	304	192	108	106
Rates	185.5	43.3	23.3	14.9	12.2	155.9	37.3	23.5	13.2	13.0
District 1	319	80	46	28	19	234	59	44	20	17
Rates	290.0	72.7	41.8	25.5	17.3	210.0	53.0	39.5	18.0	15.3
District 2	134	29	16	13	9	122	32	16	8	11
Rates	245.1	53.0	29.3	23.8	16.5	233.0	61.1	30.6	15.3	21.0
District 3	238	57	30	21	19	196	52	32	17	19
Rates	179.3	42.9	22.6	15.8	14.3	144.8	38.4	23.6	12.6	14.0
District 4	369	86	34	26	26	319	79	38	26	27
Rates	156.5	36.5	14.4	11.0	11.0	136.8	33.9	16.3	11.1	11.6
District 5	187	47	21	14	11	163	33	25	15	13
Rates	195.6	49.2	22.0	14.6	11.5	171.8	34.8	26.3	15.8	13.7
District 6	137	28	20	13	12	118	26	18	12	7
Rates	162.1	33.1	23.7	15.4	14.2	139.9	30.8	21.3	14.2	8.3
District 7	134	27	24	7	4	120	23	19	10	12
Rates	127.4	25.7	22.8	6.7	3.8	114.9	22.0	18.2	9.6	11.5
Ada	330	74	29	23	25	291	73	36	24	27
Adams	4	1	2	-	-	3	2	-	-	-
Bannock	60	15	6	6	4	57	14	6	7	4
Bear Lake	10	2	2	1	1	3	2	-	-	1
Benewah	21	5	3	3	-	10	3	2	1	-
Bingham	33	4	3	4	6	29	6	4	3	1
Blaine	12	2	2	-	-	19	3	4	1	4
Boise	9	4	2	-	-	3	1	1	-	-
Bonner	63	17	9	7	1	52	12	8	2	5
Bonneville	75	13	14	3	1	63	15	8	4	6
Boundary	15	1	7	1	-	11	2	4	1	-
Butte	4	1	-	-	-	3	-	1	-	-
Camas	2	1	-	-	-	1	-	-	-	-
Canyon	152	29	20	16	16	123	30	21	11	11
Caribou	6	2	1	-	-	5	1	1	1	-
Cassia	25	7	3	-	-	19	5	2	1	2
Clark	-	-	-	-	-	3	-	3	-	-
Clearwater	12	4	2	-	3	8	1	-	-	-
Custer	6	2	1	-	1	5	1	2	-	1
Elmore	19	6	1	2	1	19	5	1	1	-
Franklin	10	2	3	-	-	10	1	3	-	-
Fremont	12	3	1	-	-	8	1	-	1	1
Gem	23	7	1	-	1	23	6	5	2	1
Gooding	16	5	1	2	-	20	3	1	4	2
Idaho	24	4	-	4	2	26	7	5	2	2
Jefferson	16	3	2	3	-	9	1	1	1	1
Jerome	26	8	2	1	1	18	4	3	1	-
Kootenai	193	46	25	17	17	146	40	27	11	12
Latah	28	5	3	6	2	29	6	3	2	2
Lemhi	11	3	3	1	1	12	3	2	1	-
Lewis	7	2	-	-	-	6	6	-	-	-
Lincoln	3	-	-	1	-	3	1	-	-	-
Madison	10	2	2	-	-	15	1	2	2	3
Minidoka	20	6	2	1	2	10	1	1	-	1
Nez Perce	63	14	11	3	2	53	12	8	4	7
Oneida	5	1	-	1	1	4	-	1	-	1
Owyhee	10	2	-	1	-	11	2	2	1	-
Payette	29	10	2	3	-	23	9	2	1	6
Power	9	1	5	1	-	7	2	2	1	-
Shoshone	27	11	2	-	1	15	2	3	5	-
Teton	4	1	1	-	1	5	1	1	1	-
Twin Falls	83	18	11	9	8	73	16	14	8	4
Valley	11	2	2	1	-	6	-	-	1	-
Washington	20	8	5	1	2	13	3	2	2	1

Gender-specific Malignant neoplasm death rates: Number of deaths per gender per 100,000 population per gender.
See table for Malignant neoplasms deaths by leading site of cancer for the complete name of the cancer site.
All other causes not shown in this table.

IDAHO RESIDENT DEATHS
Primary Site of Malignant Neoplasm (Cancer) by Sex
2014

ICD-10 CODE(S)	SITE OF MALIGNANT NEOPLASM	TOTAL	SEX	
			Male	Female
C00-C97	TOTAL MALIGNANT NEOPLASM DEATHS	2,790	1,518	1,272
C00-C14	LIP, ORAL CAVITY AND PHARYNX	42	29	13
C00	Lip	-	-	-
C01-C02	Tongue	14	11	3
C10-C13, C14.0	Pharynx	13	9	4
C03-C09, C14.2-C14.8	Other and unspecified sites within the lip, oral cavity, and pharynx	15	9	6
C15-C26	DIGESTIVE ORGANS	702	399	303
C15	Esophagus	84	69	15
C16	Stomach	46	28	18
C17	Small intestine	5	2	3
C18	Colon	182	92	90
C19-C20	Rectosigmoid junction and rectum	45	28	17
C21	Anus and anal canal	3	2	1
C22.0, C22.2-C22.9	Liver	75	57	18
C22.1	Intrahepatic bile duct	28	8	20
C23-C24	Gallbladder and extrahepatic bile ducts	18	6	12
C25	Pancreas	206	100	106
C26	Other and ill-defined digestive organs	10	7	3
C30-C39	RESPIRATORY AND INTRATHORACIC ORGANS	679	372	307
C30-C31	Nasal cavity, middle ear, and accessory sinuses	4	3	1
C32	Larynx	14	13	1
C33-C34	Trachea, bronchus, and lung	658	354	304
C37-C38	Thymus, heart, mediastinum, and pleura	3	2	1
C39	Other and ill-defined sites in the respiratory system and intrathoracic organs	-	-	-
C40-C41	BONE AND ARTICULAR CARTILAGE	7	7	-
C43-C44	MELANOMA AND OTHER MALIGNANT NEOPLASMS OF SKIN	89	60	29
C43	Melanoma of skin	61	42	19
C44	Other malignant neoplasms of skin	28	18	10
C45-C49	MESOTHELIAL AND SOFT TISSUE	38	20	18
C45	Mesothelioma	14	11	3
C46	Kaposi's sarcoma	-	-	-
C47-C49	Other mesothelial and soft tissue	24	9	15
C50	BREAST	195	3	192
C51-C58	FEMALE GENITAL ORGANS	134	-	134
C51-C52	Vulva and vagina	9	-	9
C53	Cervix uteri	17	-	17
C54-C55	Corpus uteri and uterus, part unspecified	41	-	41
C56	Ovary	62	-	62
C57	Other and unspecified female genital organs	5	-	5
C58	Placenta	-	-	-

IDAHO RESIDENT DEATHS
Primary Site of Malignant Neoplasm (Cancer) by Sex
2014 (continued)

ICD-10 CODE(S)	SITE OF MALIGNANT NEOPLASM	TOTAL	SEX	
			Male	Female
C60-C63	MALE GENITAL ORGANS	195	195	-
C61	Prostate	191	191	-
C62	Testis	4	4	-
C60, C63	Penis and other and unspecified male genital organs	-	-	-
C64-C68	URINARY TRACT	154	118	36
C64-C65	Kidney and renal pelvis	80	60	20
C67	Bladder	6	3	3
C66, C68	Other and unspecified sites within the urinary tract	68	55	13
C69	EYE AND ADNEXA	2	2	-
C70-C72	MENINGES, BRAIN, AND OTHER PARTS OF CENTRAL NERVOUS SYSTEM	104	63	41
C71	Brain	103	62	41
C70, C72	Other parts of central nervous system	1	1	-
C73-C75	THYROID AND OTHER ENDOCRINE GLANDS	13	8	5
C76-C80, C97	OTHER MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES	146	70	76
C81-C96	LYMPHOID, HEMATOPOIETIC, AND RELATED TISSUE	290	172	118
C81	Hodgkin's disease	3	1	2
C82-C85	Non-Hodgkin's lymphoma	118	70	48
C88	Malignant immunoproliferative diseases	1	1	-
C90	Multiple myeloma and malignant plasma cell neoplasms	50	28	22
C91	Lymphoid leukemia	31	19	12
C92	Myeloid leukemia	58	38	20
C93	Monocytic leukemia	1	-	1
C94-C95	Other and unspecified leukemia	28	15	13
C96	Other and unspecified malignant neoplasms of lymphoid, hematopoietic, and related tissue	-	-	-

IDAHO RESIDENT DEATHS
Selected Causes of Deaths
2014

RESIDENCE	TOTAL DEATHS	Malignant neoplasms	Diseases of heart	Chronic lower respiratory diseases	Accidents	Accidents (Unintentional Injuries)			Cerebro-vascular diseases
						Non-Transport Accidents	Motor Vehicle Accidents	Other Transport Accidents	
IDAHO	12,610	2,790	2,684	830	748	514	213	21	638
Rates	771.5	170.7	164.2	50.8	45.8	31.4	13.0	1.3	39.0
District 1	2,172	553	399	143	120	92	23	5	126
Rates	981.0	249.8	180.2	64.6	54.2	41.6	10.4	2.3	56.9
District 2	1,054	256	216	72	56	26	29	1	60
Rates	984.7	239.2	201.8	67.3	52.3	24.3	27.1	0.9	56.1
District 3	1,977	434	452	143	97	58	37	2	113
Rates	737.5	161.9	168.6	53.3	36.2	21.6	13.8	0.7	42.2
District 4	3,017	688	667	193	164	120	40	4	148
Rates	643.3	146.7	142.2	41.2	35.0	25.6	8.5	0.9	31.6
District 5	1,582	350	333	97	112	79	30	3	66
Rates	830.5	183.7	174.8	50.9	58.8	41.5	15.7	1.6	34.6
District 6	1,444	255	319	86	117	83	33	1	70
Rates	855.2	151.0	188.9	50.9	69.3	49.2	19.5	0.6	41.5
District 7	1,364	254	298	96	82	56	21	5	55
Rates	650.7	121.2	142.2	45.8	39.1	26.7	10.0	2.4	26.2
Ada	2,736	621	612	176	144	105	36	3	136
Adams	37	7	10	5	2	1	-	1	1
Bannock	707	117	139	38	53	36	16	1	37
Bear Lake	74	13	18	5	6	6	-	-	1
Benewah	130	31	18	15	11	10	1	-	4
Bingham	345	62	80	27	31	24	7	-	16
Blaine	120	31	17	5	8	7	1	-	8
Boise	45	12	11	6	1	-	-	1	2
Bonner	418	115	92	24	22	15	7	-	29
Bonneville	792	138	158	57	55	37	14	4	33
Boundary	121	26	21	7	10	7	3	-	6
Butte	31	7	8	4	3	2	1	-	-
Camas	5	3	2	-	-	-	-	-	-
Canyon	1,325	275	294	99	74	41	32	1	68
Caribou	57	11	12	2	1	1	-	-	6
Cassia	191	44	36	16	21	16	4	1	5
Clark	10	3	4	1	1	-	-	1	-
Clearwater	96	20	14	10	7	2	5	-	5
Custer	46	11	15	4	1	1	-	-	-
Elmore	172	38	32	10	13	10	3	-	7
Franklin	104	20	22	3	12	6	6	-	4
Fremont	96	20	23	7	3	2	1	-	4
Gem	212	46	38	16	11	9	2	-	16
Gooding	147	36	35	7	14	10	3	1	5
Idaho	205	50	46	21	12	8	4	-	6
Jefferson	138	25	27	9	6	2	4	-	4
Jerome	186	44	42	16	9	5	4	-	10
Kootenai	1,315	339	229	85	61	47	9	5	71
Latah	227	57	54	10	17	7	10	-	16
Lemhi	117	23	23	13	8	7	1	-	8
Lewis	42	13	15	2	1	-	1	-	2
Lincoln	29	6	1	1	5	2	3	-	1
Madison	126	25	39	4	6	6	-	-	3
Minidoka	160	30	33	7	12	9	3	-	7
Nez Perce	484	116	87	29	19	9	9	1	31
Oneida	49	9	18	1	7	6	1	-	3
Owyhee	84	21	20	5	3	2	1	-	5
Payette	204	52	56	14	3	2	1	-	13
Power	77	16	22	6	4	2	2	-	3
Shoshone	188	42	39	12	16	13	3	-	16
Teton	39	9	9	1	2	1	1	-	3
Twin Falls	744	156	167	45	43	30	12	1	30
Valley	64	17	12	1	6	5	1	-	3
Washington	115	33	34	4	4	3	1	-	10

Rates in this chart are expressed as the number of deaths per 100,000 population.

IDAHO RESIDENT DEATHS
Selected Causes of Deaths
2014 (continued)

RESIDENCE	Diabetes mellitus	Alzheimer's disease	Intentional self-harm (suicide)	Influenza and pneumonia	Chronic liver disease and cirrhosis	Parkinson's disease	Essential hypertension and hypertensive renal disease	Assault (homicide)	Human immuno-deficiency virus (HIV) infection
IDAHO	408	376	320	203	196	154	142	37	11
Rates	25.0	23.0	19.6	12.4	12.0	9.4	8.7	2.3	0.7
District 1	96	55	53	36	26	20	31	6	2
Rates	43.4	24.8	23.9	16.3	11.7	9.0	14.0	2.7	0.9
District 2	25	22	33	24	16	12	18	4	-
Rates	23.4	20.6	30.8	22.4	14.9	11.2	16.8	3.7	-
District 3	57	66	35	21	31	28	17	9	3
Rates	21.3	24.6	13.1	7.8	11.6	10.4	6.3	3.4	1.1
District 4	69	110	85	33	50	48	29	5	2
Rates	14.7	23.5	18.1	7.0	10.7	10.2	6.2	1.1	0.4
District 5	31	51	42	38	21	18	14	8	1
Rates	16.3	26.8	22.0	19.9	11.0	9.4	7.3	4.2	0.5
District 6	67	38	36	31	27	14	11	4	2
Rates	39.7	22.5	21.3	18.4	16.0	8.3	6.5	2.4	1.2
District 7	63	34	36	20	25	14	22	1	1
Rates	30.1	16.2	17.2	9.5	11.9	6.7	10.5	0.5	0.5
Ada	58	103	77	27	44	47	25	3	2
Adams	-	2	1	1	1	-	-	-	-
Bannock	28	22	22	13	17	7	3	1	1
Bear Lake	7	2	1	5	1	-	2	-	1
Benewah	6	1	3	2	3	-	-	1	-
Bingham	17	8	6	4	8	5	3	2	-
Blaine	2	2	7	3	3	2	1	2	-
Boise	2	2	3	-	-	1	-	-	-
Bonner	18	14	7	6	8	2	9	-	1
Bonneville	41	18	18	10	19	10	17	-	1
Boundary	3	6	3	3	2	1	3	-	1
Butte	3	-	-	1	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	40	49	30	14	27	21	11	6	3
Caribou	2	-	2	1	-	-	1	-	-
Cassia	2	8	4	4	4	-	4	1	-
Clark	-	-	-	-	-	-	-	-	-
Clearwater	3	-	4	1	4	-	3	-	-
Custer	1	-	4	1	-	-	-	1	-
Elmore	6	4	5	2	5	-	3	2	-
Franklin	5	3	4	4	1	1	-	1	-
Fremont	8	7	1	-	2	-	3	-	-
Gem	9	5	-	-	2	3	3	-	-
Gooding	1	1	3	5	1	2	1	1	1
Idaho	4	4	5	6	1	2	3	-	-
Jefferson	2	4	6	4	2	1	2	-	-
Jerome	4	10	6	3	3	1	1	-	-
Kootenai	62	29	33	23	11	17	18	5	-
Latah	4	6	7	4	3	1	2	-	-
Lemhi	2	3	2	2	2	1	-	-	-
Lewis	2	-	-	1	-	-	-	1	-
Lincoln	-	1	-	-	-	-	-	-	-
Madison	8	2	3	3	-	2	-	-	-
Minidoka	11	2	2	6	2	1	5	-	-
Nez Perce	12	12	17	12	8	9	10	3	-
Oneida	1	-	-	1	-	1	1	-	-
Owyhee	3	5	-	2	-	2	2	-	-
Payette	2	5	4	2	-	2	1	3	-
Power	4	3	1	2	-	-	1	-	-
Shoshone	7	5	7	2	2	-	1	-	-
Teton	1	-	2	-	-	-	-	-	-
Twin Falls	11	27	20	17	8	12	2	4	-
Valley	3	1	-	4	1	-	1	-	-
Washington	3	-	-	2	1	-	-	-	-

Rates in this chart are expressed as the number of deaths per 100,000 population.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
TOTAL, ALL CAUSES	A01-Y99	T	12,610	126	20	19	32	52	100	231	346	714	1,544	2,319	3,093	4,012	2
		F	6,117	59	9	12	9	21	28	80	129	293	607	993	1,471	2,405	1
		M	6,493	67	11	7	23	31	72	151	217	421	937	1,326	1,622	1,607	1
# Salmonella infections	A01-A02	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
# Shigellosis and amebiasis	A03, A06	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Certain other intestinal infections	A04, A07-A09	T	41	1	-	-	-	-	-	-	-	2	4	5	13	16	-
		F	27	1	-	-	-	-	-	-	-	-	2	2	8	14	-
		M	14	-	-	-	-	-	-	-	-	2	2	3	5	2	-
# Enterocolitis due to *Clostridium difficile*	A04.7	T	23	-	-	-	-	-	-	-	-	1	2	5	6	9	-
		F	16	-	-	-	-	-	-	-	-	-	2	2	4	8	-
		M	7	-	-	-	-	-	-	-	-	1	-	3	2	1	-
# Tuberculosis	A16-A19	T	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Respiratory tuberculosis	A16	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other tuberculosis	A17-A19	T	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
# Whooping cough	A37	T	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
# Scarlet fever and erysipelas	A38, A46	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
# Meningococcal infection	A39	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
# Septicemia	A40-A41	T	88	-	-	-	-	-	1	-	3	7	14	19	18	26	-
		F	42	-	-	-	-	-	1	-	1	3	6	8	10	13	-
		M	46	-	-	-	-	-	-	-	2	4	8	11	8	13	-
# Syphilis	A50-A53	T	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

	CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
#	Acute poliomyelitis	A80	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Arthropod-borne viral encephalitis	A83-A84, A85.2	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Measles	B05	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Viral hepatitis	B15-B19	T	48	-	-	-	-	-	-	-	3	6	33	2	3	1	-
			F	15	-	-	-	-	-	-	-	1	2	10	1	1	-	-
			M	33	-	-	-	-	-	-	-	2	4	23	1	2	1	-
#	Human immunodeficiency virus (HIV) disease	B20-B24	T	11	-	-	-	-	-	-	-	2	2	7	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	11	-	-	-	-	-	-	-	2	2	7	-	-	-	-
#	Malaria	B50-B54	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other and unspecified infectious and parasitic diseases and their sequelae	See footnote 1	T	23	-	2	-	-	-	-	-	-	-	4	5	4	8	-
			F	13	-	1	-	-	-	-	-	-	-	1	2	4	5	-
			M	10	-	1	-	-	-	-	-	-	-	3	3	-	3	-
	West Nile Fever	A92.3	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Malignant neoplasms (cancer)	C00-C97	T	2,790	1	-	2	4	2	5	27	42	183	481	816	747	479	1
			F	1,272	1	-	1	1	-	1	11	31	98	218	347	338	224	1
			M	1,518	-	-	1	3	2	4	16	11	85	263	469	409	255	-
	Lip, oral cavity and pharynx	C00-C14	T	42	-	-	-	-	-	-	-	-	5	8	12	12	5	-
			F	13	-	-	-	-	-	-	-	-	-	1	3	5	4	-
			M	29	-	-	-	-	-	-	-	-	5	7	9	7	1	-
	Esophagus	C15	T	84	-	-	-	-	-	-	-	-	9	14	31	20	10	-
			F	15	-	-	-	-	-	-	-	-	1	1	4	6	3	-
			M	69	-	-	-	-	-	-	-	-	8	13	27	14	7	-
	Stomach	C16	T	46	-	-	-	-	-	-	1	1	9	7	10	12	6	-
			F	18	-	-	-	-	-	-	1	1	5	2	3	4	2	-
			M	28	-	-	-	-	-	-	-	-	4	5	7	8	4	-
	Colon, rectum and anus	C18-C21	T	230	-	-	-	-	-	-	1	6	21	50	64	52	36	-
			F	108	-	-	-	-	-	-	-	3	11	20	28	29	17	-
			M	122	-	-	-	-	-	-	1	3	10	30	36	23	19	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

1. Other and unspecified infectious and parasitic diseases and their sequelae: A00, A05, A20-A36, A42-A44, A48-A49, A54-A79, A81-A82, A85.0-A85.1, A85.8, A86-B04, B06-B09, B25-B49, B55-B99.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
Liver and intrahepatic bile ducts	C22	T	103	-	-	-	-	-	-	-	-	3	38	30	24	8	-
		F	38	-	-	-	-	-	-	-	-	2	7	15	9	5	-
		M	65	-	-	-	-	-	-	-	-	1	31	15	15	3	-
Pancreas	C25	T	206	-	-	-	-	-	-	1	5	15	39	66	55	25	-
		F	106	-	-	-	-	-	-	-	4	8	13	31	32	18	-
		M	100	-	-	-	-	-	-	1	1	7	26	35	23	7	-
Larynx	C32	T	14	-	-	-	-	-	-	-	-	1	5	3	3	2	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	13	-	-	-	-	-	-	-	-	1	5	2	3	2	-
Trachea, bronchus and lung	C33-C34	T	658	-	-	-	-	-	-	1	4	34	114	237	188	80	-
		F	304	-	-	-	-	-	-	-	3	18	56	108	80	39	-
		M	354	-	-	-	-	-	-	1	1	16	58	129	108	41	-
Malignant melanoma of skin	C43	T	61	-	-	-	-	-	-	3	1	2	15	19	13	8	-
		F	19	-	-	-	-	-	-	-	1	1	4	4	7	2	-
		M	42	-	-	-	-	-	-	3	-	1	11	15	6	6	-
Breast	C50	T	195	-	-	-	-	-	-	2	8	25	40	38	42	39	1
		F	192	-	-	-	-	-	-	2	8	25	39	38	42	37	1
		M	3	-	-	-	-	-	-	-	-	-	1	-	-	2	-
Cervix uteri	C53	T	17	-	-	-	-	-	-	1	3	3	6	2	2	-	-
		F	17	-	-	-	-	-	-	1	3	3	6	2	2	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Corpus uteri and uterus, part unspecified	C54-C55	T	41	-	-	-	-	-	-	1	2	2	10	16	5	5	-
		F	41	-	-	-	-	-	-	1	2	2	10	16	5	5	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Ovary	C56	T	62	-	-	-	-	-	-	-	-	3	13	23	13	10	-
		F	62	-	-	-	-	-	-	-	-	3	13	23	13	10	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Prostate	C61	T	191	-	-	-	-	-	-	-	-	2	12	55	53	69	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	191	-	-	-	-	-	-	-	-	2	12	55	53	69	-
Kidney and renal pelvis	C64-C65	T	80	-	-	-	1	1	-	-	-	7	15	24	20	12	-
		F	20	-	-	-	1	-	-	-	-	1	5	5	6	2	-
		M	60	-	-	-	-	1	-	-	-	6	10	19	14	10	-
Bladder	C67	T	68	-	-	-	-	-	-	-	-	1	7	12	20	28	-
		F	13	-	-	-	-	-	-	-	-	1	1	2	1	8	-
		M	55	-	-	-	-	-	-	-	-	-	6	10	19	20	-
Meninges, brain and other parts of central nervous system	C70-C72	T	104	-	-	1	2	-	-	5	4	11	26	26	19	10	-
		F	41	-	-	1	-	-	-	1	1	5	13	9	7	4	-
		M	63	-	-	-	2	-	-	4	3	6	13	17	12	6	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
Lymphoid, hematopoietic and related tissue	C81-C96	T	290	-	-	1	-	-	3	2	3	11	29	79	95	67	-
		F	118	-	-	-	-	-	-	1	1	4	12	26	42	32	-
		M	172	-	-	1	-	-	3	1	2	7	17	53	53	35	-
Hodgkin's disease	C81	T	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
Non-Hodgkin's lymphoma	C82-C85	T	118	-	-	-	-	-	1	-	1	1	6	38	38	33	-
		F	48	-	-	-	-	-	-	-	-	-	3	13	17	15	-
		M	70	-	-	-	-	-	1	-	1	1	3	25	21	18	-
Leukemia	C91-C95	T	118	-	-	1	-	-	2	2	2	6	14	32	34	25	-
		F	46	-	-	-	-	-	-	1	1	2	5	8	16	13	-
		M	72	-	-	1	-	-	2	1	1	4	9	24	18	12	-
Multiple myeloma and immunoproliferative neoplasms	C88, C90	T	51	-	-	-	-	-	-	-	-	4	9	8	21	9	-
		F	22	-	-	-	-	-	-	-	-	2	4	4	8	4	-
		M	29	-	-	-	-	-	-	-	-	2	5	4	13	5	-
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue	C96	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other & unspecified malignant neoplasms	See footnote 1	T	298	1	-	-	1	1	2	9	5	19	33	69	99	59	-
		F	146	1	-	-	-	-	1	4	4	8	15	29	48	36	-
		M	152	-	-	-	1	1	1	5	1	11	18	40	51	23	-
# In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior	D00-D48	T	50	-	-	-	-	-	1	-	-	1	3	6	17	22	-
		F	25	-	-	-	-	-	1	-	-	1	1	2	5	15	-
		M	25	-	-	-	-	-	-	-	-	-	2	4	12	7	-
# Anemias	D50-D64	T	16	-	-	-	-	-	-	-	-	1	-	2	4	9	-
		F	14	-	-	-	-	-	-	-	-	1	-	2	3	8	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
# Diabetes mellitus	E10-E14	T	408	-	-	-	-	1	1	4	11	23	66	116	110	76	-
		F	195	-	-	-	-	1	-	3	4	10	23	55	58	41	-
		M	213	-	-	-	-	-	1	1	7	13	43	61	52	35	-
# Nutritional deficiencies	E40-E64	T	24	-	-	-	-	-	-	1	1	-	-	2	5	15	-
		F	16	-	-	-	-	-	-	-	-	-	-	2	2	12	-
		M	8	-	-	-	-	-	-	1	1	-	-	-	3	3	-
Malnutrition	E40-E46	T	24	-	-	-	-	-	-	1	1	-	-	2	5	15	-
		F	16	-	-	-	-	-	-	-	-	-	-	2	2	12	-
		M	8	-	-	-	-	-	-	1	1	-	-	-	3	3	-
Other nutritional deficiencies	E50-E64	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

1. All other and unspecified malignant neoplasms: C17, C23-C24, C26-C31, C37-C41, C44-C49, C51-C52, C57-C60, C62-C63, C66, C68-C69, C73-C80, C97.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
# Meningitis	G00, G03	T	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
# Parkinson's disease	G20-G21	T	154	-	-	-	-	-	-	-	-	1	4	17	83	49	-
		F	69	-	-	-	-	-	-	-	-	-	2	6	38	23	-
		M	85	-	-	-	-	-	-	-	-	1	2	11	45	26	-
# Alzheimer's disease	G30	T	376	-	-	-	-	-	-	-	-	-	7	22	137	210	-
		F	264	-	-	-	-	-	-	-	-	-	5	13	89	157	-
		M	112	-	-	-	-	-	-	-	-	-	2	9	48	53	-
Major cardiovascular diseases	I00-I78	T	3,570	-	-	-	2	1	5	19	56	154	373	567	887	1,506	-
		F	1,696	-	-	-	1	1	2	5	15	54	117	210	394	897	-
		M	1,874	-	-	-	1	-	3	14	41	100	256	357	493	609	-
# Diseases of heart	I00-I09, I11, I13, I20-I51	T	2,684	-	-	-	2	1	3	17	43	123	306	428	659	1,102	-
		F	1,208	-	-	-	1	1	-	5	12	41	86	149	280	633	-
		M	1,476	-	-	-	1	-	3	12	31	82	220	279	379	469	-
Acute rheumatic fever and chronic rheumatic heart diseases	I00-I09	T	32	-	-	-	-	-	-	-	-	1	2	7	9	13	-
		F	23	-	-	-	-	-	-	-	-	1	1	5	6	10	-
		M	9	-	-	-	-	-	-	-	-	-	1	2	3	3	-
Hypertensive heart disease	I11	T	143	-	-	-	-	-	-	1	5	14	12	16	25	70	-
		F	88	-	-	-	-	-	-	-	2	4	4	6	18	54	-
		M	55	-	-	-	-	-	-	1	3	10	8	10	7	16	-
Hypertensive heart and renal disease	I13	T	25	-	-	-	-	-	-	1	1	-	3	3	5	12	-
		F	15	-	-	-	-	-	-	-	1	-	-	3	3	8	-
		M	10	-	-	-	-	-	-	1	-	-	3	-	2	4	-
Ischemic heart diseases	I20-I25	T	1,454	-	-	-	-	-	2	4	18	74	209	276	386	485	-
		F	532	-	-	-	-	-	-	1	4	23	50	78	126	250	-
		M	922	-	-	-	-	-	2	3	14	51	159	198	260	235	-
Acute myocardial infarction	I21-I22	T	675	-	-	-	-	-	-	-	13	40	146	164	149	163	-
		F	236	-	-	-	-	-	-	-	2	16	38	47	46	87	-
		M	439	-	-	-	-	-	-	-	11	24	108	117	103	76	-
Other acute ischemic heart diseases	I24	T	14	-	-	-	-	-	-	-	-	1	3	2	5	3	-
		F	4	-	-	-	-	-	-	-	-	-	-	2	-	2	-
		M	10	-	-	-	-	-	-	-	-	1	3	-	5	1	-
Other forms of chronic ischemic heart disease	I20, I25	T	765	-	-	-	-	-	2	4	5	33	60	110	232	319	-
		F	292	-	-	-	-	-	-	1	2	7	12	29	80	161	-
		M	473	-	-	-	-	-	2	3	3	26	48	81	152	158	-
Atherosclerotic cardiovascular disease, so described	I25.0	T	81	-	-	-	-	-	-	2	-	5	9	12	21	32	-
		F	30	-	-	-	-	-	-	-	-	1	2	3	7	17	-
		M	51	-	-	-	-	-	-	2	-	4	7	9	14	15	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
All other forms of chronic ischemic heart disease	I20, I25.1-I25.9	T	684	-	-	-	-	-	2	2	5	28	51	98	211	287	-
		F	262	-	-	-	-	-	-	1	2	6	10	26	73	144	-
		M	422	-	-	-	-	-	2	1	3	22	41	72	138	143	-
Other heart diseases	I26-I51	T	1,030	-	-	-	2	1	1	11	19	34	80	126	234	522	-
		F	550	-	-	-	1	1	-	4	5	13	31	57	127	311	-
		M	480	-	-	-	1	-	1	7	14	21	49	69	107	211	-
Acute and subacute endocarditis	I33	T	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
Diseases of pericardium and acute myocarditis	I30-I31, I40	T	4	-	-	-	-	-	1	-	-	-	2	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-
Heart failure	I50	T	302	-	-	-	-	-	-	1	1	1	13	27	62	197	-
		F	173	-	-	-	-	-	-	-	1	1	9	11	29	122	-
		M	129	-	-	-	-	-	-	1	-	-	4	16	33	75	-
All other forms of heart disease	I26-I28, I34-I38, I42-I49, I51	T	722	-	-	-	2	1	-	10	17	33	64	98	172	325	-
		F	376	-	-	-	1	1	-	4	4	12	22	45	98	189	-
		M	346	-	-	-	1	-	-	6	13	21	42	53	74	136	-
# Essential hypertension and hypertensive renal disease	I10, I12, I15	T	142	-	-	-	-	-	-	-	1	4	9	15	31	82	-
		F	86	-	-	-	-	-	-	-	-	3	4	9	17	53	-
		M	56	-	-	-	-	-	-	-	1	1	5	6	14	29	-
# Cerebrovascular diseases	I60-I69	T	638	-	-	-	-	-	2	-	9	26	46	105	165	285	-
		F	356	-	-	-	-	-	2	-	3	10	23	44	81	193	-
		M	282	-	-	-	-	-	-	-	6	16	23	61	84	92	-
# Atherosclerosis	I70	T	11	-	-	-	-	-	-	-	-	1	-	1	5	4	-
		F	6	-	-	-	-	-	-	-	-	-	-	1	3	2	-
		M	5	-	-	-	-	-	-	-	-	1	-	-	2	2	-
Other diseases of circulatory system	I71-I78	T	95	-	-	-	-	-	-	2	3	-	12	18	27	33	-
		F	40	-	-	-	-	-	-	-	-	-	4	7	13	16	-
		M	55	-	-	-	-	-	-	2	3	-	8	11	14	17	-
# Aortic aneurysm and dissection	I71	T	54	-	-	-	-	-	-	2	3	-	5	9	14	21	-
		F	17	-	-	-	-	-	-	-	-	-	2	2	6	7	-
		M	37	-	-	-	-	-	-	2	3	-	3	7	8	14	-
Other diseases of arteries, arterioles and capillaries	I72-I78	T	41	-	-	-	-	-	-	-	-	-	7	9	13	12	-
		F	23	-	-	-	-	-	-	-	-	-	2	5	7	9	-
		M	18	-	-	-	-	-	-	-	-	-	5	4	6	3	-
Other disorders of circulatory system	I80-I99	T	19	-	-	-	-	1	-	2	4	2	2	2	-	6	-
		F	8	-	-	-	-	1	-	-	1	1	2	-	-	3	-
		M	11	-	-	-	-	-	-	2	3	1	-	2	-	3	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

	CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
#	Influenza and pneumonia	J09-J18	T	203	-	1	1	-	-	1	3	5	7	20	31	34	100	-
			F	103	-	-	1	-	-	-	2	1	1	10	19	14	55	-
			M	100	-	1	-	-	-	1	1	4	6	10	12	20	45	-
	Influenza	J09-J11	T	18	-	-	-	-	-	-	1	-	3	8	3	3	-	-
			F	12	-	-	-	-	-	-	1	-	1	4	3	3	-	-
			M	6	-	-	-	-	-	-	-	-	2	4	-	-	-	-
	Pneumonia	J12-J18	T	185	-	1	1	-	-	1	2	5	4	12	28	31	100	-
			F	91	-	-	1	-	-	-	1	1	-	6	16	11	55	-
			M	94	-	1	-	-	-	1	1	4	4	6	12	20	45	-
	Other acute lower respiratory infections	J20-J22, U04	T	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
#	Acute bronchitis and bronchiolitis	J20-J21	T	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-
	Other and unspecified acute lower respiratory infections	J22, U04	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Chronic lower respiratory diseases	J40-J47	T	830	-	-	-	1	-	-	2	-	22	110	234	266	195	-
			F	413	-	-	-	-	-	-	1	-	13	49	115	128	107	-
			M	417	-	-	-	1	-	-	1	-	9	61	119	138	88	-
	Bronchitis, chronic and unspecified	J40-J42	T	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-
	Emphysema	J43	T	62	-	-	-	-	-	-	-	-	1	6	22	19	14	-
			F	26	-	-	-	-	-	-	-	-	1	1	10	6	8	-
			M	36	-	-	-	-	-	-	-	-	-	5	12	13	6	-
	Asthma	J45-J46	T	23	-	-	-	1	-	-	2	-	3	2	4	6	5	-
			F	12	-	-	-	-	-	-	1	-	1	-	2	5	3	-
			M	11	-	-	-	1	-	-	1	-	2	2	2	1	2	-
	Other chronic lower respiratory diseases	J44, J47	T	742	-	-	-	-	-	-	-	-	18	101	207	241	175	-
			F	375	-	-	-	-	-	-	-	-	11	48	103	117	96	-
			M	367	-	-	-	-	-	-	-	-	7	53	104	124	79	-
#	Pneumoconioses and chemical effects	J60-J66, J68	T	5	-	-	-	-	-	-	-	-	-	1	-	4	-	-
			F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
			M	4	-	-	-	-	-	-	-	-	-	1	-	3	-	-
#	Pneumonitis due to solids and liquids	J69	T	101	-	-	-	-	-	-	1	-	2	6	17	25	50	-
			F	47	-	-	-	-	-	-	-	-	1	3	11	16	16	-
			M	54	-	-	-	-	-	-	1	-	1	3	6	9	34	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
Other diseases of respiratory system	J00-J06, J30-J39, J67, J70-J98	T	178	2	-	-	-	-	-	2	4	5	14	33	65	53	-
		F	74	1	-	-	-	-	-	-	3	1	7	9	25	28	-
		M	104	1	-	-	-	-	-	2	1	4	7	24	40	25	-
# Peptic ulcer	K25-K28	T	24	-	-	-	-	-	-	1	-	1	3	4	8	7	-
		F	12	-	-	-	-	-	-	-	-	-	2	3	3	4	-
		M	12	-	-	-	-	-	-	1	-	1	1	1	5	3	-
# Diseases of appendix	K35-K38	T	4	-	-	-	-	-	-	-	1	-	-	2	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	3	-	-	-	-	-	-	-	1	-	-	1	1	-	-
# Hernia	K40-K46	T	13	-	-	-	-	-	-	-	-	1	1	-	2	9	-
		F	8	-	-	-	-	-	-	-	-	-	-	-	2	6	-
		M	5	-	-	-	-	-	-	-	-	1	1	-	-	3	-
# Chronic liver disease and cirrhosis	K70, K73-K74	T	196	-	-	-	-	-	-	5	12	50	62	40	16	10	1
		F	64	-	-	-	-	-	-	2	2	14	19	14	9	4	-
		M	132	-	-	-	-	-	-	3	10	36	43	26	7	6	1
Alcoholic liver disease	K70	T	152	-	-	-	-	-	-	5	11	43	56	30	5	1	1
		F	37	-	-	-	-	-	-	2	2	11	16	5	1	-	-
		M	115	-	-	-	-	-	-	3	9	32	40	25	4	1	1
Other chronic liver disease and cirrhosis	K73-K74	T	44	-	-	-	-	-	-	-	1	7	6	10	11	9	-
		F	27	-	-	-	-	-	-	-	-	3	3	9	8	4	-
		M	17	-	-	-	-	-	-	-	1	4	3	1	3	5	-
# Cholelithiasis and other disorders of gallbladder	K80-K82	T	18	-	-	-	-	-	-	-	1	-	1	2	5	9	-
		F	8	-	-	-	-	-	-	-	-	-	-	1	1	6	-
		M	10	-	-	-	-	-	-	-	1	-	1	1	4	3	-
# Nephritis, nephrotic syndrome and nephrosis	N00-N07, N17-N19, N25-N27	T	137	-	-	-	-	-	-	-	2	2	8	17	42	66	-
		F	66	-	-	-	-	-	-	-	2	-	2	8	19	35	-
		M	71	-	-	-	-	-	-	-	-	2	6	9	23	31	-
Acute and rapidly progressive nephritic and nephrotic syndrome	N00-N01, N04	T	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
Chronic glomerulonephritis, nephritis and nephritis not specified as acute or chronic, and renal sclerosis unspecified	N02-N03, N05-N07, N26	T	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-
Renal failure	N17-N19	T	131	-	-	-	-	-	-	-	2	2	8	17	39	63	-
		F	65	-	-	-	-	-	-	-	2	-	2	8	19	34	-
		M	66	-	-	-	-	-	-	-	-	2	6	9	20	29	-
Other disorders of kidney	N25, N27	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

	CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
#	Infections of kidney	N10-N12, N13.6, N15.1	T	5	-	-	-	-	-	-	1	-	-	1	2	-	1	-
			F	5	-	-	-	-	-	-	1	-	-	1	2	-	1	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Hyperplasia of prostate	N40	T	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	4	-	-	-	-	-	-	-	-	-	-	-	-	4	-
#	Inflammatory diseases of female pelvic organs	N70-N76	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Pregnancy, childbirth and the puerperium	O00-O99	T	5	-	-	-	-	-	1	2	2	-	-	-	-	-	-
			F	5	-	-	-	-	-	1	2	2	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Pregnancy with abortive outcome	O00-O07	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other complications of pregnancy, childbirth and the puerperium	O10-O95, O98-O99	T	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
			F	3	-	-	-	-	-	-	2	1	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Maternal causes more than 42 days after delivery or termination of pregnancy	O96-O97	T	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
			F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
			M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Certain conditions originating in the perinatal period	P00-P96	T	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-
#	Congenital malformations, deformations and chromosomal abnormalities	Q00-Q99	T	61	31	-	4	1	1	1	6	1	-	6	2	3	5	-
			F	30	15	-	3	1	1	1	4	-	-	3	-	-	2	-
			M	31	16	-	1	-	-	-	2	1	-	3	2	3	3	-
	Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R99	T	193	21	1	-	1	1	3	4	1	4	-	5	23	129	-
			F	112	6	1	-	-	1	-	-	-	2	-	1	9	92	-
			M	81	15	-	-	1	-	3	4	1	2	-	4	14	37	-
	Sudden infant death syndrome	R95	T	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-
			F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-
			M	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-
	Other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified	R00-R53, R55-R94, R96-R99	T	179	7	1	-	1	1	3	4	1	4	-	5	23	129	-
			F	107	1	1	-	-	1	-	-	-	2	-	1	9	92	-
			M	72	6	-	-	1	-	3	4	1	2	-	4	14	37	-
	All other diseases (residual)	All other A00-N99	T	1,790	3	1	2	1	4	4	11	39	70	163	249	443	800	-
			F	1,064	2	1	1	1	2	2	5	19	29	73	119	251	559	-
			M	726	1	-	1	-	2	2	6	20	41	90	130	192	241	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
# Accidents (unintentional injuries)	V01-X59, Y85-Y86	T	748	6	13	8	12	22	39	81	77	94	87	73	105	131	-
		F	300	3	5	4	4	8	12	28	24	38	33	30	36	75	-
		M	448	3	8	4	8	14	27	53	53	56	54	43	69	56	-
Transport accidents	V01-V99, Y85	T	234	-	9	5	8	12	21	34	29	32	29	23	25	7	-
		F	74	-	3	2	4	7	6	7	7	12	7	10	6	3	-
		M	160	-	6	3	4	5	15	27	22	20	22	13	19	4	-
Motor vehicle accidents	See footnote 1	T	213	-	9	5	8	12	18	33	23	27	27	21	23	7	-
		F	70	-	3	2	4	7	6	7	7	11	6	9	5	3	-
		M	143	-	6	3	4	5	12	26	16	16	21	12	18	4	-
Other land transport accidents	See footnote 2	T	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Water, air and space, other and unspecified transport accidents and their sequelae	V90-V99, Y85	T	19	-	-	-	-	-	3	1	5	5	1	2	2	-	-
		F	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-
		M	16	-	-	-	-	-	3	1	5	4	1	1	1	-	-
Nontransport accidents	W00-X59, Y86	T	514	6	4	3	4	10	18	47	48	62	58	50	80	124	-
		F	226	3	2	2	-	1	6	21	17	26	26	20	30	72	-
		M	288	3	2	1	4	9	12	26	31	36	32	30	50	52	-
Falls	W00-W19	T	229	-	-	-	-	1	-	2	3	8	14	29	67	105	-
		F	114	-	-	-	-	-	-	1	1	2	6	13	28	63	-
		M	115	-	-	-	-	1	-	1	2	6	8	16	39	42	-
Accidental discharge of firearms	W32-W34	T	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
Accidental drowning and submersion	W65-W74	T	27	-	1	2	-	1	1	4	3	3	6	3	3	-	-
		F	4	-	1	1	-	-	-	1	-	-	-	1	-	-	-
		M	23	-	-	1	-	1	1	3	3	3	6	2	3	-	-
Accidental exposure to smoke, fire and flames	X00-X09	T	10	-	2	-	-	-	-	2	1	1	2	2	-	-	-
		F	4	-	-	-	-	-	-	2	-	1	1	-	-	-	-
		M	6	-	2	-	-	-	-	-	1	-	1	2	-	-	-
Accidental poisoning and exposure to noxious substances	X40-X49	T	163	-	-	-	1	6	13	35	36	40	25	5	2	-	-
		F	81	-	-	-	-	1	6	16	15	22	17	3	1	-	-
		M	82	-	-	-	1	5	7	19	21	18	8	2	1	-	-
Other and unspecified nontransport accidents and their sequelae	See footnote 3	T	82	6	1	1	3	2	3	3	5	9	11	11	8	19	-
		F	22	3	1	1	-	-	-	-	1	1	2	3	1	9	-
		M	60	3	-	-	3	2	3	3	4	8	9	8	7	10	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

1. Motor vehicle ICD-10 codes: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
2. Other land transport accidents ICD-10 codes: V01, V05-V06, V09.1, V09.3-V09.9, V10-V11, V15-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9.
3. Other and unspecified nontransport accidents and their sequelae ICD-10 codes: W20-W31, W35-W64, W75-W99, X10-X39, X50-X59, Y86.

IDAHO RESIDENT DEATHS
113 Selected Causes of Death by Sex and Age Group
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +	Unknown
# Intentional self-harm (suicide)	U03, X60-X84, Y87.0	T	320	-	-	-	9	16	28	47	60	58	55	19	15	13	-
		F	80	-	-	-	1	4	4	13	16	19	15	6	2	-	-
		M	240	-	-	-	8	12	24	34	44	39	40	13	13	13	-
Discharge of firearms	X72-X74	T	182	-	-	-	7	6	16	24	24	31	34	13	14	13	-
		F	29	-	-	-	-	1	2	5	3	6	9	2	1	-	-
		M	153	-	-	-	7	5	14	19	21	25	25	11	13	13	-
Other and unspecified means and their sequelae	U03, X60-X71, X75-X84, Y87.0	T	138	-	-	-	2	10	12	23	36	27	21	6	1	-	-
		F	51	-	-	-	1	3	2	8	13	13	6	4	1	-	-
		M	87	-	-	-	1	7	10	15	23	14	15	2	-	-	-
# Assault (homicide)	U01-U02, X85-Y09, Y87.1	T	37	1	2	2	1	1	7	6	9	4	2	1	1	-	-
		F	14	-	1	2	-	1	2	2	2	-	2	1	1	-	-
		M	23	1	1	-	1	-	5	4	7	4	-	-	-	-	-
Discharge of firearms	U01.4, X93-X95	T	20	-	-	1	1	1	3	6	5	2	-	-	1	-	-
		F	6	-	-	1	-	1	-	2	1	-	-	-	1	-	-
		M	14	-	-	-	1	-	3	4	4	2	-	-	-	-	-
Other and unspecified means and their sequelae	See footnote 1	T	17	1	2	1	-	-	4	-	4	2	2	1	-	-	-
		F	8	-	1	1	-	-	2	-	1	-	2	1	-	-	-
		M	9	1	1	-	-	-	2	-	3	2	-	-	-	-	-
# Legal intervention	Y35, Y89.0	T	4	-	-	-	-	-	-	3	1	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	3	-	-	-	-	-	-	3	-	-	-	-	-	-	-
Events of undetermined intent	Y10-Y34, Y87.2, Y89.9	T	33	1	-	-	-	2	3	3	7	9	3	5	-	-	-
		F	11	-	-	-	-	1	1	1	2	3	1	2	-	-	-
		M	22	1	-	-	-	1	2	2	5	6	2	3	-	-	-
Discharge of firearms	Y22-Y24	T	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
		M	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-
Other and unspecified events of undetermined intent and their sequelae	Y10-Y21, Y25-Y34, Y87.2 Y89.9	T	30	1	-	-	-	2	3	3	6	8	3	4	-	-	-
		F	10	-	-	-	-	1	1	1	2	2	1	2	-	-	-
		M	20	1	-	-	-	1	2	2	4	6	2	2	-	-	-
Poisoning and exposure to noxious substances	Y10-Y19	T	23	-	-	-	-	2	2	1	6	6	3	3	-	-	-
		F	9	-	-	-	-	1	-	1	2	2	1	2	-	-	-
		M	14	-	-	-	-	1	2	-	4	4	2	1	-	-	-
# Operations of war and their sequelae[2]	Y36, Y89.1	T	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
# Complications of medical and surgical care	Y40-Y84, Y88	T	17	-	-	-	-	-	-	-	2	2	2	2	6	3	-
		F	9	-	-	-	-	-	-	-	2	1	-	1	3	2	-
		M	8	-	-	-	-	-	-	-	-	1	2	1	3	1	-

Causes designated by the symbol # are ranked to determine the leading causes of death. Sex: T=total, F=female, and M=male.

1. Assault (homicide) by other and unspecified means and their sequelae ICD-10 codes: U01.1-U01.3, U01.5-U01.9, U02, X85-X92, X96-Y09, Y87.1.
2. Operations of war and their sequelae includes deaths due to late effects of injury of war; this category does not include Idaho resident deaths occurring overseas during military activities.

IDAHO RESIDENT DEATHS
Accidental (Unintentional Injury) Deaths By Cause of Accident, Age Group, and Sex
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Total Accidents (unintentional injuries)	V01-X59, Y85-Y86	T	748	6	13	8	12	22	39	81	77	94	87	73	105	131
		F	300	3	5	4	4	8	12	28	24	38	33	30	36	75
		M	448	3	8	4	8	14	27	53	53	56	54	43	69	56
Total Transport accidents	V01-V99, Y85	T	234	-	9	5	8	12	21	34	29	32	29	23	25	7
		F	74	-	3	2	4	7	6	7	7	12	7	10	6	3
		M	160	-	6	3	4	5	15	27	22	20	22	13	19	4
Total motor vehicle accidents	See footnote 1	T	213	-	9	5	8	12	18	33	23	27	27	21	23	7
		F	70	-	3	2	4	7	6	7	7	11	6	9	5	3
		M	143	-	6	3	4	5	12	26	16	16	21	12	18	4
Pedestrian involved in collision with motor vehicle	V02-V04	T	21	-	4	-	1	-	2	-	3	-	2	4	4	1
		F	5	-	1	-	-	-	-	-	1	-	-	1	1	1
		M	16	-	3	-	1	-	2	-	2	-	2	3	3	-
Pedal cyclist involved in collision with motor vehicle	V12-V14, V19.0-V19.2, V19.4-V19.6	T	2	-	-	-	1	-	-	-	-	1	-	-	-	-
		F	1	-	-	-	1	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Motorcyclist involved in any accident except collision with railway train	V20-V24, V26-V29	T	23	-	-	-	1	-	1	3	3	6	6	1	2	-
		F	3	-	-	-	-	-	1	-	-	1	1	-	-	-
		M	20	-	-	-	1	-	-	3	3	5	5	1	2	-
Motorcyclist involved in collision with railway train	V25	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of three-wheeled motor vehicle, except collision with railway train	V30-V34, V36-V39	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of three-wheeled motor vehicle involved in collision with railway train	V35	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of motor vehicle involved in collision with railway train	See footnote 2	T	1	-	-	-	-	1	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	1	-	-	-	-	-	-	-	-
Occupant of motor vehicle involved in collision with fixed object	See footnote 3	T	16	-	-	-	-	-	-	3	2	1	1	3	3	3
		F	4	-	-	-	-	-	-	-	1	-	1	1	-	1
		M	12	-	-	-	-	-	-	3	1	1	-	2	3	2
Occupant of motor vehicle involved in collision with other motor vehicle	V42-V44, V49, V52-V54, V59	T	46	-	3	3	1	3	2	4	5	6	5	9	4	1
		F	22	-	1	1	1	1	1	2	3	4	2	4	2	-
		M	24	-	2	2	-	2	1	2	2	2	3	5	2	1
Occupant of heavy transport vehicle or bus involved in collision with other motor vehicle	V62-V64, V69, V72-V74, V79	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of motor vehicle involved in noncollision accident	V48, V58, V68, V78	T	59	-	2	1	1	5	8	17	5	6	8	1	4	1
		F	20	-	1	1	1	5	1	4	2	3	1	1	-	-
		M	39	-	1	-	-	-	7	13	3	3	7	-	4	1

1. Motor vehicle accidents: V02-V04, V09.0, V09.2, V12-V14, V19.0-V19.2, V19.4-V19.6, V20-V79, V80.3-V80.5, V81.0-V81.1, V82.0-V82.1, V83-V86, V87.0-V87.8, V88.0-V88.8, V89.0, V89.2.
2. Motor vehicle accident involving collision with railway train: V45, V55, V65, V75, V81.0-V81.1, V87.6, V88.6.
3. Occupant of motor vehicle involved in collision with other object (non-motorized road vehicle, streetcar, animal, pedestrian, or other object): V40-V41, V46-V47, V50-V51, V56-V57, V60-V61, V66-V67, V70-V71, V76-V77. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
Accidental (Unintentional Injury) Deaths By Cause of Accident, Age Group, and Sex
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Occupant of special vehicle mainly used on industrial premises	V83	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of special vehicle mainly used in agriculture	V84	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant of special construction vehicle	V85	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Occupant or rider of special all-terrain or motor vehicle designed for off-road use[1]	V86	T	21	-	-	1	2	-	1	3	3	3	2	1	4	1
		F	4	-	-	-	-	-	-	1	-	1	-	-	1	1
		M	17	-	-	1	2	-	1	2	3	2	2	1	3	-
ATV or 4-wheeled vehicle	V86	T	16	-	-	1	1	-	1	2	-	3	2	1	4	1
		F	4	-	-	-	-	-	-	1	-	1	-	-	1	1
		M	12	-	-	1	1	-	1	1	-	2	2	1	3	-
Snowmobile or snow machine (not including avalanche)	V86	T	3	-	-	-	1	-	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	2	-	-	-	-	-
Unspecified all-terrain vehicle	V86	T	2	-	-	-	-	-	-	1	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Other and unspecified motor vehicle accident	See footnote 2	T	24	-	-	-	1	3	4	3	2	4	3	2	2	-
		F	11	-	-	-	1	1	3	-	-	2	1	2	1	-
		M	13	-	-	-	-	2	1	3	2	2	2	-	1	-
Pedestrian injury with other or unspecified motor vehicle accident	V09.0, V09.2	T	3	-	-	-	-	-	-	1	1	1	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	2	-	-	-	-	-	-	1	1	-	-	-	-	-
Animal rider or occupant of animal-drawn vehicle in collision with motor vehicle or other or unspecified motor vehicle	V80.3-V80.5	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other and unspecified motor vehicle accident	Residual See footnote 2	T	21	-	-	-	1	3	4	2	1	3	3	2	2	-
		F	10	-	-	-	1	1	3	-	-	1	1	2	1	-
		M	11	-	-	-	-	2	1	2	1	2	2	-	1	-
Total Other land transport accidents	See footnote 3	T	2	-	-	-	-	-	-	-	1	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Railway accidents (not with motor vehicle)	V05, V15, V80.6, V81.2-V81.9	T	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Pedestrian with train	V05	T	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-

1. Death records with ICD-10 code V86 are reviewed for literal cause of injury and death and are sub-categorized as ATV or 4-wheeled vehicle, snowmobile or snow machine, or unspecified.
2. Other and unspecified motor vehicle accidents: V09.0, V09.2, V80.3-V80.5, V82.0-V82.1, V87.0-V87.5, V87.7-V87.8, V88.0-V88.5, V88.7-V88.8, V89.0, V89.2.
3. Other and unspecified land transport accidents: V01, V05, V06, V09.1, V09.3, V09.9, V10-V11, V15, V16-V18, V19.3, V19.8-V19.9, V80.0-V80.2, V80.6, V80.7-V80.9, V81.2-V81.9, V82.2-V82.9, V87.9, V88.9, V89.1, V89.3, V89.9. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
Accidental (Unintentional Injury) Deaths By Cause of Accident, Age Group, and Sex
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Pedal cyclist with train	V15	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Other railway accident (not with motor vehicle, pedestrian, or pedal cyclist)	V80.6, V81.2-V81.9	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Streetcar accident (not with motor vehicle)	V82.2-V82.9	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedestrian (not with motor vehicle or train)	V01, V06, V09.1, V09.3, V09.9	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Pedal cyclist (not with motor vehicle or train)	V10-V11, V16-V18, V19.3, V19.8-V19.9	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Rider of animal or occupant of animal-drawn vehicle (not with motor vehicle or train)	V80-V80.2, V80.7-V80.9	T	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in other specified transport accidents	V87.9, V88.3	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified nonmotor-vehicle accident	V89.1, V89.3	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Person injured in unspecified vehicle accident	V89.9	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Total water, air and space, and other and unspecified transport accidents and their sequelae	V90-V99, Y85	T	19	-	-	-	-	-	3	1	5	5	1	2	2	-
		F	3	-	-	-	-	-	-	-	-	1	-	1	1	-
		M	16	-	-	-	-	-	3	1	5	4	1	1	1	-
Water transport accidents	V90-V94	T	5	-	-	-	-	-	3	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	3	-	2	-	-	-	-	-
Air and space transport accidents	V95-V97	T	5	-	-	-	-	-	-	1	1	1	1	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	1	1	1	-	1	-
Other and unspecified transport accidents and their sequelae	V98-V99, Y85	T	9	-	-	-	-	-	-	-	2	4	-	2	1	-
		F	3	-	-	-	-	-	-	-	-	1	-	1	1	-
		M	6	-	-	-	-	-	-	-	2	3	-	1	-	-
Total Non-Transport accidents	W00-X59, Y86	T	514	6	4	3	4	10	18	47	48	62	58	50	80	124
		F	226	3	2	2	-	1	6	21	17	26	26	20	30	72
		M	288	3	2	1	4	9	12	26	31	36	32	30	50	52
Accidental falls	W00-W19	T	229	-	-	-	-	1	-	2	3	8	14	29	67	105
		F	114	-	-	-	-	-	-	1	1	2	6	13	28	63
		M	115	-	-	-	-	1	-	1	2	6	8	16	39	42

Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
Accidental (Unintentional Injury) Deaths By Cause of Accident, Age Group, and Sex
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Accidental discharge of firearms	W32-W34	T	3	-	-	-	-	-	1	1	-	1	-	-	-	-
		F	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-	-
Accidental explosion	W39-W40	T	2	-	-	-	-	-	-	1	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	-	1	-	1	-	-	-	-
Accidental drowning and submersion	W65-W74	T	27	-	1	2	-	1	1	4	3	3	6	3	3	-
		F	4	-	1	1	-	-	-	1	-	-	-	1	-	-
		M	23	-	-	1	-	1	1	3	3	3	6	2	3	-
Accidental inhalation and ingestion of food or other object	W78-W80	T	25	1	1	-	1	1	-	-	1	2	1	3	4	10
		F	10	-	1	-	-	-	-	-	1	1	1	1	1	4
		M	15	1	-	-	1	1	-	-	-	1	-	2	3	6
Other accidental and unspecified threats to breathing	W75-W77, W81-W84	T	12	5	-	-	-	-	1	-	1	1	1	1	1	1
		F	3	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	2	-	-	-	-	1	-	1	1	1	1	1	1
Accidental exposure to electric current	W85-W87	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental exposure to radiation	W88-W91	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental exposure to smoke, fire, flames	X00-X09	T	10	-	2	-	-	-	-	2	1	1	2	2	-	-
		F	4	-	-	-	-	-	-	2	-	1	1	-	-	-
		M	6	-	2	-	-	-	-	-	1	-	1	2	-	-
Accidental contact with heat and hot substances	X10-X19	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Lightning	X33	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Earthquake	X34	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Volcanic eruption	X35	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Avalanche, landslide, other earth movements	X36	T	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Cataclysmic storm and flood	X37-X38	T	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Accidental poisoning and exposure to noxious substances	X40-X49	T	163	-	-	-	1	6	13	35	36	40	25	5	2	-
		F	81	-	-	-	-	1	6	16	15	22	17	3	1	-
		M	82	-	-	-	1	5	7	19	21	18	8	2	1	-

Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
Accidental (Unintentional Injury) Deaths By Cause of Accident, Age Group, and Sex
2014

CAUSE OF DEATH	ICD-10 CODE	SEX	TOTAL	<1	1-4	5-9	10-14	15-19	20-24	25-34	35-44	45-54	55-64	65-74	75-84	85 +
Accidental poisoning by drugs and other biological substances	X40-X44	T	145	-	-	-	-	6	13	31	31	35	22	5	2	-
		F	78	-	-	-	-	1	6	15	15	20	17	3	1	-
		M	67	-	-	-	-	5	7	16	16	15	5	2	1	-
Accidental poisoning by other and unspecified solid or liquid substances	X45-X46, X48-X49	T	11	-	-	-	-	-	-	2	4	2	3	-	-	-
		F	2	-	-	-	-	-	-	1	-	1	-	-	-	-
		M	9	-	-	-	-	-	-	1	4	1	3	-	-	-
Accidental poisoning by and exposure to other gases and vapors	X47	T	7	-	-	-	1	-	-	2	1	3	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		M	6	-	-	-	1	-	-	2	1	2	-	-	-	-
All other and unspecified accidents and their sequelae[1]	See footnote 1	T	42	-	-	1	2	1	2	2	3	5	8	7	3	8
		F	9	-	-	1	-	-	-	-	-	-	1	2	-	5
		M	33	-	-	-	2	1	2	2	3	5	7	5	3	3
Struck by thrown, projected, or falling object	W20	T	6	-	-	-	-	-	-	-	1	2	1	2	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		M	5	-	-	-	-	-	-	-	1	2	1	1	-	-
Caught, crushed, jammed, or pinched in or between objects	W23	T	1	-	-	-	-	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	1	-	-	-	-	-
Contact with lifting and transmission devices, not elsewhere classified	W24	T	1	-	-	-	-	-	-	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	1	-	-	-	-	-	-
Contact with agricultural machinery	W30	T	1	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	1	-	-
Contact with other and unspecified machinery	W31	T	2	-	-	-	1	-	1	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	1	-	-	-	-	-	-	-
Foreign body entering into or through eye or natural orifice	W44	T	1	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	1	-	-	-
Bitten or struck by animal other than rat or dog	W55	T	2	-	-	1	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	1	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	-	-	-	1	-
Exposure to excessive natural heat	X30	T	1	-	-	-	-	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-	-
Exposure to excessive natural cold	X31	T	12	-	-	-	-	1	1	-	1	-	3	3	2	1
		F	2	-	-	-	-	-	-	-	-	-	1	1	-	-
		M	10	-	-	-	-	1	1	-	1	-	2	2	2	1
Exposure to unspecified factor	X59	T	8	-	-	-	-	-	-	1	-	1	-	-	-	6
		F	5	-	-	-	-	-	-	-	-	-	-	-	-	5
		M	3	-	-	-	-	-	-	1	-	1	-	-	-	1
Sequelae of other accidents	Y86	T	7	-	-	-	1	-	-	-	-	1	3	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	-	-	-	1	-	-	-	-	1	3	1	-	1

1. All other and unspecified accidents and their sequelae: W20-W31, W35-W38, W41-W64, W92-W99, X20-X32, X39, X50-X59, Y86. Other accidents and their sequelae with at least one death are shown by cause of death. Causes with no deaths during the year are not shown; therefore, causes of death reported in this table will vary each year. Sex: T=total, F=female, and M=male.

IDAHO RESIDENT DEATHS
Accidental (Unintentional Injury) Deaths in Descending Order by Place of Injury
2013-2014

TYPE OF ACCIDENTAL (UNINTENTIONAL INJURY) DEATH	2014 TOTAL	PLACE OF INJURY[1]					2013 TOTAL
		Home	Residential or public institution	Street or Highway	Other Public Place	Place of Injury Not Stated	
Total Accidental (Unintentional Injury) Deaths	748	343	66	177	130	32	777
Falls	229	152	57	3	16	1	194
Motor Vehicle Accident	213	9	-	164	37	3	258
Motor vehicle, noncollision	59	-	-	49	10	-	79
Motor vehicle with collision with another vehicle, heavy transport, or bus	46	-	-	39	7	-	57
Other and unspecified motor vehicle accident	23	-	-	20	2	1	20
Injury to occupant of special-use motor vehicle[2]	21	5	-	11	4	1	19
Motor vehicle with collision with fixed object	21	4	-	4	13	-	25
Injury to motorcyclist, except with railway train	21	-	-	19	1	1	28
Injury to pedestrian with motor vehicle	16	-	-	16	-	-	21
Injury to pedal cyclist with motor vehicle	3	-	-	3	-	-	3
Motor vehicle with collision with train	2	-	-	2	-	-	3
Injury to pedestrian with unspecified motor vehicle	1	-	-	1	-	-	3
Injury to occupant of three-wheeled motor vehicle	-	-	-	-	-	-	-
Injury to motorcyclist with collision with train	-	-	-	-	-	-	-
Injury to rider or occupant of animal-drawn vehicle with motor vehicle	-	-	-	-	-	-	-
All Poisoning	163	135	5	1	18	4	155
Poisoning by drugs	145	121	5	1	14	4	142
Poisoning by other and unspecified substance	11	8	-	-	3	-	9
Poisoning by gases and vapors	7	6	-	-	1	-	4
Drowning and submersion	27	4	1	-	22	-	20
Suffocation, food or object	25	6	2	-	1	16	37
Suffocation, mechanical	12	8	-	-	4	-	17
Exposure to excessive natural cold	12	7	-	-	5	-	8
Fire	10	10	-	-	-	-	16
Other and unspecified land transport accident	9	-	-	7	2	-	9
Water transportation accident	5	-	-	-	5	-	4
Air and space transportation accident	5	-	-	-	5	-	6
Firearm	3	2	-	-	1	-	8
Railroad not with motor vehicle	1	-	-	-	1	-	-
Rider of animal or occupant of animal-drawn vehicle not with motor vehicle or train	1	-	-	1	-	-	1
Exposure to excessive natural heat	1	-	-	-	-	1	1
Lightning, avalanche, earthquake, volcano, storm, flood	1	-	-	-	1	-	2
Pedal cyclist not with motor vehicle or train	-	-	-	-	-	-	2
Pedestrian not with motor vehicle or train	-	-	-	-	-	-	-
Person injured in other and unspecified land transport accident (includes streetcar)	-	-	-	-	-	-	-
Exposure to electric current	-	-	-	-	-	-	2
Other accidents and late effects (not ranked)	31	10	1	1	12	7	37

1. Place of injury for residential or public institution includes hospitals, schools, and nursing homes. Place of injury for other public place includes sport and athletics areas, trade and service areas, industrial, construction, farm, ranch and other public areas.
2. Special-use motor vehicle includes all-terrain, snowmobiles, and motor vehicles for industrial, construction, and agriculture use.

WORK INJURY DEATHS OCCURRING IN IDAHO[1]
Manner of Death by Sex and Age
2014

MANNER OF DEATH	TOTAL IN IDAHO	SEX		AGE GROUP					
		Male	Female	<15	15-24	25-44	45-64	65-74	75+
Total Work Injury Deaths	39	38	1	-	4	9	17	6	3
Unintentional injury (accidental)	35	34	1	-	4	7	16	6	2
Intentional self-harm (suicide)	2	2	-	-	-	1	1	-	-
Intentional assault (homicide)	1	1	-	-	-	1	-	-	-
Operations of war and their sequelae[2]	1	1	-	-	-	-	-	-	1
Undetermined intent	-	-	-	-	-	-	-	-	-

1. Work injury deaths occurring in Idaho: Death occurred in Idaho; however, the injury may have occurred in Idaho or out of state.
2. The category "Operations of war and their sequelae" includes deaths due to late effects of injuries from war.

ACCIDENTAL WORK INJURY DEATHS OCCURRING IN IDAHO
Industry by Place of Injury
2014

INDUSTRY	TOTAL IN IDAHO	PLACE OF INJURY							
		Home, residential institution, or nursing home	School, hospital, or other public institution	Sports and athletic area	Street or highway	Trade and service area	Industrial or construction area	Farm or ranch	Other or unspecified area
Total Accidental Work Injury Deaths	35	1	1	-	13	-	7	6	7
Agriculture, forestry, fishing, and hunting	10	-	-	-	3	-	2	4	1
Mining	1	-	-	-	-	-	1	-	-
Construction	7	-	1	-	-	-	2	-	4
Manufacturing	3	-	-	-	-	-	2	1	-
Retail trade	1	1	-	-	-	-	-	-	-
Transportation and warehousing	6	-	-	-	6	-	-	-	-
Health care and social assistance	1	-	-	-	1	-	-	-	-
Other service except public administration	1	-	-	-	1	-	-	-	-
Public administration	3	-	-	-	1	-	-	-	2
Non paid workers	2	-	-	-	1	-	-	1	-
Unknown	-	-	-	-	-	-	-	-	-

Note: Information regarding injury at work are not available for all Idaho resident deaths occurring in other states. Therefore, data on these charts are for deaths occurring in Idaho, regardless of decedent's state of residence. Other unintentional and intentional injury data in this publication are for Idaho residents, regardless of where the death occurred. Therefore, these totals will differ from totals found in other charts.

IDAHO RESIDENT DEATHS
Firearm Injury, Alcohol-Induced, and Drug-Induced Deaths
By Health District of Residence, Age Group, Sex, and Manner
2014

	CAUSE OF DEATH					
	Firearm-Injury		Alcohol-Induced		Drug-Induced	
	Number	Rate	Number	Rate	Number	Rate
U.S. (2014)		10.5		9.6		15.6
IDAHO	212	13.0	233	14.3	228	13.9
HEALTH DISTRICT						
District 1	41	18.5	39	17.6	19	8.6
District 2	23	21.5	15	14.0	9	8.4
District 3	26	9.7	32	11.9	38	14.2
District 4	44	9.4	60	12.8	74	15.8
District 5	30	15.7	24	12.6	13	6.8
District 6	23	13.6	26	15.4	42	24.9
District 7	25	11.9	37	17.7	33	15.7
AGE GROUP[1]						
< 15	9	2.5	-	-	-	-
15-19	7	6.1	-	-	9	7.8
20-24	20	17.8	-	-	15	13.4
25-34	34	15.8	9	4.2	39	18.1
35-44	31	15.5	23	11.5	54	27.0
45-54	35	17.6	58	29.1	52	26.1
55-64	34	17.0	80	40.1	39	19.5
65-74	14	10.1	46	33.2	12	8.7
75-84	15	22.3	12	17.8	6	8.9
85 +	13	47.5	4	14.6	2	7.3
SEX						
Female	38	4.7	65	8.0	122	15.0
Male	174	21.3	168	20.5	106	13.0
MANNER* (percentage)						
Natural	-	0.0%	220	94.4%	17	7.5%
Unintentional	3	1.4%	11	4.7%	145	63.6%
Intentional self-harm	182	85.8%	1	0.4%	44	19.3%
Assault	20	9.4%	-	0.0%	-	0.0%
Legal intervention	4	1.9%	-	0.0%	-	0.0%
Undetermined	3	1.4%	1	0.4%	22	9.6%

Rate: Number of deaths per 100,000 population in corresponding group.

*Manner of death as determined by the information reported in the cause of death section on the death certificate; manner of death checked on the death certificate may differ from manner determined by cause of death. There is not a check box for Legal intervention for manner of death on the Idaho death certificate.

[1] One alcohol-induced death did not report age at death.

YEARS OF POTENTIAL LIFE LOST BEFORE AGE 75
Firearm Injury, Alcohol-Induced, and Drug-Induced Deaths
2014

	Persons Aged Less than 75 Years		Years of Potential Life Lost (YPLL) Before Age 75		
CAUSE OF DEATH	Number of Deaths	Percentage of Deaths	Average Number of YPLL per Death	Total Number of YPLL	YPLL Rate*
Firearm-Injury	184	3.3%	33.1	6,091.0	395.6
Alcohol-Induced	216	3.9	18.8	4,067.0	264.1
Drug-Induced	220	4.0	31.3	6,896.0	447.9

* YPLL Rate: Total number of years of potential life lost per 100,000 aged less than 75 years.

Firearm injury, alcohol-induced, and drug-induced deaths are subsets of select causes of death; these death categories are not ranked for leading causes of death. For definitions and information on YPLL, see Technical Notes.

IDAHO RESIDENT DEATHS
Disposition Method
2014

RESIDENCE	TOTAL DEATHS	DISPOSITION METHOD								
		Burial and Entombment		Cremation		Donation		Removal From Idaho		Not Stated
		Number	Percent	Number	Percent	Number	Percent	Number	Percent	Number
IDAHO*	12,610	4,079	32.5%	7,435	59.2%	8	0.1%	1,044	8.3%	43
District 1	2,172	317	14.7	1,590	73.5	1	0.0	254	11.7	9
District 2	1,054	240	22.8	622	59.1	1	0.1	189	18.0	2
District 3	1,977	652	33.1	1,175	59.6	-	-	144	7.3	6
District 4	3,017	801	26.6	2,075	69.0	3	0.1	129	4.3	9
District 5	1,582	595	37.8	906	57.6	1	0.1	72	4.6	8
District 6	1,444	759	52.7	594	41.3	2	0.1	84	5.8	5
District 7	1,364	715	52.6	473	34.8	-	-	172	12.6	4
Ada	2,736	742	27.2	1,865	68.3	3	0.1	120	4.4	6
Adams	37	9	24.3	27	73.0	-	-	1	2.7	-
Bannock	707	304	43.1	376	53.3	1	0.1	24	3.4	2
Bear Lake	74	55	74.3	3	4.1	-	-	16	21.6	-
Benewah	130	40	30.8	76	58.5	-	-	13	10.0	-
Bingham	345	199	57.8	127	36.9	-	-	18	5.2	1
Blaine	120	21	17.5	95	79.2	-	-	4	3.3	-
Boise	45	8	17.8	37	82.2	-	-	-	-	-
Bonner	418	71	17.1	264	63.8	-	-	79	19.1	4
Bonneville	792	390	49.4	344	43.6	-	-	55	7.0	3
Boundary	121	20	16.5	95	78.5	-	-	6	5.0	-
Butte	31	14	45.2	16	51.6	-	-	1	3.2	-
Camas	5	-	-	5	100.0	-	-	-	-	-
Canyon	1,325	447	33.9	806	61.1	-	-	67	5.1	5
Caribou	57	39	70.9	12	21.8	-	-	4	7.3	2
Cassia	191	110	58.2	74	39.2	-	-	5	2.6	2
Clark	10	4	40.0	4	40.0	-	-	2	20.0	-
Clearwater	96	16	16.8	76	80.0	-	-	3	3.2	1
Custer	46	17	37.0	14	30.4	-	-	15	32.6	-
Elmore	172	41	24.1	120	70.6	-	-	9	5.3	2
Franklin	104	68	65.4	22	21.2	1	1.0	13	12.5	-
Fremont	96	63	65.6	29	30.2	-	-	4	4.2	-
Gem	212	78	37.0	127	60.2	-	-	6	2.8	1
Gooding	147	48	32.9	95	65.1	-	-	3	2.1	1
Idaho	205	73	35.8	121	59.3	1	0.5	9	4.4	1
Jefferson	138	97	70.3	35	25.4	-	-	6	4.3	-
Jerome	186	61	33.0	114	61.6	-	-	10	5.4	1
Kootenai	1,315	164	12.5	999	76.3	1	0.1	146	11.1	5
Latah	227	35	15.4	48	21.1	-	-	144	63.4	-
Lemhi	117	33	28.2	21	17.9	-	-	63	53.8	-
Lewis	42	11	26.2	30	71.4	-	-	1	2.4	-
Lincoln	29	9	31.0	18	62.1	-	-	2	6.9	-
Madison	126	96	76.2	21	16.7	-	-	9	7.1	-
Minidoka	160	96	60.8	54	34.2	-	-	8	5.1	2
Nez Perce	484	105	21.7	347	71.7	-	-	32	6.6	-
Oneida	49	37	75.5	6	12.2	-	-	6	12.2	-
Owyhee	84	37	44.0	43	51.2	-	-	4	4.8	-
Payette	204	49	24.0	102	50.0	-	-	53	26.0	-
Power	77	43	55.8	32	41.6	-	-	2	2.6	-
Shoshone	188	22	11.7	156	83.0	-	-	10	5.3	-
Teton	39	15	39.5	5	13.2	-	-	18	47.4	1
Twin Falls	744	250	33.7	451	60.8	1	0.1	40	5.4	2
Valley	64	10	15.9	53	84.1	-	-	-	-	1
Washington	115	32	27.8	70	60.9	-	-	13	11.3	-

Disposition may or may not be reported for out-of-state death records.

*Total includes 1 death in Benewah County (District 1) with other method of disposition not shown in table.

INFANT, FETAL, AND MATERNAL MORTALITY

U.S.

The 2014 U.S. infant mortality rate decreased from 6.0 deaths per 1,000 live births in 2013 to 5.8 in 2014. The leading cause of infant death in 2014 in the U.S. was Congenital malformations, deformations and chromosomal abnormalities (birth defects) (119.0 deaths per 100,000 live births), followed by Disorders related to short gestation and unspecified low birth weight (104.6 deaths per 100,000 live births). In 2014, there were 23,215 infant deaths in the U.S., compared with 23,440 in 2013[1].

Idaho

Idaho's infant mortality rate in 2014 was 5.5 per 1,000 live births, a 1.8 percent decrease from 5.6 per 1,000 live births in 2013. The number of infant deaths in 2014 was the same as in 2013 with 126 infant deaths. An infant death is the death of an infant under one year old.

The neonatal mortality rate (infant deaths less than 28 days) was 3.8 per 1,000 live births, a 2.7 percent increase from 3.7 per 1,000 live births in 2013. The postneonatal rate (infant deaths from 28 days through 11 months) decreased slightly from 2.0 in 2013 to 1.7 in 2014. The U.S. neonatal mortality rate was 4.0 and the postneonatal rate was 1.9 in 2013.

District 2 experienced the highest infant mortality rate in 2014 at 8.5 per 1,000 live births followed by District 1 (6.5). District 6 had the lowest rate in 2014 (4.3). Neonatal mortality ranged from a low of 1.9 deaths per 1,000 births in District 6 to a high of 5.4 deaths per 1,000 births in District 1. Postneonatal mortality ranged from a low of 0.7 deaths per 1,000 live births in District 4 to a high of 5.9 in District 2.

Because Idaho infant deaths provide a small data base that tends to fluctuate or produce abnormally high rates in small counties, moving three-year rates have been calculated. See page 126 for three-year infant mortality rates by district and county, from 2003-2005 through 2012-2014; the overall trend is more readily apparent.

Leading Causes of Infant Death

In 2014, there were 58 Idaho resident infant deaths for the general infant death category, "Certain conditions originating in the perinatal period" compared with 63 deaths in 2013. This category includes such conditions as short gestation and low birthweight, respiratory distress of newborn and neonatal hemorrhage. In ranking the leading causes of infant deaths, however, the conditions within this general category are used to determine leading causes of death, rather than the general category. The leading cause of Idaho infant deaths was Congenital malformations, deformations and chromosomal abnormalities (birth defects) (31 deaths; 135.4 deaths per 100,000 births). Disorders related to short gestation and unspecified low birth weight was the second leading cause of infant death (18 deaths; 78.6 deaths per 100,000 births), followed by Sudden infant death syndrome (SIDS) and Newborn affected by maternal complications of pregnancy (14 deaths each; 61.2 per 100,000 births each).

Stillbirths

Idaho reportable stillbirth deliveries are defined as a spontaneous fetal death of twenty (20) completed weeks gestation or more, based on a clinical estimate of gestation, or a weight of three hundred fifty (350) grams (12.35 ounces) or more. In 2014, there were 114 stillbirths to Idaho residents; the ratio of stillbirths to live births was 5.0 stillbirths per 1,000 live births. In the past ten years, the stillbirth ratio ranged from a low of 4.5 per 1,000 live births in 2006 to a high of 6.1 per 1,000 live births in 2011.

Perinatal Deaths

Perinatal death is defined as the number of stillbirths plus the number of deaths to infants within the first six days of life per 1,000 live births. The perinatal ratio is often used to compare U.S. data with other countries because of differences in the definitions of live birth, stillbirth and infant death among countries. In 2014, there were 191 perinatal deaths to Idaho residents. The Idaho perinatal death ratio was the same in 2013 and 2014 (8.3 perinatal deaths per 1,000 live births).

Maternal Deaths

Maternal causes of death include pregnancies with an abortive or live outcome and include direct and indirect obstetric causes and complications. The World Health Organization defines maternal death as "the death of a woman while pregnant or within 42 days of termination of pregnancy, irrespective of the duration and the site of the pregnancy, from any cause related to or aggravated by the pregnancy or its management, but not from accidental or incidental causes."[2]

In 2003, the Idaho death certificate was revised to include a separate question regarding pregnancy status of females aged 10 to 54. Data are reported if female was pregnant at time of death, within 42 days of death, or 43 days to one year prior to death. Data from the response to this question are used in conjunction with cause-of-death information reported in Part I and Part II on the death certificate to determine the underlying cause of death. This separate pregnancy status question on the death certificate resulted in the identification of more maternal deaths in states with the revised death certificate[2]. Idaho maternal death data in 2003 and later are not comparable with Idaho data prior to 2003, the U.S., or states not using the revised death certificate.

The ICD-10 codes used for determining the number of maternal deaths are A34 (Obstetric embolism), O00-O95 (Direct obstetric causes), and O98-O99 (Indirect causes). In addition, there are ICD-10 codes used for deaths due to pregnancy, childbirth, and the puerperium occurring 43 days to one year after delivery or termination of pregnancy (ICD-10 codes O96-O97); however, these deaths are not included in the count or the rate for maternal deaths. In 2014, there were three maternal deaths to Idaho residents (death rate of 13.1 deaths per 100,000 live births). There were two deaths due to pregnancy, childbirth, and the puerperium occurring 43 days to one year after delivery or termination of pregnancy. Overall from 2005 to 2014, there have been 43 maternal deaths among Idaho women.

Comparable U.S. maternal mortality data were not included in the latest U.S final data report on deaths. The 2003 revision of the U.S. Standard Certificate of Death introduced a checkbox question format with categories to take advantage of additional codes available in ICD–10 for deaths with a connection to pregnancy, childbirth, and the puerperium. As states revise their certificates, most are adopting the checkbox format, resulting in wider adoption of a pregnancy status question nationwide and greater standardization of the particular question used. As of 2010, 41 states and the District of Columbia have a separate question related to pregnancy status of female decedents around the time of their death, and one state has a prompt encouraging medical certifiers to report recent pregnancies on the death certificate. However, at least five different questions were used in the 41 states and the District of Columbia, reflecting the mix of 36 states and the District of Columbia using the 2003 standard format and five states with pre-existing questions.

1. Centers for Disease Control and Prevention, National Center for Health Statistics. Underlying Cause of Death 1999-2014 on CDC WONDER Online Database, released 2015
2. "Deaths: Final Data for 2011," National Vital Statistics Reports, National Center for Health Statistics, Vol. 63, No. 3. July 27, 2015.

U.S., IDAHO INFANT DEATH RATES
2004-2014



IDAHO, DISTRICT INFANT DEATH RATES
Neonatal and Postneonatal
2014



IDAHO RESIDENT INFANT DEATHS
Number of Infant Deaths and Rates[1]
2010-2014

RESIDENCE	2014		2013		2012		2011		2010	
	Number	Rate	Number	Rate	Number	Rate	Number	Rate	Number	Rate
U.S. Rate		5.8		6.0		6.0		6.1		6.2
IDAHO	126	5.5	126	5.6	121	5.3	112	5.0	112	4.8
District 1	17	6.5	11	4.4	12	4.8	12	5.1	9	3.6
District 2	10	8.5	9	7.8	6	4.8	10	8.7	10	8.6
District 3	24	6.0	29	7.5	26	6.7	21	5.6	14	3.6
District 4	27	4.7	23	4.1	25	4.4	28	4.9	26	4.6
District 5	17	6.1	19	6.7	21	7.3	12	4.4	21	7.0
District 6	11	4.3	17	6.6	8	3.0	14	5.4	14	4.9
District 7	20	5.0	18	4.7	23	5.7	15	3.8	18	4.4
Ada	23	4.5	20	4.0	23	4.5	24	4.7	23	4.6
Adams	-	-	1	35.7	-	-	-	-	-	-
Bannock	7	5.3	6	4.8	5	3.8	7	5.3	8	5.6
Bear Lake	-	-	2	25.3	-	-	1	15.9	1	11.0
Benewah	2	18.7	2	18.9	-	-	1	9.3	-	-
Bingham	1	1.5	6	8.1	2	2.6	4	5.5	3	3.8
Blaine	-	-	-	-	1	4.3	-	-	2	8.2
Boise	-	-	-	-	-	-	1	25.0	-	-
Bonner	5	11.6	1	2.5	2	5.1	1	2.6	2	5.1
Bonneville	14	7.5	10	5.4	9	4.5	8	4.3	9	4.5
Boundary	1	7.6	1	7.8	1	8.3	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	20	6.2	23	7.5	18	5.8	20	6.6	12	3.8
Caribou	1	12.0	-	-	-	-	1	11.9	1	9.1
Cassia	4	10.7	3	7.8	2	5.3	1	2.5	3	7.4
Clark	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	1	14.1	1	16.1	-	-
Custer	-	-	-	-	-	-	-	-	-	-
Elmore	4	8.1	3	6.2	2	4.6	3	6.2	3	6.1
Franklin	-	-	1	4.9	1	4.9	1	5.4	-	-
Fremont	1	5.1	-	-	2	10.2	2	9.4	-	-
Gem	3	15.6	2	10.1	-	-	-	-	-	-
Gooding	1	5.0	2	9.6	2	10.2	1	5.3	4	16.3
Idaho	2	12.7	2	14.8	1	5.7	-	-	2	12.5
Jefferson	-	-	3	6.2	4	8.1	2	3.9	2	3.9
Jerome	7	18.2	8	19.6	3	7.4	-	-	3	7.1
Kootenai	8	4.5	7	4.1	9	5.2	10	6.1	5	2.9
Latah	4	8.9	3	6.9	1	2.2	5	11.2	6	13.5
Lemhi	2	30.8	-	-	-	-	1	13.5	1	12.2
Lewis	-	-	-	-	-	-	-	-	1	23.8
Lincoln	-	-	-	-	3	38.5	-	-	-	-
Madison	2	1.7	2	1.8	7	6.4	2	1.9	5	4.9
Minidoka	2	6.1	1	3.0	6	17.3	2	6.2	-	-
Nez Perce	4	8.3	4	8.5	3	5.8	4	9.0	1	2.2
Oneida	-	-	1	21.3	-	-	-	-	-	-
Owyhee	-	-	1	8.1	2	13.0	-	-	-	-
Payette	1	3.2	2	6.6	6	19.5	1	3.1	2	6.1
Power	2	13.4	1	7.8	-	-	-	-	1	7.4
Shoshone	1	6.7	-	-	-	-	-	-	2	14.7
Teton	1	7.3	3	20.8	1	6.0	-	-	1	6.1
Twin Falls	3	2.5	5	4.1	4	3.2	8	6.9	9	7.1
Valley	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-

[1] Infant death rate: Number of deaths of infants under one year of age per 1,000 live births.

IDAHO RESIDENT INFANT DEATHS
Sex and Race/Ethnicity of Infant
2014

RESIDENCE	TOTAL DEATHS	SEX		RACE						HISPANIC*
		Male	Female	White	Black	American Indian/ Alaska Native	Asian/ Pacific Islander	Other Race /Multiple Race	Not Stated	
IDAHO	126	67	59	122	1	2	-	1	-	22
District 1	17	9	8	16	-	1	-	-	-	-
District 2	10	4	6	9	-	1	-	-	-	-
District 3	24	10	14	23	1	-	-	-	-	13
District 4	27	14	13	27	-	-	-	-	-	2
District 5	17	13	4	16	-	-	-	1	-	4
District 6	11	4	7	11	-	-	-	-	-	-
District 7	20	13	7	20	-	-	-	-	-	3
Ada	23	12	11	23	-	-	-	-	-	1
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	7	2	5	7	-	-	-	-	-	-
Bear Lake	-	-	-	-	-	-	-	-	-	-
Benewah	2	2	-	1	-	1	-	-	-	-
Bingham	1	1	-	1	-	-	-	-	-	-
Blaine	-	-	-	-	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-	-
Bonner	5	1	4	5	-	-	-	-	-	-
Bonneville	14	11	3	14	-	-	-	-	-	3
Boundary	1	1	-	1	-	-	-	-	-	-
Butte	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	20	7	13	19	1	-	-	-	-	11
Caribou	1	-	1	1	-	-	-	-	-	-
Cassia	4	4	-	3	-	-	-	1	-	1
Clark	-	-	-	-	-	-	-	-	-	-
Clearwater	-	-	-	-	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-	-
Elmore	4	2	2	4	-	-	-	-	-	1
Franklin	-	-	-	-	-	-	-	-	-	-
Fremont	1	-	1	1	-	-	-	-	-	-
Gem	3	3	-	3	-	-	-	-	-	2
Gooding	1	1	-	1	-	-	-	-	-	-
Idaho	2	1	1	2	-	-	-	-	-	-
Jefferson	-	-	-	-	-	-	-	-	-	-
Jerome	7	5	2	7	-	-	-	-	-	3
Kootenai	8	5	3	8	-	-	-	-	-	-
Latah	4	1	3	4	-	-	-	-	-	-
Lemhi	2	1	1	2	-	-	-	-	-	-
Lewis	-	-	-	-	-	-	-	-	-	-
Lincoln	-	-	-	-	-	-	-	-	-	-
Madison	2	1	1	2	-	-	-	-	-	-
Minidoka	2	2	-	2	-	-	-	-	-	-
Nez Perce	4	2	2	3	-	1	-	-	-	-
Oneida	-	-	-	-	-	-	-	-	-	-
Owyhee	-	-	-	-	-	-	-	-	-	-
Payette	1	-	1	1	-	-	-	-	-	-
Power	2	1	1	2	-	-	-	-	-	-
Shoshone	1	-	1	1	-	-	-	-	-	-
Teton	1	-	1	1	-	-	-	-	-	-
Twin Falls	3	1	2	3	-	-	-	-	-	-
Valley	-	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-	-

* Race and Hispanic origin are reported separately on the death certificate. Persons of Hispanic origin are included in appropriate race totals.

IDAHO RESIDENT INFANT DEATHS
Cause of Death by Neonatal and Postneonatal Periods
2014

CAUSE OF DEATH AND ICD-10 CODE(S)	IDAHO						U.S.
	Total		Neonatal		Postneonatal		2014
	Number	Rate	Number	Rate	Number	Rate	
ALL CAUSES	126	550.5	88	384.5	38	166.0	582.1
Influenza and pneumonia (J09-J18)	-	-	-	-	-	-	4.7
Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	31	135.4	23	100.5	8	35.0	119.0
Total, Certain conditions originating in the perinatal period (P00-P96)*	58	253.4	57	249.0	1	4.4	295.7
Newborn affected by maternal complications of pregnancy (P01)	14	61.2	14	61.2	-	-	39.5
Newborn affected by complications of placenta, cord and membranes (P02)	4	17.5	4	17.5	-	-	24.2
Disorders related to short gestation and unspecified low birthweight (P07)	18	78.6	18	78.6	-	-	104.6
Intrauterine hypoxia and birth asphyxia (P20-P21)	1	4.4	1	4.4	-	-	8.1
Respiratory distress of newborn (P22)	-	-	-	-	-	-	11.5
Bacterial sepsis of newborn (P36)	1	4.4	1	4.4	-	-	13.6
Neonatal hemorrhage (P50-P52, P54)	1	4.4	1	4.4	-	-	11.1
Other conditions originating in the perinatal period (residual of P00-P96)	19	83.0	18	78.6	1	4.4	NA
Sudden infant death syndrome (SIDS)(R95)	14	61.2	2	8.7	12	52.4	38.7
Other symptoms, signs & abnormal clinical and laboratory findings, not elsewhere classified (R00-R53, R55-R94, R96-R99)**	7	30.6	2	8.7	5	21.8	28.9
Accidents (unintentional injuries) (V01-X59)	6	26.2	-	-	6	26.2	29.1
Assault (homicide) (X85-Y09.9, Y87.1)	1	4.4	-	-	1	4.4	6.2
All other causes (residual)	9	39.3	4	17.5	5	21.8	NA

Rate per 100,000 live births.

* The category P00-P96 is not used to rank leading cause of death; subsets of P00-P96 are used to rank leading cause for infants.

** SIDS, a ranked cause, is a subset of R00-R99, "Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified". Categories R00-R53, R55-R94, R96-R99 are not used to rank leading cause of death, but are subsets of R00-R99.

IDAHO RESIDENT INFANT DEATHS
Neonatal and Postneonatal Deaths by Age of Mother
2014

AGE OF MOTHER (At time of infant's birth)	TOTAL		NEONATAL		POSTNEONATAL	
	Number	Rate	Number	Rate	Number	Rate
TOTAL	126	5.5	88	3.8	38	1.7
<15	-	-	-	-	-	-
15-19	9	6.9	6	4.6	3	2.3
15-17	2	6.4	1	3.2	1	3.2
18-19	7	7.1	5	5.0	2	2.0
20-34	99	5.3	69	3.7	30	1.6
35+	17	6.2	12	4.4	5	1.8
Unknown	1	NA	1	NA	-	NA

Rates in this chart are per 1,000 live births in corresponding mother's age group.
NA: Not applicable.

IDAHO RESIDENT INFANT DEATHS
Causes of Infant Deaths
Three-Year Aggregate, 2012-2014

RESIDENCE	THREE-YEAR TOTAL INFANT DEATHS		CAUSE OF INFANT DEATH						
	Number	Rate[1]	Congenital malform-ations[2]	Short Gestation / Unspecified Low Birth Weight	Respiratory Distress of Newborn	All Other Conditions Originating in Perinatal Period	Sudden Infant Death Syndrome (SIDS)	External Causes[3]	All Other Causes
IDAHO	373	5.5	93	58	-	117	39	18	48
District 1	40	5.3	9	4	-	16	5	1	5
District 2	25	7.0	5	3	-	3	7	3	4
District 3	79	6.7	19	13	-	25	4	3	15
District 4	75	4.4	17	15	-	25	10	1	7
District 5	57	6.7	21	8	-	16	4	2	6
District 6	36	4.6	9	4	-	8	7	4	4
District 7	61	5.1	13	11	-	24	2	4	7
Ada	66	4.3	14	15	-	22	9	1	5
Adams	1	11.4	-	-	-	-	1	-	-
Bannock	18	4.6	6	1	-	3	5	2	1
Bear Lake	2	7.7	1	-	-	-	-	1	-
Benewah	4	11.9	1	-	-	2	1	-	-
Bingham	9	4.1	2	2	-	1	1	1	2
Blaine	1	1.5	1	-	-	-	-	-	-
Boise	-	-	-	-	-	-	-	-	-
Bonner	8	6.6	-	2	-	3	1	-	2
Bonneville	33	5.8	6	5	-	16	-	2	4
Boundary	3	7.9	1	-	-	-	-	-	2
Butte	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-
Canyon	61	6.5	14	13	-	19	-	3	12
Caribou	1	3.7	-	-	-	1	-	-	-
Cassia	9	7.9	2	-	-	5	1	-	1
Clark	-	-	-	-	-	-	-	-	-
Clearwater	1	4.9	1	-	-	-	-	-	-
Custer	-	-	-	-	-	-	-	-	-
Elmore	9	6.3	3	-	-	3	1	-	2
Franklin	2	3.4	-	1	-	1	-	-	-
Fremont	3	5.2	-	2	-	-	1	-	-
Gem	5	8.3	1	-	-	2	2	-	-
Gooding	5	8.3	1	1	-	-	1	-	2
Idaho	5	10.7	1	2	-	-	1	-	1
Jefferson	7	4.9	1	-	-	5	-	1	-
Jerome	18	15.0	5	4	-	6	-	1	2
Kootenai	24	4.6	7	2	-	10	3	1	1
Latah	8	6.0	2	-	-	1	3	1	1
Lemhi	2	10.8	-	-	-	2	-	-	-
Lewis	-	-	-	-	-	-	-	-	-
Lincoln	3	14.0	1	-	-	1	1	-	-
Madison	11	3.3	3	4	-	1	1	-	2
Minidoka	9	9.0	5	1	-	2	-	1	-
Nez Perce	11	7.5	1	1	-	2	3	2	2
Oneida	1	7.1	-	-	-	1	-	-	-
Owyhee	3	7.2	-	-	-	1	1	-	1
Payette	9	9.8	4	-	-	3	-	-	2
Power	3	7.1	-	-	-	1	1	-	1
Shoshone	1	2.5	-	-	-	1	-	-	-
Teton	5	11.1	3	-	-	-	-	1	1
Twin Falls	12	3.3	6	2	-	2	1	-	1
Valley	-	-	-	-	-	-	-	-	-
Washington	-	-	-	-	-	-	-	-	-

1. Infant death rate: Number of deaths to infants under one year of age per 1,000 live births.
2. Shortened ICD-10 title for Congenital malformations, deformations and chromosomal abnormalities (birth defects).
3. External causes include unintentional injury, homicide, and undetermined injury for infants under one year of age.

IDAHO RESIDENT INFANT DEATHS
Neonatal and Postneonatal
2014

RESIDENCE	TOTAL LIVE BIRTHS	INFANT DEATHS					
		Total		Neonatal		Postneonatal	
		Number	Rate	Number	Rate	Number	Rate
U.S. 2014 Final	3,988,076	23,215	5.8	15,720	3.9	7,495	1.9
IDAHO	22,888	126	5.5	88	3.8	38	1.7
District 1	2,615	17	6.5	14	5.4	3	1.1
District 2	1,180	10	8.5	3	2.5	7	5.9
District 3	4,005	24	6.0	17	4.2	7	1.7
District 4	5,751	27	4.7	23	4.0	4	0.7
District 5	2,789	17	6.1	11	3.9	6	2.2
District 6	2,579	11	4.3	5	1.9	6	2.3
District 7	3,969	20	5.0	15	3.8	5	1.3
Ada	5,128	23	4.5	20	3.9	3	0.6
Adams	31	-	-	-	-	-	-
Bannock	1,324	7	5.3	3	2.3	4	3.0
Bear Lake	90	-	-	-	-	-	-
Benewah	107	2	18.7	2	18.7	-	-
Bingham	687	1	1.5	-	-	1	1.5
Blaine	222	-	-	-	-	-	-
Boise	39	-	-	-	-	-	-
Bonner	431	5	11.6	4	9.3	1	2.3
Bonneville	1,875	14	7.5	12	6.4	2	1.1
Boundary	132	1	7.6	1	7.6	-	-
Butte	26	-	-	-	-	-	-
Camas	5	-	-	-	-	-	-
Canyon	3,227	20	6.2	14	4.3	6	1.9
Caribou	83	1	12.0	1	12.0	-	-
Cassia	374	4	10.7	2	5.3	2	5.3
Clark	10	-	-	-	-	-	-
Clearwater	58	-	-	-	-	-	-
Custer	42	-	-	-	-	-	-
Elmore	495	4	8.1	3	6.1	1	2.0
Franklin	176	-	-	-	-	-	-
Fremont	198	1	5.1	-	-	1	5.1
Gem	192	3	15.6	3	15.6	-	-
Gooding	202	1	5.0	1	5.0	-	-
Idaho	158	2	12.7	1	6.3	1	6.3
Jefferson	445	-	-	-	-	-	-
Jerome	384	7	18.2	5	13.0	2	5.2
Kootenai	1,795	8	4.5	6	3.3	2	1.1
Latah	448	4	8.9	1	2.2	3	6.7
Lemhi	65	2	30.8	2	30.8	-	-
Lewis	35	-	-	-	-	-	-
Lincoln	62	-	-	-	-	-	-
Madison	1,197	2	1.7	1	0.8	1	0.8
Minidoka	326	2	6.1	-	-	2	6.1
Nez Perce	481	4	8.3	1	2.1	3	6.2
Oneida	44	-	-	-	-	-	-
Owyhee	142	-	-	-	-	-	-
Payette	310	1	3.2	-	-	1	3.2
Power	149	2	13.4	1	6.7	1	6.7
Shoshone	150	1	6.7	1	6.7	-	-
Teton	137	1	7.3	-	-	1	7.3
Twin Falls	1,214	3	2.5	3	2.5	-	-
Valley	89	-	-	-	-	-	-
Washington	103	-	-	-	-	-	-

Total infant death rate: Number of deaths of infants under one year of age per 1,000 live births.
Neonatal infant death rate: Number of deaths of infants within the first 27 days of life per 1,000 live births.
Postneonatal infant death rate: Number of deaths to infants aged 28 days to under one year of age per 1,000 live births.

IDAHO RESIDENT INFANT DEATHS
Three-Year Rates
2003-2005 Through 2012-2014

RESIDENCE	2012-14	2011-13	2010-12	2009-11	2008-10	2007-09	2006-08	2005-07	2004-06	2003-05
IDAHO	5.5	5.3	5.0	5.1	5.3	6.0	6.4	6.6	6.4	6.2
District 1	5.3	4.8	4.5	3.4	3.5	4.9	6.0	6.7	6.1	5.9
District 2	7.0	7.0	7.3	7.1	6.1	5.2	5.9	6.7	7.7	7.4
District 3	6.7	6.6	5.2	5.1	5.5	6.6	7.8	8.0	8.1	7.2
District 4	4.4	4.5	4.6	4.9	5.1	5.8	6.2	6.7	6.7	6.8
District 5	6.7	6.1	6.2	6.2	7.1	7.5	7.3	6.8	5.8	5.9
District 6	4.6	5.0	4.4	4.9	5.1	5.8	6.1	6.0	5.5	5.8
District 7	5.1	4.7	4.7	4.8	5.2	5.5	5.3	5.0	4.8	4.6
Ada	4.3	4.4	4.6	4.8	5.1	5.7	6.2	6.4	6.6	6.7
Adams	11.4	11.6	-	-	-	8.0	7.6	8.1	-	-
Bannock	4.6	4.6	4.9	4.8	4.5	5.2	6.1	6.6	5.9	6.8
Bear Lake	7.7	12.9	8.2	12.3	7.9	4.2	9.0	8.6	8.4	8.1
Benewah	11.9	8.9	2.9	6.0	3.0	11.8	8.5	11.0	8.4	11.6
Bingham	4.1	5.3	3.9	4.7	6.5	7.5	7.2	6.5	6.2	5.9
Blaine	1.5	1.5	4.3	6.8	6.0	4.6	3.3	7.7	7.9	11.9
Boise	-	8.4	8.5	6.9	-	-	-	6.9	6.3	5.8
Bonner	6.6	3.4	4.3	2.5	3.2	5.4	8.5	9.7	8.3	7.7
Bonneville	5.8	4.7	4.4	4.1	5.0	5.2	6.5	5.6	5.8	4.7
Boundary	7.9	5.3	2.8	-	2.6	2.5	2.4	2.5	10.1	10.5
Butte	-	-	-	-	-	-	-	-	-	-
Camas	-	-	-	-	-	-	-	-	-	-
Canyon	6.5	6.6	5.4	5.5	5.7	6.5	8.1	7.7	8.1	6.6
Caribou	3.7	3.7	7.1	13.8	9.6	9.9	9.8	9.9	13.7	9.7
Cassia	7.9	5.2	5.1	4.1	3.2	4.8	7.4	8.4	5.0	4.2
Clark	-	-	-	-	-	-	-	-	16.4	16.4
Clearwater	4.9	9.6	10.5	5.1	-	-	-	4.5	10.2	10.2
Custer	-	-	-	-	-	-	-	8.4	8.8	10.1
Elmore	6.3	5.7	5.6	6.5	6.4	8.1	8.0	9.8	8.1	8.1
Franklin	3.4	5.1	3.3	3.3	4.5	4.5	3.0	-	-	-
Fremont	5.2	6.8	6.4	3.1	-	-	1.5	4.4	5.9	8.8
Gem	8.3	3.4	-	1.8	3.4	3.1	1.4	4.1	4.4	7.9
Gooding	8.3	8.4	11.1	7.1	6.6	6.5	8.2	8.2	4.1	4.0
Idaho	10.7	6.5	6.2	6.3	8.0	4.0	2.1	2.2	6.5	6.7
Jefferson	4.9	6.1	5.3	7.0	7.3	8.0	4.5	3.5	4.4	7.2
Jerome	15.0	9.1	4.9	8.7	12.3	13.0	7.9	5.8	3.5	5.6
Kootenai	4.6	5.1	4.7	3.5	3.4	4.3	5.1	5.6	5.1	4.7
Latah	6.0	6.7	8.9	9.5	7.9	4.3	3.0	0.8	0.8	4.1
Lemhi	10.8	5.2	9.3	13.3	8.7	4.3	-	-	-	-
Lewis	-	-	8.1	8.5	15.9	7.6	7.8	-	-	-
Lincoln	14.0	13.3	12.4	-	-	-	-	-	-	-
Madison	3.3	3.4	4.4	5.2	5.7	6.6	5.4	5.4	3.0	2.1
Minidoka	9.0	9.0	8.0	2.1	1.0	4.0	6.0	5.0	5.1	4.0
Nez Perce	7.5	7.7	5.6	5.2	3.6	7.4	10.9	14.8	14.5	11.0
Oneida	7.1	6.8	-	-	-	-	-	-	-	-
Owyhee	7.2	7.2	4.7	4.7	9.0	12.6	12.1	12.0	9.5	9.5
Payette	9.8	9.7	9.4	5.1	6.0	8.6	8.6	12.7	9.4	9.5
Power	7.1	2.5	2.5	2.6	2.4	4.8	4.8	5.1	2.6	2.6
Shoshone	2.5	-	5.6	5.3	7.6	8.0	10.7	10.9	5.5	5.5
Teton	11.1	8.4	4.0	3.7	5.2	4.8	3.6	2.0	2.4	2.4
Twin Falls	3.3	4.7	5.8	7.4	9.1	8.8	8.9	7.0	7.3	6.7
Valley	-	-	-	3.6	2.9	2.6	-	3.2	3.8	4.0
Washington	-	-	-	-	-	-	2.6	7.4	12.4	13.1

Three-year infant death rate: Number of deaths to infants under one year in three-year period per 1,000 live births in corresponding three-year period.

IDAHO RESIDENT STILLBIRTHS
Number of Stillbirths and Ratios
2010-2014

RESIDENCE	2014		2013		2012		2011		2010	
	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio
IDAHO	114	5.0	109	4.9	115	5.0	137	6.1	123	5.3
District 1	12	4.6	11	4.4	20	8.0	18	7.6	13	5.2
District 2	7	5.9	10	8.6	6	4.8	7	6.1	13	11.1
District 3	23	5.7	19	4.9	25	6.4	24	6.4	26	6.6
District 4	20	3.5	16	2.9	17	3.0	27	4.7	27	4.8
District 5	21	7.5	10	3.5	17	5.9	15	5.4	16	5.3
District 6	12	4.7	23	8.9	10	3.7	17	6.6	13	4.5
District 7	19	4.8	20	5.2	20	4.9	29	7.4	15	3.7
Ada	20	3.9	13	2.6	16	3.2	25	4.9	25	5.0
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	8	6.0	9	7.2	5	3.8	8	6.1	3	2.1
Bear Lake	-	-	1	12.7	1	11.1	1	15.9	-	-
Benewah	1	9.3	-	-	2	16.3	1	9.3	1	9.0
Bingham	3	4.4	7	9.4	3	3.9	3	4.1	8	10.2
Blaine	1	4.5	1	4.7	-	-	-	-	2	8.2
Boise	-	-	-	-	-	-	-	-	1	23.8
Bonner	3	7.0	2	5.1	3	7.7	4	10.5	2	5.1
Bonneville	13	6.9	11	6.0	8	4.0	13	6.9	6	3.0
Boundary	1	7.6	1	7.8	1	8.3	-	-	-	-
Butte	-	-	1	33.3	-	-	-	-	-	-
Camas	-	-	1	100.0	-	-	-	-	-	-
Canyon	18	5.6	17	5.5	23	7.4	20	6.6	25	7.9
Caribou	-	-	-	-	-	-	1	11.9	-	-
Cassia	3	8.0	3	7.8	3	8.0	-	-	1	2.5
Clark	-	-	-	-	1	111.1	-	-	-	-
Clearwater	1	17.2	-	-	-	-	1	16.1	-	-
Custer	1	23.8	1	23.8	1	32.3	-	-	-	-
Elmore	-	-	2	4.1	1	2.3	2	4.1	-	-
Franklin	1	5.7	5	24.6	-	-	1	5.4	-	-
Fremont	-	-	1	5.6	-	-	1	4.7	1	4.7
Gem	1	5.2	-	-	2	9.5	-	-	-	-
Gooding	1	5.0	1	4.8	-	-	1	5.3	1	4.1
Idaho	2	12.7	2	14.8	3	17.1	-	-	4	25.0
Jefferson	1	2.2	3	6.2	2	4.0	3	5.9	-	-
Jerome	3	7.8	-	-	1	2.5	2	5.1	2	4.7
Kootenai	7	3.9	8	4.7	13	7.4	12	7.3	8	4.6
Latah	1	2.2	4	9.2	2	4.4	5	11.2	7	15.8
Lemhi	1	15.4	-	-	1	17.2	-	-	-	-
Lewis	2	57.1	-	-	-	-	-	-	-	-
Lincoln	1	16.1	-	-	-	-	-	-	1	11.0
Madison	3	2.5	4	3.7	7	6.4	10	9.7	7	6.8
Minidoka	4	12.3	1	3.0	2	5.8	4	12.4	1	3.1
Nez Perce	1	2.1	4	8.5	1	1.9	1	2.3	2	4.3
Oneida	-	-	-	-	-	-	-	-	1	15.4
Owyhee	1	7.0	1	8.1	-	-	-	-	1	7.6
Payette	2	6.5	-	-	-	-	4	12.5	-	-
Power	-	-	-	-	1	6.8	3	23.8	1	7.4
Shoshone	-	-	-	-	1	8.5	1	9.5	2	14.7
Teton	-	-	-	-	-	-	2	12.3	1	6.1
Twin Falls	8	6.6	3	2.5	11	8.9	8	6.9	8	6.3
Valley	-	-	1	11.8	-	-	-	-	1	12.0
Washington	1	9.7	1	8.6	-	-	-	-	-	-

Stillbirth ratio: Number of stillbirths per 1,000 live births.

IDAHO RESIDENT PERINATAL DEATHS
Number of Perinatal Deaths and Ratios
2010-2014

	2014		2013		2012		2011		2010	
RESIDENCE	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio	Number	Ratio
IDAHO	191	8.3	186	8.3	191	8.3	193	8.7	174	7.5
District 1	26	9.9	18	7.3	27	10.8	24	10.1	17	6.9
District 2	10	8.5	14	12.1	8	6.4	10	8.7	18	15.4
District 3	37	9.2	36	9.4	45	11.5	32	8.5	34	8.6
District 4	39	6.8	33	5.9	29	5.1	44	7.6	38	6.7
District 5	32	11.5	21	7.4	33	11.5	22	8.0	23	7.6
District 6	16	6.2	32	12.4	15	5.5	22	8.5	18	6.3
District 7	31	7.8	32	8.3	34	8.4	39	10.0	26	6.4
Ada	38	7.4	28	5.6	28	5.5	41	8.0	36	7.1
Adams	-	-	-	-	-	-	-	-	-	-
Bannock	10	7.6	12	9.6	8	6.0	9	6.8	6	4.2
Bear Lake	-	-	1	12.7	1	11.1	1	15.9	-	-
Benewah	3	28.0	1	9.4	2	16.3	2	18.5	1	9.0
Bingham	3	4.4	11	14.8	4	5.2	7	9.5	9	11.4
Blaine	1	4.5	1	4.7	1	4.3	-	-	2	8.2
Boise	-	-	-	-	-	-	-	-	1	23.8
Bonner	7	16.2	3	7.6	4	10.2	4	10.5	4	10.1
Bonneville	22	11.7	17	9.2	13	6.5	19	10.1	10	5.0
Boundary	2	15.2	1	7.8	2	16.7	-	-	-	-
Butte	-	-	1	33.3	-	-	-	-	-	-
Camas	-	-	1	100.0	-	-	-	-	-	-
Canyon	30	9.3	32	10.4	36	11.6	28	9.3	32	10.1
Caribou	1	12.0	-	-	-	-	1	11.9	-	-
Cassia	5	13.4	5	13.1	5	13.3	1	2.5	1	2.5
Clark	-	-	-	-	1	111.1	-	-	-	-
Clearwater	1	17.2	-	-	1	14.1	2	32.3	-	-
Custer	1	23.8	1	23.8	1	32.3	-	-	-	-
Elmore	1	2.0	4	8.2	1	2.3	3	6.2	-	-
Franklin	1	5.7	6	29.6	1	4.9	1	5.4	-	-
Fremont	-	-	1	5.6	2	10.2	2	9.4	1	4.7
Gem	3	15.6	-	-	2	9.5	-	-	-	-
Gooding	2	9.9	1	4.8	2	10.2	2	10.5	3	12.2
Idaho	3	19.0	4	29.6	3	17.1	-	-	6	37.5
Jefferson	1	2.2	6	12.4	5	10.1	4	7.9	2	3.9
Jerome	8	20.8	7	17.1	4	9.9	2	5.1	3	7.1
Kootenai	13	7.2	13	7.6	18	10.3	17	10.3	9	5.2
Latah	2	4.5	4	9.2	2	4.4	7	15.7	10	22.5
Lemhi	3	46.2	-	-	1	17.2	-	-	1	12.2
Lewis	2	57.1	-	-	-	-	-	-	-	-
Lincoln	1	16.1	-	-	1	12.8	-	-	1	11.0
Madison	4	3.3	6	5.5	11	10.0	12	11.7	11	10.7
Minidoka	4	12.3	2	6.0	6	17.3	5	15.5	1	3.1
Nez Perce	2	4.2	6	12.8	2	3.9	1	2.3	2	4.3
Oneida	-	-	1	21.3	-	-	-	-	1	15.4
Owyhee	1	7.0	1	8.1	1	6.5	-	-	1	7.6
Payette	2	6.5	2	6.6	6	19.5	4	12.5	1	3.0
Power	1	6.7	-	-	1	6.8	3	23.8	2	14.8
Shoshone	1	6.7	-	-	1	8.5	1	9.5	3	22.1
Teton	-	-	1	6.9	-	-	2	12.3	1	6.1
Twin Falls	11	9.1	4	3.3	14	11.4	12	10.4	12	9.5
Valley	-	-	1	11.8	-	-	-	-	1	12.0
Washington	1	9.7	1	8.6	-	-	-	-	-	-

Perinatal death ratio: Number of stillbirths plus deaths of infants under 7 days of age per 1,000 live births.